


LAB-1: Use of Single Table


A. Creating Database:

Query: CREATE DATABASE LAB1;



B. Creating Table:

Query: CREATE TABLE STUDENT (
 SID INT PRIMARY KEY,
 SNAME VARCHAR(25),
 GENDER CHAR(1),
 AGE INT,
 CLASS VARCHAR(20),
 MARKS INT,
 EMAIL VARCHAR(30),
 ADDRESS VARCHAR(35)
);



1. Insert 15 students with full details including Email and Address.

Query : INSERT INTO STUDENT VALUES

```
(1, 'Bimal Kunwar', 'M', 19, '12A', 91, 'bimalkunwar@gmail.com', 'Kathmandu'),
(2, 'Rohit Sharma', 'M', 20, '12A', 88, 'rohit.sharma@gmail.com', 'Nagpur'),
(3, 'Virat Kohli', 'M', 20, '12A', 88, 'viratkohli@gmail.com', 'Mumbai'),
(4, 'Kane Williamson', 'M', 18, '12B', 90, 'williamson@gmail.com', 'Wellington'),
(5, 'Ben Stokes', 'M', 20, '12A', 85, 'bstokes@outlook.com', 'Manchester'),
(6, 'Smriti Mandhana', 'F', 18, '11A', 93, 'smriti.mandhana@gmail.com', 'Mumbai'),
(7, 'Ellyse Perry', 'F', 19, '11B', 65, 'ellyseperry@yahoo.com', 'Melbourne'),
(8, 'Harmanpr Kaur', 'F', 17, '11B', 84, 'harmanpreet.kaur@gmail.com', 'Mumbai'),
(9, 'Shubman Gill', 'M', 18, '11A', 78, NULL, 'Ahmedabad'),
(10, 'Jasprit Bumrah', 'M', 18, '12B', 82, 'bumrah@yahoo.com', 'Ahmedabad'),
(11, 'Rohit Sharma', 'M', 19, '11A', 88, 'rohit.sharma@gmail.com', 'Nagpur'),
(12, 'Mithali Raj', 'F', 20, '12A', 73, 'mithaliraj@rediff.com', 'Hyderabad'),
(13, 'Rashid Khan', 'M', 17, '11B', 90, 'rashidkhan@gmail.com', 'Kabul'),
(14, 'Meg Lanning', 'F', 19, '12B', 95, 'meglanning@yahoo.com', 'Melbourne'),
(15, 'Pat Cummins', 'M', 18, '11A', 88, 'cummins@gmail.com', 'Sydney');
```

2. Display all student records with all columns.

Query: `SELECT * FROM STUDENT;`




The screenshot shows the SQL Server Enterprise Manager interface. On the left, the Object Explorer displays the database structure for 'localhost\SQLEXPRESS (SQL Server 16.0.1000 - BIMAL-K...)' with 'LAB1' selected. The main pane shows the query results for 'SQLFile1.sql...AR\Acer (86))*'. The results grid displays 15 rows of student data with columns: SID, SNAME, GENDER, AGE, CLASS, MARKS, EMAIL, and ADDRESS.

SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Kathmandu
2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Mumbai
3	Rohit Sharma	M	20	12A	88	rohit.sharma@gmail.com	Nagpur
4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington
5	Ben Stokes	M	20	12A	85	bstokes@outlook.com	Manchester
6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai
7	Ellyse Perry	F	19	11B	65	ellyseperry@yahoo.com	Melbourne
8	Harmanpreet Kaur	F	17	11B	84	harmanpreetkaur@gmail.com	Mumbai
9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad
10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad
11	Rohit Sharma	M	19	11A	88	rohit.sharma@gmail.com	Nagpur
12	Mithali Raj	F	20	12A	73	mithaliraj@rediff.com	Hyderabad
13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul
14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne
15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney

3. Display only SName, Email, and Marks.

Query: `SELECT SNAME, EMAIL, MARKS FROM STUDENT;`



The screenshot shows the SQL Server Enterprise Manager interface. On the left, the Object Explorer displays the database structure for 'localhost\SQLEXPRESS (SQL Server 16.0.1000 - BIMAL-K...)' with 'LAB1' selected. The main pane shows the query results for 'SQLFile1.sql...AR\Acer (86))*'. The results grid displays 15 rows of student data with columns: SNAME, EMAIL, and MARKS.

	SNAME	EMAIL	MARKS
1	Bimal Kunwar	bimalkunwar@gmail.com	91
2	Virat Kohli	viratkohli@gmail.com	88
3	Rohit Sharma	rohit.sharma@gmail.com	88
4	Kane Williamson	williamson@gmail.com	90
5	Ben Stokes	bstokes@outlook.com	85
6	Smriti Mandhana	smriti.mandhana@gmail.com	93
7	Ellyse Perry	ellyseperry@yahoo.com	65
8	Harmanpreet Kaur	harmanpreetkaur@gmail.com	84
9	Shubman Gill	NULL	78
10	Jasprit Bumrah	bumrah@yahoo.com	82
11	Rohit Sharma	rohit.sharma@gmail.com	88
12	Mithali Raj	mithaliraj@rediff.com	73
13	Rashid Khan	rashidkhan@gmail.com	90
14	Meg Lanning	meglanning@yahoo.com	95
15	Pat Cummins	cummins@gmail.com	88

4. Find students who live in a specific city (use LIKE on Address).

Query: SELECT * FROM STUDENT WHERE ADDRESS LIKE 'Mumbai';



The screenshot shows a SQL Server Enterprise Manager window with a query executed successfully. The results pane displays a table with 8 columns: SID, SNAME, GENDER, AGE, CLASS, MARKS, EMAIL, and ADDRESS. Three rows of data are shown, all with 'Mumbai' in the ADDRESS column.

	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Mumbai
2	6	Smiti Mandhana	F	18	11A	93	smiti.mandhana@gmail.com	Mumbai
3	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai

Query executed successfully. localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)

5. Find students whose email ends with '@gmail.com'.

Query: SELECT * FROM STUDENT WHERE
EMAIL LIKE '%@gmail.com';



The screenshot shows a SQL Server Enterprise Manager window with a query executed successfully. The results pane displays a table with 8 columns: SID, SNAME, GENDER, AGE, CLASS, MARKS, EMAIL, and ADDRESS. Nine rows of data are shown, all with email addresses ending in '@gmail.com'.


	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Kathmandu
2	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Mumbai
3	3	Rohit Sharma	M	20	12A	88	rohitsharma@gmail.com	Nagpur
4	4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington
5	6	Smiti Mandhana	F	18	11A	93	smiti.mandhana@gmail.com	Mumbai
6	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai
7	11	Rohit Sharma	M	19	11A	88	rohitsharma@gmail.com	Nagpur
8	13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul
9	15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney

Query executed successfully. localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)

6. Update the Address of a student with a specific StudentID.

Query: UPDATE STUDENT

SET ADDRESS = 'Banglore' WHERE SID = 2;



	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Kathmandu
2	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Banglore
3	3	Rohit Sharma	M	20	12A	88	rohitsharma@gmail.com	Nagpur
4	4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington
5	5	Ben Stokes	M	20	12A	85	bstokes@outlook.com	Manchester
6	6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai
7	7	Elyse Perry	F	19	11B	85	elyseperry@yahoo.com	Melbourne
8	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai
9	9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad
10	10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad
11	11	Rohit Sharma	M	19	11A	88	rohitsharma@gmail.com	Nagpur
12	12	Mithali Raj	F	20	12A	73	mithaliraj@rediff.com	Hyderabad
13	13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul
14	14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne
15	15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney

Query executed successfully.

7. List all students who scored more than 80 and are under 20 years old.

Query: SELECT * FROM STUDENT

WHERE MARKS > 80 AND AGE <= 20;




	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Kathmandu
2	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Banglore
3	3	Rohit Sharma	M	20	12A	88	rohitsharma@gmail.com	Nagpur
4	4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington
5	5	Ben Stokes	M	20	12A	85	bstokes@outlook.com	Manchester
6	6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai
7	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai
8	10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad
9	11	Rohit Sharma	M	19	11A	88	rohitsharma@gmail.com	Nagpur
10	13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul
11	14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne
12	15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney

Query executed successfully.

8. Count how many students have email addresses from 'yahoo.com'.

Query: SELECT COUNT(*) FROM STUDENT
WHERE EMAIL LIKE '%@yahoo.com';




The screenshot shows the SQL Server Enterprise Manager interface. The 'Results' tab is active, displaying a single row with the value '3'. The status bar at the bottom indicates 'Query executed successfully.' and the server name is 'localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)'.

	(No column name)
1	3

9. Find students who have not provided an email (Email IS NULL).

Query: SELECT * FROM STUDENT WHERE EMAIL IS NULL;



The screenshot shows the SQL Server Enterprise Manager interface. The 'Results' tab is active, displaying a single row of student data where the email is NULL. The status bar at the bottom indicates 'Query executed successfully.' and the server name is 'localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)'.

	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad

10. Display all students ordered by SName alphabetically.

Query: SELECT * FROM STUDENT
ORDER BY SNAME ASC;

110 % No issues found

Results Messages

	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	5	Ben Stokes	M	20	12A	85	bstokes@outlook.com	Manchester
2	1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Katmandu
3	7	Elyse Perry	F	19	11B	65	elyseperry@yahoo.com	Melbourne
4	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai
5	10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad
6	4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington
7	14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne
8	12	Mithali Raj	F	20	12A	73	mithaliraj@rediff.com	Hyderabad
9	15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney
10	13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul
11	11	Rohit Sharma	M	19	11A	88	rohit.sharma@gmail.com	Nagpur
12	3	Rohit Sharma	M	20	12A	88	rohit.sharma@gmail.com	Nagpur
13	9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad
14	6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai
15	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Bangalore

Query executed successfully. localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)

11. Group students by Class and show the highest marks in each class

Query: SELECT CLASS, MAX(MARKS) AS
HIGHESTMARK FROM STUDENT GROUP BY CLASS;

110 % No issues found

Results Messages

	CLASS	HIGHESTMARK
1	11A	93
2	11B	90
3	12A	91
4	12B	95

Query executed successfully. localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)

12. Delete students whose address is 'NULL' or not specified.

Query: DELETE FROM STUDENT
WHERE ADDRESS IS NULL OR Address = "";

110 % ✓ No issues found

Results Messages

	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS
1	1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Kathmandu
2	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Banglore
3	3	Rohit Sharma	M	20	12A	88	rohit.sharma@gmail.com	Nagpur
4	4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington
5	5	Ben Stokes	M	20	12A	85	bstokes@outlook.com	Manchester
6	6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai
7	7	Ellyse Perry	F	19	11B	65	ellyseperry@yahoo.com	Melbourne
8	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai
9	9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad
10	10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad
11	11	Rohit Sharma	M	19	11A	88	rohit.sharma@gmail.com	Nagpur
12	12	Mithali Raj	F	20	12A	73	mithaliraj@rediff.com	Hyderabad
13	13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul
14	14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne
15	15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney

13. Add a new column PhoneNumber to the student table.

Query: ALTER TABLE STUDENT
ADD PHONE VARCHAR(12);

110 % ✓ No issues found

Results Messages

	SID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS	PHONE
1	1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Kathmandu	NULL
2	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Banglore	NULL
3	3	Rohit Sharma	M	20	12A	88	rohit.sharma@gmail.com	Nagpur	NULL
4	4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington	NULL
5	5	Ben Stokes	M	20	12A	85	bstokes@outlook.com	Manchester	NULL
6	6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai	NULL
7	7	Ellyse Perry	F	19	11B	65	ellyseperry@yahoo.com	Melbourne	NULL
8	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai	NULL
9	9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad	NULL
10	10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad	NULL
11	11	Rohit Sharma	M	19	11A	88	rohit.sharma@gmail.com	Nagpur	NULL
12	12	Mithali Raj	F	20	12A	73	mithaliraj@rediff.com	Hyderabad	NULL
13	13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul	NULL
14	14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne	NULL
15	15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney	NULL

Query executed successfully. localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)

14. Create a view ContactList to display SName, Email, and PhoneNumber.

Query: CREATE VIEW CONTACTLIST AS

SELECT SNAME, EMAIL, PHONE FROM STUDENT;

110 % No issues found

Results Messages

	SNAME	EMAIL	PHONE
1	Bimal Kunwar	bimalkunwar@gmail.com	9732343242
2	Virat Kohli	viratkohli@gmail.com	9831412241
3	Rohit Sharma	rohitsharma@gmail.com	9831312311
4	Kane Williamson	williamson@gmail.com	9813131313
5	Ben Stokes	bstokes@outlook.com	9713131231
6	Smriti Mandhana	smriti.mandhana@gmail.com	9876462222
7	Elyse Perry	elyseperry@yahoo.com	9886131133
8	Harmanpreet Kaur	harmanpreet.kaur@gmail.com	9861313112
9	Shubman Gill	NULL	9813141444
10	Jasprit Bumrah	bumrah@yahoo.com	9812312414
11	Rohit Sharma	rohitsharma@gmail.com	9712313131
12	Mithali Raj	mithaliraj@rediff.com	9871231311
13	Rashid Khan	rashidkhan@gmail.com	9813313134
14	Meg Lanning	meglanning@yahoo.com	9831311441
15	Pat Cummins	cummins@gmail.com	0813131414

Query executed successfully. localhost\SQLEXPRESS (16.0.21074.1) BIMAL-KUNWAR

15. Display students whose name starts with 'R' and ends with 'a'.

Query: SELECT * FROM STUDENT WHERE SNAME LIKE 'R%' AND SNAME LIKE '%a';

110 % No issues found


Results Messages

	ID	SNAME	GENDER	AGE	CLASS	MARKS	EMAIL	ADDRESS	PHONE
1	1	Rohit Sharma	M	20	12A	88	rohitsharma@gmail.com	Nagpur	9831312311
2	11	Rohit Sharma	M	19	11A	88	rohitsha@gmail.com	Nagpur	9712313131

Query executed successfully. localhost\SQLEXPRESS (16.0.21074.1) BIMAL-KUNWAR

16. Find the number of students per city (GROUP BY Address).

Query: SELECT ADDRESS AS CITY, COUNT(*) AS STUDENTCOUNT
FROM STUDENT
GROUP BY ADDRESS;




The screenshot shows the SQL Server Enterprise Manager interface. At the top, there's a status bar indicating 'No issues found'. Below it, the 'Results' tab is active, displaying a table with two columns: 'CITY' and 'STUDENTCOUNT'. The table contains 11 rows of data, numbered 1 through 11. The cities listed are Ahmedabad, Bangalore, Hyderabad, Kabul, Kathmandu, Manchester, Melbourne, Mumbai, Nagpur, Sydney, and Wellington. The student counts for these cities are 2, 1, 1, 1, 1, 1, 2, 2, 2, 1, and 1 respectively. At the bottom, a yellow status bar indicates 'Query executed successfully.' and the connection details 'localhost\SQLEXPRESS (16.0.10013) - BIMAL-KUNWARY' are visible.

	CITY	STUDENTCOUNT
1	Ahmedabad	2
2	Banglore	1
3	Hyderabad	1
4	Kabul	1
5	Kathmandu	1
6	Manchester	1
7	Melbourne	2
8	Mumbai	2
9	Nagpur	2
10	Sydney	1
11	Wellington	1

17. Count how many male and female students exist (GROUP BY Gender).

Query: SELECT GENDER, COUNT(*) AS GENDERCOUNT
FROM STUDENT
GROUP BY GENDER;



The screenshot shows the SQL Server Enterprise Manager interface. At the top, there's a status bar indicating 'No issues found'. Below it, the 'Results' tab is active, displaying a table with two columns: 'GENDER' and 'GENDERCOUNT'. The table contains 2 rows of data, numbered 1 through 2. The genders listed are 'F' (Female) and 'M' (Male). The student counts for these genders are 5 and 10 respectively. At the bottom, a yellow status bar indicates 'Query executed successfully.' and the connection details 'localhost\SQLEXPRESS (16.0.10013) - BIMAL-KUNWARY' are visible.

	GENDER	GENDERCOUNT
1	F	5
2	M	10

18. Find students who have the same address but different names.

Query : SELECT * FROM STUDENT WHERE ADDRESS IN (
 SELECT ADDRESS FROM STUDENT
 GROUP BY ADDRESS
 HAVING COUNT(DISTINCT SNAME) > 1
);

Results		Messages							
	SID	SNAME	GENDER	AGE	CLASS	TOTALMARKS	EMAIL	ADDRESS	PHONE
1	3	Rohit Sharma	M	20	12A	88	rohit.sharma@gmail.com	Nagpur	9831312311
2	6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai	9876462222
3	7	Ellyse Perry	F	19	11B	65	ellyseperry@yahoo.com	Melbourne	9866131133
4	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai	9861313112
5	9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad	9813141444
6	10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad	9812312414
7	11	Roshan Sha	M	19	11A	88	rostisha@gmail.com	Nagpur	9712313131
8	14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne	9831311441

19. Rename the column Marks to TotalMarks.

Query: EXEC sp_rename 'STUDENT.MARKS', 'TOTALMARKS', 'COLUMN';

10 % 1 0

ResultsMessages

	SID	SNAME	GENDER	AGE	CLASS	TOTALMARKS	EMAIL	ADDRESS	PHONE
1	1	Bimal Kunwar	M	19	12A	91	bimalkunwar@gmail.com	Kathmandu	9732343242
2	2	Virat Kohli	M	20	12A	88	viratkohli@gmail.com	Banglore	9831412241
3	3	Rohit Sharma	M	20	12A	88	rohit.sharma@gmail.com	Nagpur	9831312311
4	4	Kane Williamson	M	18	12B	90	williamson@gmail.com	Wellington	9813131313
5	5	Ben Stokes	M	20	12A	85	bstokes@outlook.com	Manchester	9713131231
6	6	Smriti Mandhana	F	18	11A	93	smriti.mandhana@gmail.com	Mumbai	9876462222
7	7	Ellyse Perry	F	19	11B	65	ellyseperry@yahoo.com	Melbourne	9866131133
8	8	Harmanpreet Kaur	F	17	11B	84	harmanpreet.kaur@gmail.com	Mumbai	9861313112
9	9	Shubman Gill	M	18	11A	78	NULL	Ahmedabad	9813141444
10	10	Jasprit Bumrah	M	18	12B	82	bumrah@yahoo.com	Ahmedabad	9812312414
11	11	Roshan Sha	M	19	11A	88	roshasha@gmail.com	Nagpur	9712313131
12	12	Mithali Raj	F	20	12A	73	mithaliraj@rediff.com	Hyderabad	9871231311
13	13	Rashid Khan	M	17	11B	90	rashidkhan@gmail.com	Kabul	9813313134
14	14	Meg Lanning	F	19	12B	95	meglanning@yahoo.com	Melbourne	9831311441
15	15	Pat Cummins	M	18	11A	88	cummins@gmail.com	Sydney	0813131414

Query executed successfully.

localhost\SQLEXPRESS (16.0 ... BIMAL-KUNWAR)