

Sample BIS Product Standard C — Quality, Sampling and Laboratory Requirements

Synthetic dataset for BIS Navigator RAG testing. Not an official BIS document.

Clause 1 · General

- 1.1 This synthetic standard defines quality-control and laboratory evidence requirements for Product C.
- 1.2 The manufacturer shall establish procedures appropriate to the declared product specification.
- 1.3 Records generated under this document shall be available for conformity verification.

Clause 2 · Sampling

- 2.1 Samples shall be selected using a documented sampling procedure.
- 2.2 The sample shall be representative of the production unit or batch under evaluation.
- 2.3 Sample identification shall remain traceable throughout testing.
- 2.4 Damaged or unsuitable samples shall be replaced according to the documented procedure.

Clause 3 · Laboratory Testing

- 3.1 Laboratory testing shall use the applicable prescribed method.
- 3.2 The laboratory shall use equipment appropriate to the required measurement.
- 3.3 Test conditions shall be controlled and recorded.
- 3.4 Results shall be compared with the applicable acceptance criteria.
- 3.5 Any deviation from the prescribed method shall be documented and justified.

Clause 4 · Quality Control

- 4.1 Quality-control activities shall be performed at defined stages of production.
- 4.2 Inspection results shall be recorded in a traceable form.
- 4.3 Corrective action shall be initiated for identified non-conformities.
- 4.4 Repeated non-conformities shall be reviewed for possible process improvement.

Clause 5 · Acceptance Criteria

- 5.1 Product C shall conform to the specified quality requirements.
- 5.2 Measurements shall fall within the applicable acceptance limits.
- 5.3 A batch failing an applicable requirement shall not be released until the prescribed disposition is completed.
- 5.4 Acceptance decisions shall be supported by documented evidence.

Clause 6 · Records

- 6.1 Records shall identify the product, batch, sample and test activity.
- 6.2 Records shall include the date and responsible person or laboratory.
- 6.3 Electronic records shall be protected against unintended alteration.

Clause 7 · Inspection and Audit

- 7.1 Inspection may include review of manufacturing records and test evidence.
- 7.2 Audit activities shall verify implementation of applicable procedures.
- 7.3 Findings shall be documented with sufficient detail for follow-up.

Clause 8 · Marking

8.1 Product C shall carry identification necessary for traceability.

8.2 Marking shall remain readable during normal storage and handling.

Clause 9 · Conformity Evidence

9.1 The conformity file shall contain applicable product specifications and test records.

9.2 Evidence shall be linked to the relevant product and standard.

9.3 The applicant shall provide additional evidence when requested under the applicable assessment route.