

Run SQL Command line

Copyright (c) 1982, 2014, Oracle. All rights reserved.

SQL> connect bittu

Enter password:

Connected.

```
SQL> create table student_871 (STUD_ID VARCHAR2(10) PRIMARY KEY
2 ,FIRSTNAME VARCHAR2(20),
3 LASTNAME VARCHAR2(20),
4 DOB DATE NOT NULL,
5 PHONE INT NOT NULL,
6 STREET VARCHAR2(30),
7 CITY VARCHAR2(20)
8 ,ZIP INT CHECK(ZIP>0),
9 FACU_ID INT);
```

Table created.

SQL> DESC STUDENT_871

Name	Null?	Type
STUD_ID	NOT NULL	VARCHAR2(10)
FIRSTNAME		VARCHAR2(20)
LASTNAME		VARCHAR2(20)
DOB	NOT NULL	DATE
PHONE	NOT NULL	NUMBER(38)
STREET		VARCHAR2(30)
CITY		VARCHAR2(20)
ZIP		NUMBER(38)
FACU_ID		NUMBER(38)

```
SQL> INSERT INTO STUDENT_871 VALUES('1905871','BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT','8906990211','733102','13');
INSERT INTO STUDENT_871 VALUES('1905871','BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT','8906990211','733102','13')
```

ERROR at line 1:
ORA-01722: invalid number

```
SQL> INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13);
INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13)
```

ERROR at line 1:

Windows taskbar showing various application icons and system tray icons. The system clock displays 13:34 on 28-01-2021.


```
Run SQL Command Line
PHONE                NOT NULL NUMBER(38)
STREET               VARCHAR2(30)
CITY                 VARCHAR2(20)
ZIP                  NUMBER(38)
FACU_ID              NUMBER(38)

SQL> INSERT INTO STUDENT_871 VALUES('1905871','BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT','8906990211','733102','13');
INSERT INTO STUDENT_871 VALUES('1905871','BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT','8906990211','733102','13')
*
ERROR at line 1:
ORA-01722: invalid number

SQL> INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13);
INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13)
*
ERROR at line 1:
ORA-01722: invalid number

SQL> STREET VARCHAR2(20),
SP2-0734: unknown command beginning "STREET VAR..." - rest of line ignored.
SQL> DESC STUDENT_871
Name                Null?    Type
-----
STUD_ID             NOT NULL VARCHAR2(10)
FIRSTNAME           VARCHAR2(20)
LASTNAME            VARCHAR2(20)
DOB                NOT NULL DATE
PHONE              NOT NULL NUMBER(38)
STREET              VARCHAR2(30)
CITY                VARCHAR2(20)
ZIP                 NUMBER(38)
FACU_ID             NUMBER(38)

SQL> INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13);
INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13)
*
ERROR at line 1:
ORA-01722: invalid number
```



```
Run SQL Command Line
SP2-0734: unknown command beginning "STREET VAR..." - rest of line ignored.
SQL> DESC STUDENT_871
Name                               Null?    Type
-----
STUD_ID                            NOT NULL VARCHAR2(10)
FIRSTNAME                          VARCHAR2(20)
LASTNAME                           VARCHAR2(20)
DOB                                NOT NULL DATE
PHONE                              NOT NULL NUMBER(38)
STREET                             VARCHAR2(30)
CITY                               VARCHAR2(20)
ZIP                                NUMBER(38)
FACU_ID                            NUMBER(38)

SQL> INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13);
INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001','CHAKVRIGU','BALURGHAT',8906990211,733102,13)
*
ERROR at line 1:
ORA-01722: invalid number

SQL> INSERT INTO STUDENT_871 VALUES(1905871,'BISWADIP','SAHA','16-MAY-2001',8906990211,'CHAKVRIGU','BALURGHAT',733102,13);
1 row created.

SQL> INSERT INTO STUDENT_871 VALUES(1905872,'ADITYA','HALDER','18-FEB-2001',8967202771,'CHAKVABANI','BALURGHAT',733102,13);
1 row created.

SQL> INSERT INTO STUDENT_871 VALUES(1905720,'SARTHAK','DAS','20-JAN-2001',967202771,'NEPALIN PARA','BALURGHAT',733101,13);
1 row created.

SQL> SELECT *FROM STUDENT;
SELECT *FROM STUDENT
*
ERROR at line 1:
ORA-00942: table or view does not exist

SQL> SELECT *FROM STUDENT_871;
```



```
SQL> SELECT *FROM STUDENT_871;
```

STUD_ID	FIRSTNAME	LASTNAME	DOB	PHONE
STREET			CITY	ZIP
			FACU_ID	
1905871	BISWADIP	SAHA	16-MAY-01	8906990211
CHAKVRIGU		BALURGHAT	733102	13
1905872	ADITYA	HALDER	18-FEB-01	8967202771
CHAKVABANI		BALURGHAT	733102	13
1905720	SARTHAK	DAS	20-JAN-01	967202771
NEPALIN PARA		BALURGHAT	733101	13

```
SQL> create table FACULTY_871( FACU_ID VARCHAR2(20),
2 FIRSTNAME VARCHAR2(20),
3 LASTNAME VARCHAR2(20),
4 PHONE INT NOT NULL,
5 ROOM_ID INT,
6 DEPT_ID);
DEPT_ID)
```

ERROR at line 6:
ORA-02263: need to specify the datatype for this column

```
SQL> DEPT_ID INT);
P2-0734: unknown command beginning "DEPT_ID IN..." - rest of line ignored.
SQL> DEPT_ID INT);
P2-0734: unknown command beginning "DEPT_ID IN..." - rest of line ignored.
SQL> create table FACULTY_871( FACU_ID VARCHAR2(20),
2 FIRSTNAME VARCHAR2(20),
3 LASTNAME VARCHAR2(20),
4 PHONE INT NOT NULL,
5 ROOM_ID INT,
6 DEPT_ID INT);
```

Table created.




```
1 row created.

SQL> INSERT INTO FACULTY_871 VALUES(2000679,'MUNTA','DAS',592778362,54,76);

1 row created.

SQL> INSERT INTO FACULTY_871 VALUES(2000779,'PALTU','DAS',592778382,54,76);

1 row created.

SQL> DESC FACULTY_871
Name                               Null?    Type
-----
FACU_ID                           VARCHA2(20)
FIRSTNAME                         VARCHA2(20)
LASTNAME                         VARCHA2(20)
PHONE                            NOT NULL NUMBER(38)
ROOM_ID                          NUMBER(38)
DEPT_ID                          NUMBER(38)

SQL> SELECT * FROM FACULTY_871;

FACU_ID      FIRSTNAME  LASTNAME  PHONE
-----
ROOM_ID  DEPT_ID
-----
2000678    BABAI      DAS        562778362
      54      76
2000679    MUNTA      DAS        592778362
      54      76
2000779    PALTU      DAS        592778382
      54      76
```



```
SQL> create table DEPARTMENT_871( DEPT_ID VARCHAR2(20),
  2  DEPT_NAME VARCHAR2(20),
  3  FACU_ID INT);
```

Table created.

```
SQL> INSERT INTO DEPARTMENT_871 VALUES(354,'PDCDEPT',34);
```

1 row created.

```
SQL> INSERT INTO DEPARTMENT_871 VALUES(358,'CSEDEPT',36);
```

1 row created.

```
SQL> INSERT INTO DEPARTMENT_871 VALUES(359,'CVILDEPT',46);
```

1 row created.

```
SQL> SELECT * FROM DEPARTMENT_871;
```

DEPT_ID	DEPT_NAME	FACU_ID
354	PDCDEPT	34
358	CSEDEPT	36
359	CVILDEPT	46

```
SQL> create table COURSE_871( COURSE_ID VARCHAR2(20),
  2  TITLE VARCHAR2(20),
  3  CREDIT INT);
```

Table created.

```
SQL> INSERT INTO COURSE_871 VALUES(MA-2001,'PDC',5);
```

```
INSERT INTO COURSE_871 VALUES(MA-2001,'PDC',5)
```

ERROR at line 1:

ORA-00984: column not allowed here

Run SQL Command Line

```
3 CREDIT INT);
```

Table created.

```
SQL> INSERT INTO COURSE_871 VALUES('MA-2001','PDC',5);
INSERT INTO COURSE_871 VALUES('MA-2001','PDC',5)
```

ERROR at line 1:
ORA-00984: column not allowed here

```
SQL> INSERT INTO COURSE_871 VALUES('MA-2001','PDC',5);
```

1 row created.

```
SQL> INSERT INTO COURSE_871 VALUES('MA-2011','CSE',3);
```

1 row created.

```
SQL> INSERT INTO COURSE_871 VALUES('MA-2012','MATH',2);
```

1 row created.

```
SQL> DESC COURSE_871
```

Name	Null?	Type
COURSE_ID		VARCHAR2(20)
TITLE		VARCHAR2(20)
CREDIT		NUMBER(38)

```
SQL> SELECT * FROM COURSE_871;
```

COURSE_ID	TITLE	CREDIT
MA-2001	PDC	5
MA-2011	CSE	3
MA-2012	MATH	2

```
SQL>
```