#### Git for Non-Programmers

Fernando Hoces de la Guardia BITSS

Slides at https://github.com/BITSS/CEGA2019

CEGA, October 2019

Reproducible Workflow

Version Control

Demos



#### The Claerbout Principle

An article about computational science in a scientific publication is not the scholarship itself, it is merely advertising of the scholarship. The actual scholarship is the complete software development environment and the complete set of instructions which generated the figures.

Buckheit & Donoho, 1995

## Organizing Principles

Christensen, Miguel & Freese (2019)

- 1 Use code (scripts), don't work by hand (Excel/spreadsheet).
- 2 Consider not saving statistical output, and just saving the code and raw data that generates it.
- 3 Reproducibility—on your own machine across multiple runs, across machines, across researchers.

# File Management & Coding Suggestions

Begin with a logical file structure





#### Git/Github for Version Control

- Git and Github are tools to track the complete history of your files.
- ► They are very popular among programmers, but not so much among non-programmers.
- Why? I believe it has to do with GUIs.

## What is a GUI and why the bad reputation

#### Graphical User Interface

- For most of us (non-programmers): GUI = Software.
- GUIs are behind the popularization of personal computers.
- Unfortunately GUIs are pretty bad at keeping a record of actions taken (bad for reproducibility).

#### What is not a GUI?

Any software that is run in the command line (aka terminal, shell, bash, etc).

```
Mahash—-ba

221 cat New York.ong SensitiveFiles.zip > NewYork.ong

222 / Usr/bir/ruby = "Srcurl - fsSL nitps://raw.githubusercontent.com/

223 brew Install image

224 Strew Install image

225 brew Hostall image

226 brew Hostall image

227 brew Install image

228 clain Fishall wget

228 clain Finder

238 killall Finder

231 killall Finder

232 cycrr FATH-/usr/local/bin:$FATH

333 brew doctor

334 brew doctor
```

- Git was designed to run in the command line.
- Today we will learn Git without the command line.

#### What is Git 1/2

- ▶ Git is a software designed to track the entire history of the code of a project.
- Designed originally for software development, it has gained important traction in the research community.
- Main appeal: facilitates full reproducibility and collaboration.
- Git is mainly meant to work as a non-GUI (in the command line) software.

**However:** most of the key features can be used through a GUI.

#### What is Git 2/2

- By code git understands any type of plain text file (myfile.R, myfile.do, .tex/.md/.txt/.csv/.etc).
- ► This types of files can be understood as "human readable" as machine and human see the same fie.
- ► Files that are "non-human readable" are called binary files (myfile.docx, myfile.xlxs, .pdf/.exe/.dta/.etc).
- Git can also detect changes in binary files, but it cannot show those changes.

#### What is Github

- Github is a company that provides two services (that we care of):
  - ► A web hosting service for all our files track with git (public free/private \$ or free if academic).
  - ► A GUI software (Desktop App) that provides user friendly access to git.
- Others hosting ss include: Bitbucket, GitLab, Gitkraken, etc.
- Other GUIs include: SourceTree, Gitkraken, Atom, RStudio.

## The Primary Goal of Version Control (for us)

**The Goal:** keep track of any potentially meaningful modification to your code.

# The Primary Goal of Version Control (for us)

**The Goal:** keep track of any potentially meaningful modification to your code.

**Secondary Goal:** Learn how to collaborate with others using Github.

## The Primary Goal of Version Control (for us)

**The Goal:** keep track of any potentially meaningful modification to your code.

**Secondary Goal:** Learn how to collaborate with others using Github.

**Bonus track:** get you excited about using open source statistical software (R, Python, Julia, etc)

#### Strategy 1:

- 1 Agree on a naming convention with you co-authors (eg: YYYYMMDDfilename\_INITALS).
- 2 Begin working from the last saved version (eg: 20180325demo\_FH.do).
- 3 At the end of the day, save on a new version (eg: 20180327demo\_FH.do).

**Pros:** Easy adoption.

**Cons:** Error prone, hard to document, lots of files for each document.


#### Strategy 2:

- 1 Name your file filename (ideally 01\_filename)
- 2 Take a snapshot of your work every time you complete relevant change (day, hour or minutes).
- 3 Update your entire working folder to the cloud.

**Pros:** Error proof, seamless documentation, one file per document, track differences across all versions, meant to work with the cloud.


Cons: Harder adoption.

#### We want to avoid this situation:



#### Comparison of Workflows

(0)



#### Other reasons to use git

- ► To access a whole new world of knowledge!
- Great tool for collaboration.
- ► Easier to test all sorts of ideas/models.

#### Managing expectations



## Demos

#### Five Demos:

- 1 Simple but instructive.
- 2 Repeat with branches.
- 3 Repeat with collaboration: pull requests.
- 4 Repeat with collaboration: shared ownership.
- 5 Explore a real life repo.

#### Demo #1: We Start in the Cloud

- 1 Create github.com account and sign in.
- 2 Let's look at some repos.
- 3 First way to access content: download.
- 4 What if you want to have your own copy of the repo? Fork it!.
- 5 Now create your own repo. Initiate readme and make some edits.

#### Demo #1: We move to our local computer

- 6 Clone the it. Explore the files and location.
- 7 Create new files, edit. And commit. Edit again, and commit again.
- 8 Push. Edit on github.com, and pull.
- 9 For this tutorial, best way to access previous version: explore in github.com and download.

#### Five Demos 2/5:

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

- 2 Repeat with branches.
- 3 Repeat with collaboration: pull requests.
- 4 Repeat with collaboration: shared ownership.
- 5 Explore a real life repo.

Demo #2: Branches and collaboration (we wil be here a while)

- 1 Create a branch from previous repo.
- 2 Add new content (do not replace), commit a few times, and go back and forth to the main branch.
- 3 Go back to main branch (master), observe file, merge.
- 4 Look at the history of the main branch.
- 5 Repeat 1-3 but now replace instead of adding content.

#### Fatal Error!



#### Fatal Error!



Burn it and start with a fresh copy!

Five Demos: 3/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

Review: All of the above, plus: branch, merge, resolve conflicts.

- 3 Repeat with collaboration: pull requests.
- 4 Repeat with collaboration: shared ownership.
- 5 Explore a real life repo.

#### Demo #3: Pull requests

- 1 Fork repo github.com/BITSS/test\_birthday, and clone it into your machine.
- 2 Edit fields of name, and birth date.
- 3 Save, commit and push.
- 4 Create your first pull request.
- 5 Let's see if I can manage all those pull requests very quickly (maybe illustrate issues).
- 6 Now find your neighbors repo of Demos  $1\ \&\ 2,$  fork it, clone it, make a change, save, commit, and. . .

#### Two formats of collaboration

- One owner, many pull requests.
  - Easier to control, requires constant updating.
- Many owners, all can push.
  - Very important to pull at the beginning and at before each push.

## Five Demos: 4/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

Review: All of the above, plus: branch, merge, resolve conflicts.

3 - Repeat with collaboration: pull requests.

Review: collaborate via fork + PR

- 4 Repeat with collaboration: shared ownership.
- 5 Explore a real life repo.

1 - Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.

(Suggestion: the "forker" creates the repo, the "forkee" is invited , edit, commit, push/pull)

- 1 Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.
- (Suggestion: the "forker" creates the repo, the "forkee" is invited , edit, commit, push/pull)
- 2 The other half (#2): clones, commits and pushes.

- 1 Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.
- (Suggestion: the "forker" creates the repo, the "forkee" is invited , edit, commit, push/pull)
- 2 The other half (#2): clones, commits and pushes.
- 3 #1 commits and pushes in  $\boldsymbol{different\ lines}.$

- 1 Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.
- (Suggestion: the "forker" creates the repo, the "forkee" is invited , edit, commit, push/pull)
- 2 The other half (#2): clones, commits and pushes.
- 3 #1 commits and pushes in **different lines**.
- 4 Switch and repeat 2 & 3: #2 commits first and pushes, then #1.

- 1 Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.
- (Suggestion: the "forker" creates the repo, the "forkee" is invited , edit, commit, push/pull)
- 2 The other half (#2): clones, commits and pushes.
- 3 #1 commits and pushes in **different lines**.
- 4 Switch and repeat 2 & 3: #2 commits first and pushes, then #1.
- 5 Repeat 2 4 but now both of you in the same lines.

- 1 Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.
- (Suggestion: the "forker" creates the repo, the "forkee" is invited , edit, commit, push/pull)
- 2 The other half (#2): clones, commits and pushes.
- 3 #1 commits and pushes in **different lines**.
- 4 Switch and repeat 2 & 3: #2 commits first and pushes, then #1.
- 5 Repeat 2 4 but now both of you in the same lines.
- 6 Repeat now but with branches (optional).

## Five Demos: 4/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

Review: All of the above, plus: branch, merge, resolve conflicts.

3 - Repeat with collaboration: pull requests.

Review: collaborate via fork + PR

4 - Repeat with collaboration: shared ownership.

Review: collaborate via share ownership.

5 - Explore a real life repo.

# Demo #5: Look inside a real-life project (and collaborate!)

- 1- Find the following repo: github.com/BITSS/opa-wealthtax.
- 2- Fork it and clone it.
- 3- Open it in your computer: opa-wealthtax.Rproj (needs RStudio), look around and execute code/dynamic\_doc/wealth\_tax\_dd.Rmd.
- 4- Find elasticities, fill in csv, document, submit. 5 Find code/interactive\_visualization/server.R and in line 1561 change red to blue

## Five Demos: 5/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

Review: All of the above, plus: branch, merge, resolve conflicts.

3 - Repeat with collaboration: pull requests.

Review: collaborate via fork + PR

4 - Repeat with collaboration: shared ownership.

Review: collaborate via share ownership.

5 - Explore a real life repo.

Review: All of the above, plus: how does a real-life example looks like

# Bonus Demo: Look inside a half-way project (and collaborate!)

#### Description:

- Half baked project, forgotten from a few years.
- Exploratory analysis of publication trends in NBER working paper series. Back then inspired by a paper from DellaVigna and Card.
- Now there is more literature around this: Chari and Goldsmith-Pinkham.
- ▶ I will use github to share my work with you, do a little exercise, and invite you to collaborate.

# Demo #X: Look inside a half-way project (and collaborate!)

- 1- Find the following repo: github.com/fhoces/nber\_trends.
- 2- Fork it and clone it.
- 3- Open it in your computer: nber\_trends.Rproj (needs RStudio), look around and execute up to the section (Verifying gender [WORKSHOP SECTION]).
- 4- Generate random number like this: num1 = sample(20000,
  1).
- 5- Look the name and (imputed) gender of the author in row num1. This is done by typing:
- temp3[num1,c("name", "gender")] in the console.
- 6- Create the following line at the end of the script: verification <- cbind(temp3[num1,c("name",
- "gender")], "rownum" = num1, "correct" = 1).
- 7- Save, commit, push and create a pull request.
- 8- Feel free to look around create more contributions if you like. Happy to co-author.

## Now go and explore!

#### Some good habits:

- Commit often (<1hr)
- Always pull before you start a new session of work. Also good to pull before pushing.
- Think of your remote as the most important set of files. Get used to deleting things in your local machine.

#### Want to learn more:

- ► Great 20 min intro to Git by Alice Bartlett
- Great 2hr tutorial to Github by Jenny Bryan (git ninja)
- Jenny Bryan's Happy Git; Documentation from Matthew Gentzkow and Jesse Shapiro; Karthik Ram's paper on Git for Research
- ► Software Carpentry's step-by-step tutorial (command line).