

# Git for Non-Programmers

Fernando Hoces  
BITSS

-

Slides at [https://github.com/BITSS/RT2\\_remote\\_2020](https://github.com/BITSS/RT2_remote_2020)

Remote, September 2020

Reproducible Workflow

Version Control

Demos

# Reproducible Workflow

# The Claerbout Principle

*An article about computational science in a scientific publication is not the scholarship itself, it is merely advertising of the scholarship. The actual scholarship is the complete software development environment and the complete set of instructions which generated the figures.*

Buckheit & Donoho, 1995


# Organizing Principles

Christensen, Miguel & Freese (2019)

- 1 - Use code (scripts), don't work by hand (Excel/spreadsheet).
- 2 - Consider not saving statistical output, and just saving the code and raw data that generates it.
- 3 - Reproducibility—on your own machine across multiple runs, across machines, across researchers.

# File Management & Coding Suggestions

Begin with a logical file structure



## Version Control

# Git/Github for Version Control

- ▶ Git and Github are tools to track the complete history of your files.
- ▶ They are very popular among programmers, but not so much among non-programmers.
- ▶ Why? I believe it has to do with GUIs.




# What is a GUI and why the bad reputation

## Graphical User Interface

- ▶ For most of us (non-programmers): *GUI = Software*.
- ▶ GUIs are behind the popularization of personal computers.
- ▶ Unfortunately GUIs are pretty bad at keeping a record of actions taken (bad for reproducibility).

# What is not a GUI?

- ▶ Any software that is run in the command line (aka terminal, shell, bash, etc).



```
321 cat NewYork.png SensitiveFiles.zip > NewYork.png
322 /usr/bin/ruby -e "$(curl -fsSL https://raw.githubusercontent.com/
323 brew install imagemagick
324 $brew install imagemagick
325 brew install imagemagick
326 brew doctor
327 brew install wget
328 defaults write com.apple.finder FXShowAllFiles YES
329 killall Finder
330 defaults write com.apple.finder FXShowAllFiles NO
331 killall Finder
332 export PATH=/usr/local/bin:$PATH
333 brew doctor
334 $ brew doctor
```

- ▶ Git was designed to run in the command line.
- ▶ Today we will learn Git **without** the command line.

# What is Git 1/2

- ▶ Git is a software designed to track the **entire** history of the code of a project.
- ▶ Designed originally for software development, it has gained important traction in the research community.
- ▶ Main appeal: facilitates full reproducibility and collaboration.
- ▶ Git is mainly meant to work as a non-GUI (in the command line) software.  
**However:** most of the key features can be used through a GUI.

## What is Git 2/2

- ▶ By code git understands any type of plain text file (`myfile.R`, `myfile.do`, `.tex/.md/.txt/.csv/.etc`).
- ▶ This types of files can be understood as “human readable” as machine and human see the same fie.
- ▶ Files that are “non-human readable” are called binary files (`myfile.docx`, `myfile.xlsx`, `.pdf/.exe/.dta/.etc`).
- ▶ Git can also detect changes in binary files, but it cannot show those changes.

# What is Github

- ▶ Github is a company that provides two services (that we care of):
  - ▶ A web hosting service for all our files track with git (public free/private \$ or free if academic).
  - ▶ A GUI software (Desktop App) that provides user friendly access to git.
- ▶ Others hosting ss include: Bitbucket, GitLab, Gitkraken, etc.
- ▶ Other GUIs include: SourceTree, Gitkraken, Atom, RStudio.

# The Primary Goal of Version Control (for us)

**The Goal:** keep track of any potentially meaningful modification to your code.

# The Primary Goal of Version Control (for us)

**The Goal:** keep track of any potentially meaningful modification to your code.

**Secondary Goal:** Learn how to collaborate with others using Github.

# The Primary Goal of Version Control (for us)

**The Goal:** keep track of any potentially meaningful modification to your code.

**Secondary Goal:** Learn how to collaborate with others using Github.

**Bonus track:** get you excited about using open source statistical software (R, Python, Julia, etc)



## Strategy 1:

- 1 - Agree on a naming convention with you co-authors (eg: YYYYMMDDfilename\_INITIALS).
- 2 - Begin working from the last saved version (eg: 20180325demo\_FH.do).
- 3 - At the end of the day, save on a new version (eg: 20180327demo\_FH.do).

**Pros:** Easy adoption.

**Cons:** Error prone, hard to document, lots of files for each document.


## Strategy 2:

- 1 - Name your file `filename` (ideally `01_filename`)
- 2 - Take a snapshot of your work every time you complete relevant change (day, hour or minutes).
- 3 - Update your entire working folder to the cloud.

**Pros:** Error proof, seamless documentation, one file per document, track differences across all versions, meant to work with the cloud.


**Cons:** Harder adoption.

We want to avoid this situation:




# Comparison of Workflows

## Strategy 1: Renaming



## Strategy 2: Version Control Software



## Other reasons to use git

- ▶ To access a whole new world of knowledge!
- ▶ Great tool for collaboration.
- ▶ Easier to test all sorts of ideas/models.

# Managing expectations



Demos

## Five Demos:

- 1 - **Simple but instructive.**
- 2 - Repeat with branches.
- 3 - Repeat with collaboration: pull requests.
- 4 - Repeat with collaboration: shared ownership.
- 5 - Explore a real life repo.



## Demo #1: We Start in the Cloud

- 1 - Create github.com account and sign in.
- 2 - Let's look at some **repos**. Research, Communication, Teaching
- 3 - First way to access content: download.
- 4 - What if you want to have your own copy of the repo? **Fork** it!.
- 5 - Now create your own repo. Initiate readme and make some edits.

## Demo #1: We move to our local computer

6 - Clone the it. Explore the files and location.

7 - Create new files, edit. And commit. Edit again, and commit again.

8 - Push. Edit on github.com, and pull.

9 - For this tutorial, best way to access previous version: explore in github.com and download.

## Five Demos 2/5:

1 - Simple but instructive.

*Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.*

2 - **Repeat with branches.**

3 - Repeat with collaboration: pull requests.


4 - Repeat with collaboration: shared ownership.

5 - Explore a real life repo.


## Demo #2: Branches and collaboration (we will be here a while)

- 1 - Create a branch from previous repo.
- 2 - Add new content (do not replace), commit a few times, and go back and forth to the main branch.
- 3 - Go back to main branch (master), observe file, merge.
- 4 - Look at the history of the main branch.
- 5 - Repeat 1-3 but now replace instead of adding content.

Fatal Error!



Fatal Error!



Burn it and start with a fresh copy!

## Five Demos: 3/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

*Review: All of the above, plus: branch, merge, resolve conflicts.*

3 - **Repeat with collaboration: pull requests.**

4 - Repeat with collaboration: shared ownership.

5 - Explore a real life repo.

## Demo #3: Pull requests

- 1 - Fork repo [github.com/BITSS/test\\_birthday](https://github.com/BITSS/test_birthday), and clone it into your machine.
- 2 - Edit fields of name, and birth date.
- 3 - Save, commit and push.
- 4 - Create your first **pull request**.
- 5 - Let's see if I can manage all those pull requests very quickly (maybe illustrate issues).
- 6 - Now find your neighbors repo of Demos 1 & 2, fork it, clone it, make a change, save, commit, and...



## Two formats of collaboration

- ▶ One owner, many pull requests.
  - ▶ Easier to control, requires constant updating.
- ▶ Many owners, all can push.
  - ▶ **Very** important to pull at the beginning and at before each push.

## Five Demos: 4/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

Review: All of the above, plus: branch, merge, resolve conflicts.

3 - Repeat with collaboration: pull requests.

*Review: collaborate via fork + PR*

4 - **Repeat with collaboration: shared ownership.**

5 - Explore a real life repo.

## Demo #4: Many owners

1 - Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.

(Suggestion: the “forker” creates the repo, the “forkee” is invited, edits, commits, pushes)

## Demo #4: Many owners

1 - Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.

(Suggestion: the “forker” creates the repo, the “forkee” is invited, edits, commits, pushes)

2 - The other half (#2): clones, commits and pushes.

## Demo #4: Many owners

1 - Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.

(Suggestion: the “forker” creates the repo, the “forkee” is invited, edits, commits, pushes)

2 - The other half (#2): clones, commits and pushes.

3 - #1 commits and pushes in **different lines**.

## Demo #4: Many owners

1 - Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.

(Suggestion: the “forker” creates the repo, the “forkee” is invited, edits, commits, pushes)

2 - The other half (#2): clones, commits and pushes.

3 - #1 commits and pushes in **different lines**.

4 - Switch and repeat 2 & 3: #2 commits first and pushes, then #1.

## Demo #4: Many owners

1 - Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.

(Suggestion: the “forker” creates the repo, the “forkee” is invited, edits, commits, pushes)

2 - The other half (#2): clones, commits and pushes.

3 - #1 commits and pushes in **different lines**.

4 - Switch and repeat 2 & 3: #2 commits first and pushes, then #1.

5 - Repeat 2 - 4 but now both of you in the same lines.

## Demo #4: Many owners

1 - Half of you (#1): go back to the repo of demo 1 & 2 and invite a collaborator.

(Suggestion: the “forker” creates the repo, the “forkee” is invited, edits, commits, pushes)

2 - The other half (#2): clones, commits and pushes.

3 - #1 commits and pushes in **different lines**.

4 - Switch and repeat 2 & 3: #2 commits first and pushes, then #1.

5 - Repeat 2 - 4 but now both of you in the same lines.

6 - Repeat now but with branches (optional).



## Five Demos: 4/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

Review: All of the above, plus: branch, merge, resolve conflicts.

3 - Repeat with collaboration: pull requests.

Review: collaborate via fork + PR

4 - Repeat with collaboration: shared ownership.

*Review: collaborate via share ownership.*

5 - **Explore a real life repo.**

## Demo #5: Look inside a real-life project (and collaborate!)

- 1- Find the following repo: `github.com/BITSS/opa-wealthtax`.
- 2- Fork it and clone it.
- 3- Open it in your computer: `opa-wealthtax.Rproj` (needs RStudio), look around and execute `code/dynamic_doc/wealth_tax_dd.Rmd`.
- 4- Find elasticities, fill in csv, document, submit. 5 - Find `code/interactive_visualization/server.R` and in line 1561 change red to blue

## Five Demos: 5/5

1 - Simple but instructive.

Review: def repo, github.com, download, clone, destination folder, fork, create repo, commit, push, pull, delete, search repo, download old version.

2 - Repeat with branches.

Review: All of the above, plus: branch, merge, resolve conflicts.

3 - Repeat with collaboration: pull requests.

Review: collaborate via fork + PR

4 - Repeat with collaboration: shared ownership.

Review: collaborate via share ownership.

5 - Explore a real life repo.

*Review: All of the above, plus: how does a real-life example looks like.*

# Now go and explore!

Some good habits:

- Commit often (<1hr)
- Always pull before you start a new session of work. Also good to pull before pushing.
- Think of your remote as the most important set of files. Get used to deleting things in your local machine.

## Want to learn more:

- ▶ Great 20 min intro to Git by Alice Bartlett
- ▶ Great 2hr tutorial to Github by Jenny Bryan (git ninja)
- ▶ Jenny Bryan's Happy Git; Documentation from Matthew Gentzkow and Jesse Shapiro; Karthik Ram's paper on Git for Research
- ▶ Software Carpentry's step-by-step tutorial (command line).