

School of Computing and Information Technologies

DATE: 11/08/19
DATE: (1/05/7)
Start  L
Sum=0
Add to sum  Add to sum  Add to sum  Input second rest score  I oput this I test
Add to SUM  Input fourth lest score  Add to SUM  Input fifth tatsope



School of Computing and Information Technologies

CLASS NUMBER: 09 NAME GRESOFO BOWN JAMES C. SECTION ACIAZ.

## Flowcharting Exercises

Exercise 2: The problem with the algorithm from Exercise 1 is that, some of the steps appear more than once, i.e. step 5 get second number, step 7, get third number, etc.

One could shorten the algorithm as follows:

- 1. Start
- $2. \quad Sum = 0$
- Get a value
- 4. sum = sum + value
- Go to step 3 to get next Value
- 6. Output the sum
- 7. Stop

This algorithm and its corresponding flowchart are a bit shorter than the first one. In this algorithm, step 3 to 5 will be repeated, where a number is obtained and added to sum. Similarly, the flowchart indicates a flow line being drawn back to the previous step indicating that the portion of the flowchart is being repeated.

Draw the corresponding flowchart of the above algorithm.

Store Sum valve

Store Sum valve

Store Sum valve

False

Output Sum

Citate

PROSECON

2\*TERM AV2019-2020

40.00



School of Compaying and laternation Technologies

CLASS NUMBER: 09

NAME (Tregorio Bryan James (

SECTION: AC /92

DATE 11/08/10

## Flowcharting Exercises

Exercise 3: From the exercise 2, one problem indicates that these steps will be repeated endlessly, resulting in an endless algorithm or flowchart.

The algorithm needs to be improved to eliminate this problem. In order to solve this problem, we need to add a last value to the list of numbers given. This value should be unique so that, each time we get a value, we test the value to see if we have reached the last value.

In this way our algorithm will be a finite algorithm which ends in a finite number of steps as shown below. There are many ways of making the algorithm finite.

The new list of numbers will be 10, 20, 300, 4000, 50000, 1, -1. The value -1 is a unique number since all other numbers are positive.

- 1. Start
- 2. Sum = 0
- 3. Get a sulue
- 4. If the value is equal to -1, go to step ?
- 5. Add to sum ( sum = sum + value)
- 6. Go to step J to get next Value
- 7. Output the sum
- R. Stop

Draw the corresponding flowchart of the above algorithm.

