

Match Report Builder V1 — R&D Plan

Product: Planet Sport Studio (Plexa)
Repo: racing365-social · Live: planetsport.studio
Status: R&D / Prototype specification
Replaces: Data Studio “dump raw FIXTURE_JSON to OpenAI” flow for football match reports

1. Executive summary

Match Report Builder is a linear, data-driven workflow that:

- 1. **Starts with WHO the content is for** — Sport → Content Type → Brand → Brand Style → Content Creator Profile → Creator Style → Editorial Guidelines
- 2. **Then collects match intelligence** — SixLogics core (required) + optional layers (Sport365, LoopFeed, WhoScored, manual, YouTube transcripts)
- 3. **Builds an Event Intelligence Object (EIO)** — never sends raw feed JSON to AI
- 4. **Generates original journalism** — match report, player ratings (centrepiece), 16 conclusions, hero + social images, social posts, scripts
- 5. **Persists everything** — reports + data files in blob store `plexa-match-report`
- 6. **Publishes** — Language Studio Review Queue

V1 scope: Football · Match Report only · WhoScored for player stats (no Opta API yet)

2. End-to-end user flow (master diagram)

```
flowchart TB
    subgraph phaseA [Phase A – Who is this for]
        A1[Screen A1: Editorial Brief Entry 1-7]
        A1 --> A2[Screen A2: Match ID Entry 8]
    end
    end
    subgraph phaseB [Phase B – Build intelligence]
        B0[SixLogic Core required]
        B0b[Competition rules auto]
        B1[Sport365 Complete or Skip]
        B2[LoopFeed Complete or Skip]
        B3[WhoScored Complete or Skip]
        B4[Manual Complete or Skip]
    end
    end
    subgraph phaseC [Phase C – AI generation]
        C1[Build Picture async]
        C2[Player Intelligence async]
        C3[Import Transcripts Skip OK]
        C4[Image Intelligence library or AI hero]
        C5[Media Builder async]
    end
    end
    subgraph phaseD [Phase D – Finish]
        D1[Screen D1: Review]
        D2[Publish and Archive]
    end
    end
    A2 --> B0 --> B0b --> B1 --> B2 --> B3 --> B4
```

B4 --> C1 --> C2 --> C3 --> C4 --> C5 --> D1 --> D2
D2 --> AR[All Reports list]

UX principle: One task per screen · **Complete** or **Skip** · EIO builds incrementally · confidence updates after each step.

3. Entry Steps 1–7 — Editorial brief (WHO)

Screen A1: “Who is this content for?” — **nothing touches match data until Continue.**

Step	Field	UI	Stored on
1	Sport	Football (V1 only)	EditorialProfile.sport
2	Content Type	Match Report (locked badge)	contentType: "Match report"
3	Brand	Football365 / TEAMtalk / Planet Football / Sport365	targetBrand
4	Brand Style	Auto-loaded read-only preview	brandStyle
5	Use Content Creator Profile	Checkbox + dropdown	useCreatorProfile, journalistProfileId
6	Creator Style	Textarea (from profile, editable)	creatorStyleNotes
7	Article / Editorial Guidelines	Textarea (from profile, editable)	articleGuidelines

Brand → Brand Style

Brand	Brand Style	EIO emphasis
Football365	Opinionated — punchy takes, debate	LoopFeed, opinion
TEAMtalk	Transfer-focused — squad narrative	Player names, futures
Planet Football	Social-led — shareable hooks	Headlines, social outputs
Sport365	Stats-focused — xG, ratings, tables	WhoScored, Sport365 commentary

Content Creator Profile implementation

Source: Language Studio governance store — `LanguageJournalistProfile` in `data/local/language-studio.json`

Reuse:

- Types: `app/lib/language-studio/types.ts`
- Profile list: `GET /api/language/governance → journalistProfiles`
- UI pattern: `app/language-studio/LanguageStudioClient.tsx` Rewrite tab

Flow:

- User checks **Use Content Creator Profile**

2. Dropdown filtered by `targetBrand` + sport = football
3. On select → populate **Creator Style** (`styleNotes`) and **Editorial Guidelines** (`articleGuidelines`)
4. User may edit textareas before Continue
5. Saved to `projects/{id}/editorial/profile.json`
6. Injected into every AI step via `editorial-governance.ts`

Module: `app/lib/match-report/editorial-governance.ts`

```
async function resolveEditorialContext(profile: EditorialProfile) {
  const store = await readLanguageStudioStore();
  const journalist = profile.journalistProfileId
    ? store.journalistProfiles[profile.journalistProfileId]
    : null;
  const knowledgeFiles = pickKnowledgeFiles(store, profile.targetBrand, "Match
report");
  const promptRules = activeRules(store.promptRules, "Match report");
  const sportRules = matchSportRules(store.sportRules, "football",
profile.competitionCode);
  const layerWeights = resolveLayerWeights(knowledgeFiles, profile.targetBrand);
  return { journalist, knowledgeFiles, promptRules, sportRules, layerWeights,
profile };
}
```

Layer weights stored in Knowledge Files (`seed-knowledge-match-report-layer-weights` + brand voice seeds). SixLogic facts always weight **1.0** — weights affect narrative emphasis only.

4. Entry Step 8 — Match ID (Screen A2)

SixLogics-inspired landing. Brief chip row: `F365` · `Opinionated` · `Ian Watson`

Outputs preview ("What you get"): `Headline` · `Report` · `Ratings` · `Hero Image` · `Timeline` · `Line-ups` · `Fact-checked` · `Social crops`

Submit → create project → SixLogic fetch → enter Phase B or STOP.

5. Full schema

MatchReportProject

```
type MatchReportProject = {
  id: string;
  sport: "football";
  contentType: "match_report";
  reportScope: "full" | "first_half";
  editorial: EditorialProfile;
  matchId: string;
  sportId: string;
  competition: string;
  homeTeam: string;
```

```

awayTeam: string;
homeScore?: number;
awayScore?: number;
status: "draft" | "in_progress" | "review" | "published";
workflowStep: WorkflowStep;
workflowPhase: WizardPhase;
layers: {
  sixLogic: SixLogicFoundation | null;
  sport365Commentary: Sport365Commentary | null;
  loopFeed: LoopFeedIntelligence | null;
  optaPlayerData: OptaPlayerIntelligence | null;
  interviews: InterviewIntelligence[];
  manualSources: ManualSource[];
};
health: { ok: boolean; missingCore: string[]; skippedLayers: SkippedLayer[] };
confidence: number;
eventPicture: EventPicture | null;
playerIntelligence: PlayerIntelligence | null;
imageIntelligence: ImageIntelligence | null;
mediaOutputs: MediaOutputs | null;
archive: ArchiveRecord | null;
createdAt: string;
updatedAt: string;
};

```

EditorialProfile

```

type EditorialProfile = {
  sport: "football";
  contentStyle: "Match report";
  targetBrand: "football365" | "teamtalk" | "planet-football" | "sport365";
  brandStyle: string;
  useCreatorProfile: boolean;
  journalistProfileId?: string;
  creatorStyleNotes: string;
  articleGuidelines: string;
  competitionCode?: string;
  sportRuleIds?: string[];
  layerWeights: LayerWeightMap;
  knowledgeFileIds?: string[];
};

```

Layer types (summary)

SixLogicFoundation	// facts, lineups, events, timeline
Sport365Commentary	// live comments from match page URL
LoopFeedIntelligence	// journalist digest
OptaPlayerIntelligence	// WhoScored V1; Opta API post-prototype
ManualSource	// BBC/Sky/Athletic/paste

```
InterviewIntelligence // YouTube post-match quotes
EventPicture          // Step 7 AI output
PlayerIntelligence    // Step 8 ratings centrepiece
ImageIntelligence     // Step 10 hero + social crops
MediaOutputs          // Step 11 all formats
```

ImageIntelligence

```
type ImageIntelligence = {
  source: "library" | "ai_generated" | "skipped";
  rightsChecked: boolean;
  hero: ImageAsset;
  variants?: {
    instagram?: ImageAsset;
    stories?: ImageAsset;
    youtubeThumb?: ImageAsset;
    shortsStill?: ImageAsset;
  };
  libraryRef?: string;
  generationPrompt?: string;
  approvedAt?: string;
};
```

SavedReportIndex (All Reports)

```
type SavedReportIndex = {
  projectId: string;
  matchId: string;
  sport: "football";
  contentType: "match_report";
  competitionCode?: string;
  homeTeam: string;
  awayTeam: string;
  homeScore: number;
  awayScore: number;
  targetBrand?: string;
  brandStyle?: string;
  creatorName?: string;
  displayLabel: string; // "Aston Villa 4 Liverpool 2"
  matchDate: string;
  confidence: number;
  workflowStep: WorkflowStep;
  publishedAt?: string;
  updatedAt: string;
};
```

6. Workflow steps (Complete or Skip)

Step	Action	Skip?
Entry 1–7	Editorial brief	Required
Entry 8	Match ID + scope	Required
SixLogic	Auto normalise	STOP if fail
Competition rules	Auto weights + sport rules	Auto
Sport365	URL paste	–10
LoopFeed	Attach	–15
WhoScored	livestatistics URL	–20
Manual	paste/URL/notes	–5 if none
Build Picture	AI async	Run
Player Intelligence	Ratings async	Run
Transcripts	YouTube URLs	–10
Image Intelligence	Library or AI hero + crops	AI fallback
Media Builder	All outputs async	Run
Review (D1)	Inline edits	—
Publish & Archive	Language Studio	—

7. Screen D1 — Review

REVIEW

Confidence 78 · Skipped: LoopFeed, Transcripts

Brand: Football365 · Creator: Ian Watson

[editable] HEADLINE

[editable] STANDFIRST

[editable] FULL REPORT (markdown)

PLAYER RATINGS (both teams – 1–10 when WhoScored imported)

16 CONCLUSIONS (numbered list)

HERO IMAGE + social crops preview

EIO sidebar (collapsible): layers added/skipped, weights

[← Back]

[Publish to Language Studio →]

Publish blocked if: no hero image · SixLogic core missing

Shows: skipped layers report · confidence · brand + creator from Entry 1–7

8. Progress modal (async steps)

Triggered by: C1 Build Picture · C2 Player Intelligence · C5 Media Builder · **C4 when AI hero generates**

Centred overlay · blurred background · nine step dots · “This usually takes 20–40 seconds”

Dot	Message
1	Loading match data...
2	Applying editorial brief...
3	Building event picture...
4	Generating player ratings...
5	Fact-checking every detail...
6	AI is writing the report...
7	Generating hero image...
8	Building 16 conclusions...
9	Finalising outputs...

Pattern: 202 + jobId + Netlify background fn (same as `language-rewrite-background.mts`). User may leave; resume from All Reports.

9. AI prompt assembly

Never send raw JSON. Prompt sections in order:

```
EDITORIAL_GOVERNANCE      // Entry 1–7 + Content Creator Profile
LAYER_WEIGHTS              // Knowledge Files
SPORT_AND_COMPETITION_RULES  // football + PL/EFL
MATCH_FOUNDATION_SUMMARY   // weight 1.0
COMMENTARY_DIGEST
KEY_MOMENTS_TIMELINE
LOOPFEED_DIGEST
MANUAL_SOURCE_DIGEST
OPTA_PLAYER_SUMMARIES
PLAYER_INTELLIGENCE
INTERVIEW_QUOTES
EVENT_PICTURE
PROMPT_RULES
KNOWLEDGE_FILE_LESSONS
CONFIDENCE + SKIPPED_LAYERS
```

10. Storage — `plexa-match-report`

```

index.json
projects/{projectId}/
  project.json
  editorial/profile.json
  editorial/weights.json
  layers/sixlogics-foundation.json
  layers/sport365-commentary.json
  layers/loopfeed.json
  layers/opta-player-data.json
  layers/manual-sources.json
  layers/interviews.json
  intelligence/event-picture.json
  intelligence/player-intelligence.json
  intelligence/image-intelligence.json
  outputs/full-report.md
  outputs/sixteen-conclusions.json
  outputs/headlines.json
  outputs/social-posts.json
  images/hero.webp
  images/instagram.webp
  images/stories.webp
  images/youtube-thumb.webp
  images/shorts-still.webp
  publish/language-studio-ref.json
  archive-snapshot.json
jobs/{jobId}.json

```

Autosave after every step. All Reports row: PL Aston Villa 4 Liverpool 2 ×

11. API surface

Method	Route	Purpose
GET	/api/match-report/projects	List / Recent strip
POST	/api/match-report/projects	Create + SixLogic
GET	/api/match-report/projects/[id]	Full project
PATCH	/api/match-report/projects/[id]	Autosave
DELETE	/api/match-report/projects/[id]	Remove ×
POST	/api/match-report/import/sport365-commentary	Step Sport365
POST	/api/match-report/import/opta-player-data	WhoScored URL
POST	/api/match-report/import/loop-feed	LoopFeed
POST	/api/match-report/import/manual	Manual sources
POST	/api/match-report/import/interview	YouTube transcripts

POST	/api/match-report/build-picture	Step 7 async
POST	/api/match-report/player-intelligence	Step 8 async
POST	/api/match-report/image-intelligence	Step 10
POST	/api/match-report/generate-media	Step 11 async
POST	/api/match-report/publish	Language Studio
POST	/api/match-report/archive	Final persist

12. Implementation file tree

```

app/match-report-builder/
  page.tsx                                # Route: Generate (A1 → A2)
  reports/page.tsx                        # All Reports
  [projectId]/page.tsx                    # Resume wizard
  MatchReportBuilderClient.tsx           # Phase router + state machine
  components/
    MatchReportShell.tsx                 # Nav + ConfidenceStrip
    EditorialBriefForm.tsx               # Screen A1 – Entry 1–7 + Creator Profile
    MatchIdLanding.tsx                  # Screen A2 – Match ID + Recent strip
    RecentReportsStrip.tsx
    WizardStepCard.tsx                 # Phase B/C step shell
    ImageIntelligenceStep.tsx           # Step 10 – library + AI hero
    HeroPreviewGrid.tsx                 # Step 10 + D1 Review
    ProgressModal.tsx                   # Async C1, C2, C4, C5
    ReviewPanel.tsx                     # Screen D1
    SkippedLayersReport.tsx
    SavedReportsList.tsx
    ManualSourceForm.tsx
    ConfidenceStrip.tsx
  hooks/
    useMatchReportProject.ts
    useEditorialProfiles.ts             # Content Creator Profile fetch
    useMatchReportJobPoll.ts

app/lib/match-report/
  types.ts                              # Full schema
  store.ts                              # plexa-match-report blob CRUD + index
  editorial-governance.ts                # Profile + weights + prompt assembly
  normalise-sixlogics.ts
  parse-sport365-commentary.ts
  parse-whoscored.ts
  opta-player-types.ts
  opta-field-manifest.ts
  build-picture.ts
  player-intelligence.ts
  image-intelligence.ts
  generate-media.ts

```

```

confidence.ts
jobs.ts

app/api/match-report/
  projects/route.ts
  projects/[id]/route.ts
  import/sixlogics/route.ts
  import/sport365-commentary/route.ts
  import/opta-player-data/route.ts
  import/loop-feed/route.ts
  import/manual/route.ts
  import/interview/route.ts
  build-picture/route.ts
  player-intelligence/route.ts
  image-intelligence/route.ts
  generate-media/route.ts
  publish/route.ts
  archive/route.ts
  jobs/[jobId]/route.ts

netlify/functions/
  match-report-build-background.mts      # Steps 7, 8, 11 (+ image when async)

app/lib/studio-entries.ts                # Register Match Report Builder card

```

13. Reuse map (do not rebuild)

Capability	Existing path
SixLogics fetch	app/lib/data-studio/sixlogics-fixture.ts
Loop Feed	app/lib/data-studio/loop-feed.ts
YouTube transcripts	app/api/youtube/transcript/route.ts
Content Creator Profiles	app/lib/language-studio/types.ts, governance API
Editorial governance	app/lib/language-studio/language-engine.ts
Knowledge Files	data/local/language-studio.json
Match report prompts	app/lib/prompts-catalog.ts
Hero image presets	app/lib/language-studio/f365-text-to-image-prompts.ts
Media Library	app/library/LibraryClient.tsx
Publish pipeline	app/api/data-studio/language-publish/route.ts
Async jobs	app/lib/language-rewrite-jobs.ts pattern

14. Delivery phases

Phase	Deliverable
1	Entry 1–8 · editorial governance · SixLogic · Build Picture · Progress modal
2	Sport365 · LoopFeed · WhoScored · Manual · Player Intelligence
3	Transcripts · Image Intelligence · Media Builder · Review D1 · Publish · All Reports
4	Direct Opta API (post-prototype)

Phase 1 exit test: Full editorial brief + Match ID → EIO + EventPicture with governance prompts, no raw JSON.

15. Out of scope (V1)

- Match Context content type
- Sports beyond Football
- Direct Opta API
- Bulk crawling Sport365 / WhoScored
- Native social posting

16. Success criteria

1. Process starts with WHO (Entry 1–7) before Match ID
2. Content Creator Profile populates Creator Style + Editorial Guidelines
3. Brand voice + layer weights from Knowledge Files on every AI step
4. Linear Complete/Skip data steps; fast path valid at lower confidence
5. Player ratings centrepiece; WhoScored Summary 1–10 when imported
6. Image Intelligence: hero + social crops; required before publish
7. Screen D1 Review with inline edits + skipped layers
8. Progress modal for async steps including hero generation
9. All Reports persists reports + data files; resume + delete
10. Zero raw feed JSON sent to AI
11. Publish lands in Language Studio Review Queue

17. Reference URLs (validation fixtures)

Layer	Test URL
Sport365 commentary	https://www.sport365.com/football/england/premier-league/aston-villa-vs-liverpool/1-4157263
WhoScored player data	https://www.whoscored.com/matches/1903454/livestatistics/england-premier-league-2025-2026-manchester-united-nottingham-forest
SixLogic	match_id=2990360 (Leeds vs Sunderland)

Document version: Match Report Builder V1 R&D — consolidated from planning sessions May 2026.