Assignment-Angular

Name: B Karthik

MID:M1082972

Question



HOME

DEPARTMENT

EMPLOYEE

```
··· 1s app.componentts X ◇ app.component.html # styles.css # app.component.css 1s app.module.ts 1s home.component 🗓 ···
<sub>C</sub>
                                               import { Component } from '@angular/core';
import { Router, RouterLink } from '@angular/router';
         ∨ department
          ## department.component.css 3

O department.component.html 4

TS department.component.spec.ts 7

S department.component.ts 7

V employee 4

#Component({
    selector: 'app-root',
    templateUrl: './app.component.html',
    styleUrls: ['./app.component.css']
          {
    this.router.navigate(['/HomeLink']);
}
                                                       GetEmployee()
                                                         this.router.navigate(['/EmployeeLink']);
                                                       {
   this.router.navigate(['/DepartmentLink']);
          app.component.html

    → Angular Language Service' extension is recommended for this
    ※ X

        > assets
                                                                                                                             repository. Do you want to install?
        > environments
                                                                                                                                                           Install Show Recommendations
        favicon ico
      > OUTLINE
                                                                                                                                                               □ ds ENG 3:48 PM □ 5/4/2022 □
     오 텀 🧲 🔚 尽 刘 🔼 🥥
```

APPCOMPONENT.TS

CODE:

```
import { Component } from '@angular/core';
import { Router, RouterLink } from '@angular/router';

@Component({
    selector: 'app-root',
        templateUrl: './app.component.html',
        styleUrls: ['./app.component.css']
})

export class AppComponent {
    title = 'FirstAngularUI';
    constructor(private router : Router){}
    GetHome()
    {
        this.router.navigate(['/HomeLink']);
    }
    GetEmployee()
    {
        this.router.navigate(['/EmployeeLink']);
    }
    GetDepartment()
    {
        this.router.navigate(['/DepartmentLink']);
    }
}
```

```
}
```

APPMODULE.TS

CODE:

```
import { NgModule } from '@angular/core';
import { BrowserModule } from '@angular/platform-browser';

import { AppRoutingModule } from './app-routing.module';
import { AppComponent } from './app.component';
import { myRoutings} from './app-routing.module';
@NgModule({
    declarations: [
        AppComponent,
        myRoutings
],
    imports: [
        BrowserModule,
        AppRoutingModule
],
    providers: [],
    bootstrap: [AppComponent]
})
export class AppModule { }
```

APPCOMPONENT.HTML:


CODE:

STYLES.CSS:

CODE:

```
body{
    padding: 25px;
    background: rgb(80,187,173);
    background-repeat:no-repeat;
    background: size 300px 100px;
}
```

OUTPUT:



Githup Link: https://github.com/BKarthik1/BKarthik1.git