

Prompt:

CUSports is an online Clemson sporting goods retailer. It supports accurate product availability, ordering, warehouse work, shipping, customer support, system operation, and business reporting. There should be 5 user stories per role, in user story form (Who, What, Why), each story should have 4 acceptance tests. User stories should follow the id system of US-01, US-02, ... and acceptance tests should follow AT-01a, AT-01B, AT-01C, AT-01D, AT-02a, AT-02B, AT-02C, AT-02D, Each user story should include easily observable tests, clearly state any assumptions about the users and should not invent requirements, include edge cases that are relevant to the specific story, keep each story small enough to be implemented and tested on its own and do not expand scope based on assumptions. When an unknown detail could change implementation or acceptance criteria, flag it as a question instead of making an assumption. The two roles I want you to do this for are the customer and system administrator.

Reply:

Below are **10 user stories total: 5 for the Customer role and 5 for the System Administrator role**. I've kept each story independently implementable, limited requirements to what you provided, and flagged details that cannot safely be assumed.

Customer

US-01 — View Product Availability

Who: Customer

What: I want to view whether a sporting goods product is available so that I can determine whether it can be ordered.

Assumptions:

- The customer can access the product information provided by CUSports.
- "Available" means the system has enough product availability information to indicate whether the product can currently be ordered.
- The exact display format for availability is not specified.

Acceptance Tests:

- **AT-01a:** Given a product with availability information, when the customer views the product, then the system displays the product's current availability status.
- **AT-01B:** Given a product that is not available, when the customer views the product, then the system does not indicate that the product is available.
- **AT-01C:** Given a product whose availability information cannot be determined, when the customer views the product, then the system does not incorrectly indicate that the product is available.
- **AT-01D:** Given a customer views a product, when the availability status is displayed, then the status corresponds to the availability information maintained by the system.

Question: What specific availability states should customers see (for example, "In Stock," "Out of Stock," or a quantity)?

US-02 — Place an Order

Who: Customer

What: I want to order available sporting goods so that I can purchase products from CUSports.

Assumptions:

- A customer can select products that CUSports makes available for ordering.
- An order requires sufficient product availability.
- Payment, address, tax, and confirmation requirements have not been specified.

Acceptance Tests:

- **AT-02a:** Given an order containing available product(s), when the customer submits the order, then the system creates the order.
- **AT-02B:** Given an order containing a product that is unavailable, when the customer submits the order, then the system does not create an order that includes the unavailable product.
- **AT-02C:** Given an order containing multiple products, when one required product cannot be ordered, then the system does not silently create an order containing a different set of products.
- **AT-02D:** Given a successfully submitted order, when the order is created, then the system associates the ordered product(s) with that order.

Question: What payment, customer-address, quantity, and order-confirmation requirements should apply?

US-03 — Receive Order Information

Who: Customer

What: I want to view information about my order so that I can understand what I ordered.

Assumptions:

- Customers can access orders associated with them.
- The required order-information fields have not been specified.

Acceptance Tests:

- **AT-03a:** Given a customer has an order, when the customer accesses that order, then the system displays information identifying the order.
- **AT-03B:** Given an order contains one or more products, when the customer views the order, then the system displays the products associated with that order.
- **AT-03C:** Given a customer has no orders, when the customer accesses their orders, then the system does not display another customer's order as their own.
- **AT-03D:** Given an order exists, when the customer views it, then the displayed order information reflects the information stored for that order.

Question: Which fields must be displayed to customers—for example, order status, quantities, prices, shipping information, or order date?

US-04 — Track Shipping Information

Who: Customer

What: I want to access shipping information for my order so that I can understand the status of its shipment.

Assumptions:

- Shipping information is maintained by CUSports or made available to its system.
- The specific shipping statuses and tracking information have not been defined.

Acceptance Tests:

- **AT-04a:** Given an order has shipping information, when the customer views the order, then the system displays the available shipping information.
- **AT-04B:** Given an order does not yet have shipping information, when the customer views the order, then the system does not display fabricated shipping information.
- **AT-04C:** Given shipping information changes, when the customer views the order after the change has been recorded, then the displayed information reflects the recorded information.
- **AT-04D:** Given a customer has multiple orders, when the customer views shipping information for one order, then the system displays shipping information associated with that order rather than another order.

Question: Should customers receive carrier tracking numbers, shipment status, estimated delivery dates, or only a general shipping status?

US-05 — Contact Customer Support

Who: Customer

What: I want to contact CUSports customer support so that I can request assistance with my order or account.

Assumptions:

- CUSports provides a customer-support mechanism.
- The specific mechanism and required information have not been specified.

Acceptance Tests:

- **AT-05a:** Given a customer has access to the customer-support mechanism, when the customer submits a support request, then the system records the submitted request.
- **AT-05B:** Given a customer submits a support request, when required information is missing, then the system does not record the request as complete.
- **AT-05C:** Given a customer submits a support request, when the submission succeeds, then the system provides an observable indication that the request was submitted.
- **AT-05D:** Given a customer submits a support request concerning an order, when the request is recorded, then the order information supplied by the customer remains associated with the request.

Question: What support channels and required fields should CUSports provide?

System Administrator

US-06 — Manage System Users

Who: System Administrator

What: I want to manage system-user access so that authorized users can operate the CUSports system.

Assumptions:

- The system administrator is authorized to manage users.
- “Manage” has not been defined beyond the need to support system operation.
- Specific user types, permissions, and account-management actions have not been specified.

Acceptance Tests:

- **AT-06a:** Given the administrator has access to user-management functionality, when the administrator views system users, then the system displays the users available for management.
- **AT-06B:** Given the administrator performs a supported user-management action, when the action succeeds, then the resulting user information reflects that action.
- **AT-06C:** Given the administrator attempts to perform an unsupported or invalid user-management action, then the system does not apply the invalid change.
- **AT-06D:** Given a user-management change is successfully made, when the administrator views the affected user afterward, then the displayed information reflects the saved change.

Question: Which user-management actions are required—creating users, disabling users, changing roles, resetting credentials, or something else?

US-07 — Maintain Product Information

Who: System Administrator

What: I want to maintain product information so that CUSports can provide accurate product data.

Assumptions:

- The administrator is authorized to maintain product information.
- “Product information” includes only fields that CUSports has explicitly defined.
- Specific product fields have not been provided.

Acceptance Tests:

- **AT-07a:** Given an administrator has access to product management, when the administrator views a product, then the system displays the product information stored for that product.
- **AT-07B:** Given the administrator makes a supported change to product information, when the change is saved successfully, then the system displays the updated information.
- **AT-07C:** Given the administrator attempts to save invalid or incomplete product information where validation is required, then the system does not save the invalid information.
- **AT-07D:** Given an administrator changes product information, when a customer subsequently views that product, then the customer sees the product information currently maintained by the system.

Question: Which product fields must administrators maintain, such as name, description, price, SKU, category, or availability?

US-08 — Maintain Product Availability

Who: System Administrator

What: I want to maintain product availability so that customers receive accurate availability information and can order products that are available.

Assumptions:

- Product availability is maintained by CUSports.
- The administrator has authorization to update availability.
- The exact source and unit of availability information have not been specified.

Acceptance Tests:

- **AT-08a:** Given an administrator has access to availability management, when the administrator records a supported availability change, then the system saves the new availability information.
- **AT-08B:** Given a product is marked unavailable, when a customer attempts to order that product, then the system does not treat the product as available.
- **AT-08C:** Given a product's availability is changed from unavailable to available, when the change is successfully saved, then the system uses the updated availability information.
- **AT-08D:** Given an administrator attempts to save an invalid availability value, then the system does not save the invalid value.

Question: Is availability represented as a simple available/unavailable state, an inventory quantity, or another model?

US-09 — Support Warehouse and Shipping Operations

Who: System Administrator

What: I want to maintain the system information needed for warehouse and shipping operations so that orders can be processed and shipped accurately.

Assumptions:

- The system administrator has responsibilities related to system operation.
- CUSports supports warehouse and shipping work.
- The specific warehouse and shipping workflows have not been defined.

Acceptance Tests:

- **AT-09a:** Given an order exists in the system, when an authorized warehouse or shipping operation updates supported order information, then the system records the update.
- **AT-09B:** Given an order does not exist, when an operation attempts to update that order, then the system does not create or update an unrelated order.
- **AT-09C:** Given required information for a supported warehouse or shipping update is missing, when the update is submitted, then the system does not save the incomplete update.
- **AT-09D:** Given a warehouse or shipping update is successfully recorded, when the order is subsequently viewed, then the system displays the recorded information.

Question: What specific warehouse/shipping operations are in scope—for example, picking, packing, shipment creation, carrier assignment, or shipment-status updates?

US-10 — Generate Business Reports

Who: System Administrator

What: I want to generate business reports so that I can review information about CUSports operations.

Assumptions:

- The system administrator is authorized to access business reporting.
- The required reports, metrics, date ranges, filters, and output formats have not been specified.

Acceptance Tests:

- **AT-10a:** Given the administrator has access to a supported report, when the administrator requests the report, then the system generates the report using the available system data.
- **AT-10B:** Given the requested report has no matching data, when the administrator generates the report, then the system indicates that no matching data is available rather than displaying unrelated data.
- **AT-10C:** Given a report-generation request contains an invalid or unsupported parameter, then the system does not generate a report using the invalid parameter as though it were valid.
- **AT-10D:** Given a report is successfully generated, when the administrator views it, then the report reflects the underlying system data used to generate it.

Questions: Which reports are required, what metrics should they contain, what date/filter options are needed, and what output formats should be supported?

Prompt:

CUSports is an online Clemson sporting goods retailer. It supports accurate product availability, ordering, warehouse work, shipping, customer support, system operation, and business reporting.

The six roles include customers, system admins, warehouse employees, customer service reps, shippers, and business users

There should be 5 user stories per role, in user story form (Who, What, Why), each story should have 4 acceptance tests. User stories should follow the id system of US-01, US-02, ... and acceptance tests should follow AT-01a, AT-01B, AT-01C, AT-01D, AT-02a, AT-02B, AT-02C, AT-02D,

Your job is to focus on business users. The ID system needs to start with US-11 as 01-10 has already been complete.

Each user story should include easily observable tests, clearly state any assumptions about the users and should not invent requirements, include edge cases that are relevant to the specific story, keep each story small enough to be implemented and tested on its own and do not expand scope based on assumptions.

When an unknown detail could change implementation or acceptance criteria, flag it as a question instead of making an assumption.

Reply:

Business User Stories (US-11 – US-15)

Role assumption: A "business user" is an internal, authenticated CUSports employee/stakeholder (e.g., merchandising, finance, or operations analyst) who consumes business reporting data but does not perform

warehouse, shipping, or customer support transactions themselves. They interact with reporting features only — not order or inventory management functions (those belong to other roles).

US-11: View Sales Report by Date Range

As a business user, I want to view a sales report for a date range I select, **so that** I can understand revenue and order volume performance over a specific period.

Assumptions:

- Sales data (orders, order totals, order dates) already exists in the system from customer/order role activity.
- The business user has valid login credentials and reporting access before this story begins (authentication itself is out of scope for this story).

Acceptance Tests:

- **AT-11a:** Given a business user is logged in and on the reporting section, when they select a valid start date and end date and submit, then a report displays total number of orders and total sales revenue for that exact range.
- **AT-11B:** Given a business user enters a start date that is after the end date, when they submit, then the system displays a validation error and no report is generated.
- **AT-11C:** Given a business user selects a date range with zero completed orders, when they submit, then the report displays zero orders and \$0.00 revenue rather than an error or blank screen.
- **AT-11D:** Given a business user selects a date range spanning more than one calendar year, when they submit, then the report still returns accurate totals for the full selected range (no silent truncation).

Open Questions:

- Should the report include only completed/shipped orders, or also pending/cancelled/returned orders? This changes the revenue calculation logic.
 - Is there a maximum allowable date range (e.g., limited to 2 years) for performance reasons?
-

US-12: View Low-Stock Inventory Report

As a business user, I want to view a report of products at or below a defined stock threshold, **so that** I can identify items that may need reordering.

Assumptions:

- Current stock quantity per product is already tracked and maintained by the warehouse employee role.
- A single, system-wide low-stock threshold value exists (rather than a per-product custom threshold), unless specified otherwise.

Acceptance Tests:

- **AT-12a:** Given products exist with stock quantities below the defined threshold, when the business user opens the low-stock report, then all such products are listed with their product name and current quantity.
- **AT-12B:** Given no products are currently below the threshold, when the business user opens the report, then the system displays a clear "no low-stock items" message rather than an empty/blank table.

- **AT-12C:** Given a product's stock quantity changes after the report is generated, when the business user refreshes/regenerates the report, then the updated quantity is reflected.
- **AT-12D:** Given a product has a stock quantity of exactly zero, when the business user views the report, then that product appears in the report (zero counts as below/at threshold).

Open Questions:

- What is the specific low-stock threshold value, and is it configurable by business users or fixed by system admins? This directly affects acceptance criteria and must be answered before implementation.
-

US-13: Export a Report to a File

As a business user, I want to export a generated report to a downloadable file, **so that** I can share or analyze the data outside the system.

Assumptions:

- This story applies to reports already built in other stories (e.g., US-11 sales report); it does not create new report content, only an export mechanism.
- The business user has already generated a report on-screen before attempting to export it.

Acceptance Tests:

- **AT-13a:** Given a report is displayed on screen, when the business user selects "Export," then a file downloads containing the same data shown on screen.
- **AT-13B:** Given a report contains zero rows of data, when the business user exports it, then the downloaded file is still generated successfully with headers only (no error/crash).
- **AT-13C:** Given an export is in progress, when the business user attempts to trigger a second export before the first completes, then the system either queues, blocks, or clearly indicates the export is already running (no duplicate/corrupted files).
- **AT-13D:** Given the exported file is opened, when the business user inspects it, then column headers match the on-screen report labels exactly.

Open Questions:

- What file format(s) are required — CSV, Excel (.xlsx), PDF, or multiple? This is a required detail before implementation, as it changes both the build and the acceptance tests.
-

US-14: View Top-Selling Products Report

As a business user, I want to view a ranked list of top-selling products over a date range, **so that** I can identify which products are driving the most business.

Assumptions:

- "Top-selling" is measured by units sold, not revenue, unless otherwise specified (flagged below as this materially changes the ranking logic).
- Product sales data reflects completed orders already recorded in the system.

Acceptance Tests:

- **AT-14a:** Given completed orders exist within a selected date range, when the business user requests the top-selling products report, then products are listed in descending order by units sold.
- **AT-14B:** Given two or more products have the exact same units sold, when the report is generated, then both products appear in the report without one being dropped or overwritten.
- **AT-14C:** Given a selected date range has no completed orders, when the report is generated, then the system displays a clear empty-state message instead of an error.
- **AT-14D:** Given a product was sold during the range but has since been removed/discontinued from the catalog, when the report is generated, then it still appears in historical results (report reflects sales history, not current catalog status).

Open Questions:

- Should "top-selling" be ranked by units sold or by total revenue? This changes both the calculation and the acceptance criteria and needs clarification before implementation.
- Is there a fixed cutoff (e.g., top 10, top 25) or should all products be returned?

US-15: View Customer Support Ticket Volume Report

As a business user, **I want to** view a report showing the number of customer support tickets opened and resolved over a date range, **so that** I can monitor customer support workload and performance trends.

Assumptions:

- Customer support ticket data (opened date, resolved date, status) is already captured by the customer service rep role.
- This story reports on ticket counts/status only; it does not include ticket content, resolution time averages, or agent-level performance (those would be separate stories if needed).

Acceptance Tests:

- **AT-15a:** Given tickets were opened and/or resolved within a selected date range, when the business user generates the report, then it shows separate counts for tickets opened and tickets resolved in that range.
- **AT-15B:** Given a ticket was opened before the selected range but resolved within it, when the report is generated, then it is correctly counted only in the "resolved" total for that range, not "opened."
- **AT-15C:** Given no tickets were opened or resolved in the selected range, when the report is generated, then it displays zero counts rather than an error or blank output.
- **AT-15D:** Given a ticket is still open/unresolved as of the report date, when the report is generated, then it is excluded from the "resolved" count but included in the "opened" count if applicable to the range.

Open Questions:

- Should this report break down tickets by status categories beyond "opened/resolved" (e.g., in-progress, escalated)? Not assumed here since it wasn't specified — flagging in case it's needed.

Prompt:

CUSports is an online Clemson sporting goods retailer. It supports accurate product availability, ordering, warehouse work, shipping, customer support, system operation, and business reporting. There should be 5 user stories per role, in user story form (Who, What, Why), each story should have 4 acceptance tests. User stories should follow the id system of US-01, US-02, ... and acceptance tests should follow AT-01a, AT-01B, AT-01C, AT-01D, AT-02a, AT-02B, AT-02C, AT-02D, Each user story should include easily observable tests, clearly state any assumptions about the users and should not invent requirements, include edge cases that are relevant to the specific story, keep each story small enough to be implemented and tested on its own and do not expand scope based on assumptions. When an unknown detail could change implementation or acceptance criteria, flag it as a question instead of making an assumption. Do this for the role of shipper. Start the ID system at US-16

Response:

Below are **5 shipper user stories**, starting at **US-16**. I've kept the scope narrow, made assumptions explicit, and flagged implementation-affecting unknowns as questions rather than inventing requirements.

US-16 — View orders ready for shipment

User story:

As a **shipper**, I want to **view orders that are ready for shipment**, so that **I can identify which orders need to be processed**.

Assumptions:

- The shipper has authorized access to the order/shipping portion of CUSports.
- An order can be identified as being ready for shipment by the system.
- The specific definition of "ready for shipment" is an existing business rule and is not defined here.

Question: What exact order status or conditions cause an order to appear in the shipper's ready-to-ship list?

Acceptance tests:

- **AT-16a:** Given an order meets the system's existing criteria for being ready to ship, when the shipper views the ready-to-ship orders, then that order is displayed.
- **AT-16b:** Given an order does not meet the criteria for being ready to ship, when the shipper views the ready-to-ship orders, then that order is not displayed.
- **AT-16c:** Given there are no orders currently ready to ship, when the shipper views the list, then the system displays an observable indication that there are no ready-to-ship orders.
- **AT-16d:** Given multiple orders are ready to ship, when the shipper views the list, then each qualifying order is displayed as a distinct order that the shipper can identify.

US-17 — Review shipment information

User story:

As a **shipper**, I want to **view the information needed to prepare an order for shipment**, so that **I can process the correct order and send it to the correct destination**.

Assumptions:

- Required shipment information is stored with the order.

- The shipper is authorized to view the shipment information.
- This story does not define which carrier, service, or packaging method should be used.

Question: Which specific order and customer fields must be displayed to a shipper when preparing a shipment?

Acceptance tests:

- **AT-17a:** Given the shipper selects an order available for shipment, when the order details are opened, then the system displays the shipment information defined as required for that order.
 - **AT-17b:** Given the selected order contains multiple products, when the shipper opens its details, then each product included in the order is displayed.
 - **AT-17c:** Given an order has incomplete required shipment information, when the shipper opens the order, then the system identifies the missing information rather than presenting the order as having complete shipment information.
 - **AT-17d:** Given the shipper is viewing one order, when the shipper opens a different order, then the displayed shipment information corresponds to the newly selected order.
-

US-18 — Record shipment completion

User story:

As a **shipper**, I want to **record that an order has been shipped**, so that **CUSports has an up-to-date record of the order's shipping status**.

Assumptions:

- The shipper has permission to update shipment status.
- CUSports has a defined status representing a shipped order.
- This story only covers recording shipment completion; it does not define carrier selection or label creation.

Question: Is shipment tracking information required when a shipper records an order as shipped?

Acceptance tests:

- **AT-18a:** Given an order is eligible to be marked as shipped, when the shipper records the shipment as complete, then the order's status changes to the system's defined shipped status.
 - **AT-18b:** Given an order has already been marked as shipped, when the shipper attempts to mark it as shipped again, then the system does not create a second shipment completion for the same order.
 - **AT-18c:** Given an order is not eligible to be marked as shipped, when the shipper attempts to record shipment completion, then the system does not mark the order as shipped.
 - **AT-18d:** Given the shipment is successfully recorded, when the shipper returns to the order, then the order displays its updated shipped status.
-

US-19 — Identify shipment exceptions

User story:

As a **shipper**, I want to **identify orders that cannot currently be shipped**, so that **I can avoid incorrectly completing their shipment**.

Assumptions:

- CUSports can identify at least some conditions that prevent shipment.
- The shipper can access the affected order.
- This story does not define how exceptions are resolved.

Question: What specific conditions should CUSports classify as shipment exceptions, such as missing inventory, missing address information, or another issue?

Acceptance tests:

- **AT-19a:** Given an order has a system-recognized shipment-blocking condition, when the shipper views the order, then the system indicates that the order cannot currently be shipped.
 - **AT-19b:** Given an order has no system-recognized shipment-blocking condition, when the shipper views the order, then the system does not identify it as having a shipment exception.
 - **AT-19c:** Given an order has a shipment exception, when the shipper attempts to complete shipment, then the system prevents the shipment from being recorded as completed.
 - **AT-19d:** Given the shipment-blocking condition is removed, when the shipper subsequently views the order, then the order no longer shows that exception if the system's rules determine it is now eligible for shipment.
-

US-20 — Access shipment status

User story:

As a **shipper**, I want to **view the current shipping status of an order**, so that **I can determine whether the order still requires shipping work**.

Assumptions:

- Orders have a system-maintained shipping status.
- The shipper is permitted to view that status.
- The story does not define the complete set of possible statuses.

Question: What are the official shipping statuses that CUSports should support and display?

Acceptance tests:

- **AT-20a:** Given an order has a recorded shipping status, when the shipper views the order, then the current status is displayed.
- **AT-20b:** Given an order's shipping status has been updated, when the shipper views the order after the update, then the newly recorded status is displayed.
- **AT-20c:** Given an order has no valid shipping status, when the shipper views the order, then the system does not display an incorrect status and instead indicates that the status is unavailable or invalid.
- **AT-20d:** Given two orders have different shipping statuses, when the shipper views each order, then each order displays its own corresponding status.

CJ - Prompt:

I need your help to create 5 user story requirements alongside 2-4 acceptance tests per user story. There is some context of the app provided in the first screenshot. Each user story should be in the format As a <who>, I want so that <why> (something along those lines). Try to use the INVEST framework for user story. Only create 10 user stories for the CSR (Customer service representative and Warehouse Employee).

Product Context and Roles

CUSports is an online Clemson sporting-goods retailer. Its product experience must support accurate product availability, ordering, warehouse work, shipping, customer support, system operation, and business reporting. Your team will turn this broad context into a coherent, testable product backlog and a supporting prototype.

CODE	ROLE	CODE	ROLE
CUS	Customer	ADM	System administrator
WHS	Warehouse employee	CSR	Customer service representative
SHP	Shipper	BIZ	Business user

Initial-generation prompt plan

PROMPT ELEMENT	TEAM PLAN
Product context to give AI	CUSports is an online Clemson sporting goods retailer. It supports accurate product availability, ordering, warehouse work, shipping, customer support, system operation, and business reporting.
Roles and coverage	The six roles include customers, system admins, warehouse employees, customer service reps, shippers, and business users
Requested output	There should be 5 user stories per role, in user story form (Who, What, Why), each story should have 4 acceptance tests. User stories should follow the id system of US-01, US-02, ... and acceptance tests should follow AT-01a, AT-01b, AT-01c, AT-01d, AT-02a, AT-02b, AT-02c, AT-02d,
Quality constraints	Each user story should include easily observable tests, clearly state any assumptions about the users and should not invent requirements, include edge cases that are relevant to the specific story, keep each story small enough to be implemented and tested on its own and do not expand scope based on assumptions.
Information intentionally withheld or unknown	When an unknown detail could change implementation or acceptance criteria, flag it as a question instead of making an assumption.

ID / SOURCE	ROLE	INITIAL STORY — VERBATIM	INITIAL ACCEPTANCE TESTS — VERBATIM
US-01 AI ID: A__	Customer Service Rep	[Paste the story exactly as generated.]	[AT__a GIVEN ... WHEN ... THEN ...] [AT__b GIVEN ... WHEN ... THEN ...]
US-02 AI ID: A__	Customer Service Rep	[Paste the story exactly as generated.]	[AT__a GIVEN ... WHEN ... THEN ...] [AT__b GIVEN ... WHEN ... THEN ...]
US-03 AI ID: A__	Customer Service Rep	[Paste the story exactly as generated.]	[AT__a GIVEN ... WHEN ... THEN ...] [AT__b GIVEN ... WHEN ... THEN ...]
US-04 AI ID: A__	Customer Service Rep	[Paste the story exactly as generated.]	[AT__a GIVEN ... WHEN ... THEN ...] [AT__b GIVEN ... WHEN ... THEN ...]
US-05 AI ID: A__	Customer Service Rep	[Paste the story exactly as generated.]	[AT__a GIVEN ... WHEN ... THEN ...] [AT__b GIVEN ... WHEN ... THEN ...]

Output:

Below are 10 user stories limited to the two requested roles. I kept them narrow enough to fit INVEST and avoided adding features like refunds, returns, payment changes, or carrier integrations because those are not specified in the provided context.

Customer Service Representative — 5 Stories

CSR-US-01 — View Customer Order Status

User Story:

As a customer service representative, I want to view the current status of a customer's order so that I can accurately answer customer questions about their order.

Acceptance Tests:

- **AT-01A:** GIVEN a valid order exists, WHEN the CSR opens the order, THEN the system displays the order's current status.
 - **AT-01B:** GIVEN an order cannot be found, WHEN the CSR searches for it, THEN the system indicates that no matching order was found.
 - **AT-01C:** GIVEN an order's status changes, WHEN the CSR views the order afterward, THEN the displayed status reflects the updated status.
-

CSR-US-02 — View Ordered Products

User Story:

As a customer service representative, I want to view the products included in a customer's order so that I can answer questions about what the customer purchased.

Acceptance Tests:

- **AT-02A:** GIVEN a valid order exists, WHEN the CSR views its details, THEN the system displays the products associated with the order.
 - **AT-02B:** GIVEN an order contains multiple products, WHEN the CSR views the order, THEN each ordered product is shown separately.
 - **AT-02C:** GIVEN an order has a recorded quantity for a product, WHEN the CSR views that product in the order, THEN the correct ordered quantity is displayed.
-

CSR-US-03 — Check Product Availability

User Story:

As a customer service representative, I want to check whether a product is currently available so that I can provide customers with accurate availability information.

Acceptance Tests:

- **AT-03A:** GIVEN an available product, WHEN the CSR checks its availability, THEN the system reports that the product is available.
 - **AT-03B:** GIVEN an unavailable product, WHEN the CSR checks its availability, THEN the system reports that the product is unavailable.
 - **AT-03C:** GIVEN product availability changes, WHEN the CSR checks the product afterward, THEN the current availability is displayed.
-

CSR-US-04 — View Shipping Status

User Story:

As a customer service representative, I want to view the shipping status of an order so that I can answer customer questions about its shipment.

Acceptance Tests:

- **AT-04A:** GIVEN an order has entered the shipping process, WHEN the CSR views the order, THEN the system displays its current shipping status.

- **AT-04B:** GIVEN an order has not entered the shipping process, WHEN the CSR views shipping information, THEN the system indicates that shipping information is not yet available.
 - **AT-04C:** GIVEN the shipping status has changed, WHEN the CSR views the order afterward, THEN the updated shipping status is displayed.
-

CSR-US-05 — Locate an Order

User Story:

As a customer service representative, I want to locate a customer order using its order identifier so that I can access the correct order while assisting the customer.

Acceptance Tests:

- **AT-05A:** GIVEN a valid order identifier, WHEN the CSR searches for it, THEN the matching order is displayed.
 - **AT-05B:** GIVEN an identifier that does not match an order, WHEN the CSR searches for it, THEN the system reports that no matching order was found.
 - **AT-05C:** GIVEN multiple orders exist in the system, WHEN the CSR searches using a specific valid order identifier, THEN only the matching order is returned.
-

Warehouse Employee — 5 Stories

WHS-US-01 — View Orders Requiring Warehouse Work

User Story:

As a warehouse employee, I want to view orders that require warehouse work so that I know which orders need to be prepared.

Acceptance Tests:

- **AT-01A:** GIVEN orders are awaiting warehouse work, WHEN the warehouse employee views the work list, THEN those orders are displayed.
 - **AT-01B:** GIVEN an order no longer requires warehouse work, WHEN the work list is refreshed, THEN that order is no longer shown as awaiting work.
 - **AT-01C:** GIVEN no orders currently require warehouse work, WHEN the employee views the work list, THEN the system indicates that no orders are awaiting warehouse work.
-

WHS-US-02 — View Products Required for an Order

User Story:

As a warehouse employee, I want to view the products and quantities required for an order so that I can prepare the correct items.

Acceptance Tests:

- **AT-02A:** GIVEN a valid warehouse order, WHEN the employee opens it, THEN the required products are displayed.
 - **AT-02B:** GIVEN a product has a required quantity greater than one, WHEN the employee views the order, THEN the required quantity is displayed.
 - **AT-02C:** GIVEN an order contains multiple products, WHEN the employee opens it, THEN all products associated with that order are shown.
-

WHS-US-03 — Confirm Products Have Been Picked

User Story:

As a warehouse employee, I want to record when required products have been picked so that the system reflects the progress of warehouse work.

Acceptance Tests:

- **AT-03A:** GIVEN a required product has not been picked, WHEN the employee confirms the product was picked, THEN the system records it as picked.
 - **AT-03B:** GIVEN multiple products are required for an order, WHEN one product is confirmed as picked, THEN the remaining products remain unconfirmed.
 - **AT-03C:** GIVEN a product has already been confirmed as picked, WHEN the order is viewed again, THEN the product remains recorded as picked.
-

WHS-US-04 — Report an Unavailable Required Product

User Story:

As a warehouse employee, I want to report when a required product is unavailable so that the order is not incorrectly treated as ready for further processing.

Acceptance Tests:

- **AT-04A:** GIVEN a required product cannot be located as available, WHEN the employee reports it as unavailable, THEN the system records the product as unavailable for that order.
 - **AT-04B:** GIVEN a product has been reported unavailable, WHEN the order is viewed again, THEN its unavailable status is displayed.
 - **AT-04C:** GIVEN an order contains an unavailable required product, WHEN warehouse progress is viewed, THEN the order is not shown as having all required products successfully prepared.
-

WHS-US-05 — Mark an Order Ready for Shipping

User Story:

As a warehouse employee, I want to mark a completed warehouse order as ready for shipping so that the shipping process can continue.

Acceptance Tests:

- **AT-05A:** GIVEN all required warehouse work for an order has been completed, WHEN the employee marks the order ready for shipping, THEN the system records the order as ready for shipping.

- **AT-05B:** GIVEN required products have not all been successfully prepared, WHEN the employee attempts to mark the order ready for shipping, THEN the order is not recorded as ready for shipping.
- **AT-05C:** GIVEN an order has been marked ready for shipping, WHEN the order is viewed afterward, THEN its status reflects that it is ready for shipping.

Unknowns worth flagging instead of assuming

Your assignment specifically says to flag implementation-changing unknowns. These are the main ones I would document as questions: **How does a CSR identify/search for a customer besides an order ID? What exact shipping statuses exist? Can CSRs modify orders or only view them? What makes warehouse work officially “complete”? How should an unavailable warehouse item affect inventory and the customer’s order?**

Those should not be turned into additional requirements until the product owner/instructor provides an answer.

Prompt:

Create a locally runnable prototype beginning with index.html. Supporting local CSS, JavaScript, image, or data files are allowed.

- Demonstrate the selected workflow with interactions, not just a collection of static mockups.
- Include the normal path plus at least one alternate, validation, empty, or error state.
- Use synthetic data. Do not include real personal data, credentials, tracking, or paid/external services required for grading.
- Use semantic HTML, visible form labels, keyboard-operable controls, and readable contrast.
- A back end is not required; behavior and data may be simulated in the browser.

Complete this plan before asking AI to generate prototype code. You may want to break up the prototype into different screens based on the role.

PLAN ITEM

TEAM DECISION

Primary user

Customer - Wants to use the software to buy Clemson sports products without having to visit the store in person.

End-to-end task

Browse and purchase items on the CUSports website

Story IDs

US-01, US-02, US-03, US-04

Acceptance-test IDs to demonstrate

AT-01a, AT-01B, AT-02a, AT-03a, AT-04a, AT-04B

Pages / screens / components

Home screen, product screen, payment screen, order detail screen

Normal-path interactions

User can click items to view them, click on a search bar, choose to purchase an item, and submit payment

Alternate / validation / error state

Validate that the user’s payment goes through

Synthetic data needed

Clemson sports products, merch, customers

Out of scope

All user stories that do not fall under the “Must have” category is MoSCoW

Technical constraints for the AI prompt

[Local index.html, files, accessibility, no external services, etc.] No external services, start file: index.html, semantic HTML, keyboard-operable controls, synthetic data.

Prototype file inventory

Start file: index.html Supporting files: [Type here]

AI evidence IDs used for prototype creation: [A__ ...]

Include any updated prompts needed after testing.

US-01

AI ID: A1

Customer

Who: Customer

What: I want to view whether a sporting goods product is available so that I can determine whether it can be ordered.

AT-01a: Given a product with availability information, when the customer views the product, then the system displays the product's current availability status.

AT-01B: Given a product that is not available, when the customer views the product, then the system does not indicate that the product is available.

AT-01C: Given a product whose availability information cannot be determined, when the customer views the product, then the system does not incorrectly indicate that the product is available.

AT-01D: Given a customer views a product, when the availability status is displayed, then the status corresponds to the availability information maintained by the system.

US-02

AI ID: A1

Customer

Who: Customer

What: I want to order available sporting goods so that I can purchase products from CUSports.

AT-02a: Given an order containing available product(s), when the customer submits the order, then the system creates the order.

AT-02B: Given an order containing a product that is unavailable, when the customer submits the order, then the system does not create an order that includes the unavailable product.

AT-02C: Given an order containing multiple products, when one required product cannot be ordered, then the system does not silently create an order containing a different set of products.

AT-02D: Given a successfully submitted order, when the order is created, then the system associates the ordered product(s) with that order.

US-03

AI ID: A1

Customer

Who: Customer

What: I want to view information about my order so that I can understand what I ordered.

AT-03a: Given a customer has an order, when the customer accesses that order, then the system displays information identifying the order.

AT-03B: Given an order contains one or more products, when the customer views the order, then the system displays the products associated with that order.

AT-03C: Given a customer has no orders, when the customer accesses their orders, then the system does not display another customer's order as their own.

AT-03D: Given an order exists, when the customer views it, then the displayed order information reflects the information stored for that order.

US-04

AI ID: A1

Customer

Who: Customer

What: I want to access shipping information for my order so that I can understand the status of its shipment.

AT-04a: Given an order has shipping information, when the customer views the order, then the system displays the available shipping information.

AT-04B: Given an order does not yet have shipping information, when the customer views the order, then the system does not display fabricated shipping information.

AT-04C: Given shipping information changes, when the customer views the order after the change has been recorded, then the displayed information reflects the recorded information.

AT-04D: Given a customer has multiple orders, when the customer views shipping information for one order, then the system displays shipping information associated with that order rather than another order.

Recommended folder structure

PATH PURPOSE

TeamName_Sprint0.zip Top-level submission

└ TeamName_Sprint0_Report.pdf Completed instructions/worksheets and final analysis

└ AI_Evidence.pdf All prompts and unedited results

└ prototype/index.html Prototype start page

└ prototype/styles.css Optional supporting stylesheet

└ prototype/app.js Optional supporting script

└ prototype/README.txt Launch steps, coverage, and limitations

└ prototype/ai-raw/... Raw AI-generated versions when not fully preserved in the transcript

Response:

I'll build this as a small vanilla-JS single-page app (no frameworks, no external services) with four screens driven by hash routing, plus interactive "test controls" so a grader can exercise every acceptance test without needing a backend.

The prototype's below — unzip **CUSports_Prototype.zip** and open **prototype/index.html** in any browser (no server or internet needed).

What it covers:

- **Home** — search + category filters, availability badges on every product
- **Product detail** — availability badge (available/unavailable/unknown), disabled "Add to cart" when not orderable, plus a testing panel to flip a product's status live
- **Cart** — edit qty, remove items, blocked checkout if something in the cart went unavailable
- **Payment** — labeled shipping + card form with inline validation errors, a simulated gateway (card **4111 . . .** approves, **4000 . . .** declines), and a final availability re-check that refuses to create a partial/substituted order
- **My Orders / Order detail** — per-customer order list (with an empty state), line items, and shipping info that's either real or an honest "not yet available" — with a switcher to swap between two synthetic customers to prove orders/shipping never leak across accounts

README.txt has exact click-paths for every AT (including the ones that weren't on the "must demonstrate" list, in case they're useful) plus accessibility notes and known limitations.

Cusports prototype

ZIP

Index

Code·HTML