Aim: Demonstrate various program on Structure Tag

```
<!DOCTYPE html>
<html>
<head>
  <title >Html Basic Structures</title>
</head>
<body bgcolor="d0f4de">
  <h1 align="center"> Welcome to Html </h1>
   This is a basic Structure of an Html document 
  HTML stands for Hypertext Markup Language. It defines the content and structure of web content.
  <hr>>
  <b > This is a Bold Tag </b>
  <br>
  <i> This is an Italic Tag </i>
  <u> This is an Underline Tag </u>
  <hr>>
</body>
</html>
```

Welcome to Html

This is a basic Structure of an Html document

HTML stands for Hypertext Markup Language. It defines the content and structure of web content.

This is a Bold Tag

This is an Italic Tag

This is an Underline Tag

Aim: Explain various list Tag Formatting.

A. Ordered List(Numbered)

```
<!DOCTYPE html>
<html>
<head>
      <title>Document</title>
</head>
      <title>List Example</title>
</head>
<body bgcolor="cbc0d3">
      <h1> Html List Example</h1>
      <h2> Ordered List (Numbered)</h2>
      First item 
      Second item 
      Third item 
      Fourth item 
      Fifth item 
      </body>
</html>
```

Html List Example

Ordered List (Numbered)

- 1. First item
- 2. Second item
- 3. Third item
- 4. Fourth item
- 5. Fifth item

B. Unordered List(Bulleted)

```
<!DOCTYPE html>
<html>
<head>
      <title> Unordered List </title>
</head>
<body bgcolor="a2d6f9">
      <h1> Unordered List (Bulleted)</h1>
      First item 
      Second item 
      Third item 
      Fourth item 
     Fifth item 
     </body>
</html>
```

Unordered List (Bulleted)

- · First item
- · Second item
- · Third item
- · Fourth item
- · Fifth item

C. Nested List

```
<!DOCTYPE html>
<html>
<head>
     <title>Nested List</title>
</head>
<body bgcolor="fcd5ce">
     <h1> Example of Nested List</h1>
     \langle ul \rangle
     Coffee
     <0|>
     Espresso 
     Americano 
     Cappuccino 
     Tea
     <0l>
     Milk Tea 
     Black Tea 
     Green Tea 
     </body>
</html>
```

Example of Nested List

- Coffee
 - 1. Espresso
 - 2. Americano
 - 3. Cappuccino
- Tea
 - 1. Milk Tea
 - 2. Black Tea
 - 3. Green Tea

Aim: Explain tag formatting with Marquee

```
<!DOCTYPE html>
<html>
<head>
       <title>Marquee Tag</title>
</head>
<body bgcolor="a8dadc">
       <h1 align="center"> Marquee Tag Example</h1>
       <h1> <marquee> Welcome to the World of Computer Science! </marquee> </h1>
 <h3>  align="center">
                              Marquee is one of the important tags introduced in HTML to support such
scrollable texts and images within a web page.
       The marquee tag is a container tag of HTML that is implemented for creating scrollable text or images
within
       a web page from either left to right or vice versa, or top to bottom or vice versa.
       </h3>
</body>
</html>
```

Marquee Tag Example

Welcome to the World of Computer Science!

Marquee is one of the important tags introduced in HTML to support such scrollable texts and images within a web page.

The marquee tag is a container tag of HTML that is implemented for creating scrollable text or images within a web page from either left to right or vice versa, or top to bottom or vice versa.

Aim : Demonstrate anchor Tag ,Image Tag and Image mapping.

A. Image tag:

<img src="C:\Users\dhanshree salunkhe\OneDrive\Documents\html\books.webp" alt="Smiley face"
width="120" height="120" style="vertical-align:bottom">

</body>

</html>



B. Image tag within same folder.



C. Anchor Tag

```
<html>
<body bgcolor="azure">
<center>
<p<h1> Welcome to Google</h1>
```

</center>

<center><i>Google LLC American multirational corporation and technology

company focusing on online
 advertising, search engine technology, cloud computing
br> computer software, quantum computing, e-commerce,
 consumer electronics, and artificial intelligence (Ai)

</h3> </center> <center> </center>

 <center>clickhere </center> </body> </html> Welcome to Google Google Google Q J 🙃 Google Search I'm Feeling Lucky Google offered in: हिन्दी वाश्ना తెలుగు मराठी தமிழ் ગુજરાતી ಕನ್ನಡ മലയാളം ਪੰਜਾਬੀ **D.** Image Maping <HEAD> <TITLE> IMAGE MAP </TITLE>

</HEAD>

<BODY>

<map name="WORLDMAP">

<area shape="rect" coords="0,0,82,126"alt="NORTH AMERICA" href="NORTH_AMERICA.HTML"> <area shape="circle"coords= "90,58,20 " alt="greenland" href="greenland.HTML">

<area shape="poly" coords="124,115,190,172,233,122,294,188,345,345,133"alt=" AFRICA" href="AFRICA.HTML">

</map>

</BODY>

</HTML>



Note: <area shape="rect" coords="0,0,82,126"alt="NORTH AMERICA" href="NORTH AMERICA.HTML">



Note: <area shape="circle"coords= "90,58,20 " alt="greenland" href="greenland.HTML">



Note : <area shape="poly" coords="124,115,190,172,233,122,294,188,345,345,133" alt=" AFRICA" href="AFRICA.HTML">



1. North America

<html>

<body>

</body>

</html>



2. Greenland

<html>

<body>

</body>

</html>



Aim: Table Tags

```
<!DOCTYPE html>
<html>
<head>
<title>Timetable</title>
</head>
<body>
<font color="darkblue">Time Table</font>
   </b>
  Time
  Monday
  Tuesday
  Wednesday
  Thursday
  Friday
  Saturday
 8:00 to 9:00
  science
  maths
  arts
  maths
  arts
  science
 9:00 to 10:00
  maths
  science
  hindi
  arts
  maths
  hindi
 <h>
    <font color="white">Lunch (10:00 to 10:30)</font>
   </b>
```

```
10:30 to 11:30
  hindi
  arts
  science
  maths
  science
  maths
 11:30 to 12:30
  science
  maths
  arts
  hindi
  arts
  hindi
 </body>
</html>
```

Time Table							
Time	Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	
8:00 to 9:00	science	maths	arts	maths	arts	science	
9:00 to 10:00	maths	science	hindi	arts	maths	hindi	
Lunch (10:00 to 10:30)							
10:30 to 11:30	hindi	arts	science	maths	science	maths	
11:30 to 12:30	science	maths	arts	hindi	arts	hindi	

Aim: Write a program in HTML to display Audio & Video.


A. Audio

```
<html>
<head>
       <title>Audio</title>
</head>
 <body bgcolor="black">
       <h1><font size="12"><font color="red"><b><marquee>Audio
  </marquee></b></font></font></h1>
       <!-- Audio Section -->
       <h2 style="color: white;">Audio Example 1</h2>
       <audio controls autoplay>
       <source src="/Users/yadnesh vasta/Downloads/sample-</pre>
       6s.mp3">
       </audio>
       <h2 style="color: white;">Audio Example 2</h2>
       <audio controls autoplay>
       <source src="C:\Users\yadnesh vasta\Downloads\sample-</pre>
       9s.mp3">
       </audio>
 </body>
</html>
```



B. Video

```
<html>
 <head>
       <title>Video</title>
 </head>
 <body bgcolor="black">
       <h1><font size="12"><font color="red"><b><marquee>Video</marquee></b>
  </font></font></h1>
       <!-- Video Section -->
       <h2 style="color: white;">Video Example 1</h2>
       <video width="400" height="300"controls autoplay>
       <source src="/Users/yadnesh vasta/Downloads/dna.mp4">
       </video>
       <h2 style="color: white;">Video Example 2</h2>
       <video width="400" height="300"controls autoplay>
       <source src="C:\Users\yadnesh</pre>
   vasta\Downloads\file_example_MP4_1280_10MG.mp4">
       </video>
 </body>
</html>
```



Aim: Demonstrate various tags in HTML regarding forms and frame-set.

A. HTML Formatting

1 . Input Text Field (input type="text")
<form></form>
<label for="fname">First name:</label>
<pre><input id="fname" name="fname" type="text" value="John"/> </pre>
First name:
John
2. Radio Buttons (input type = "radio")
<form></form>
<pre><input id="html" name="fav_language" type="radio" value="HTML"/></pre>
<label for="html">HTML</label>
\\(\text{10}\)\(\text{III}\)
O HTML
3. Checkbox (input type="checkbox")
<form action="/action_page.php"></form>
<pre><input id="vehicle1" name="vehicle1" type="checkbox" value="Bike"/></pre>
<label for="vehicle1"> I have a bike</label>
☐ I have a bike
4. Culturait Dutton (in part to up a - Harris brait!!)
4. Submit Button (input type="submit")
<form action="/action_page.php"> <input type="submit" value="Submit"/></form>
Submit
The following are form attribute

es in HTML

1. Action Attributes

2. /
<pre><form action="/action_page.php"> <label for="lname">Last name:</label> </form></pre>
<pre><input id="lname" name="lname" type="text" value="Doe"/> > > ></pre>
<input type="submit" value="Submit"/>
Last name:
Doe
Submit

2. Target Attribute

<form action="/action_page.php" target="_blank">
 <label for="fname">First name:</label>

 <input type="text" id="fname" name="fname" value="John">

 <input type="submit" value="Submit">
 </form>

Opens in another tab

First name: John Submit

3. Get Method Attributes

<form action="/action_page.php" target="_blank" method="get">
<label for="fname">First name:</label>

<input type="text" id="fname" name="fname" value="John">

<input type="submit" value="Submit">
</form>

Sends data as URL

First name: John Submit

4. Post Method Attributes

<form action="/action_page.php" target="_blank" method="post">
<label for="fname">First name:</label>

<input type="text" id="fname" name="fname" value="John">

<input type="submit" value="Submit">
</form>

First name:

John

Submit

B. HTML Frameset

<iframe src="index.html" title="W3Schools Free Online Web Tutorials">
</iframe></iframe>

Hey i am Sachin, and i am in CSS mood

```
C. Demonstrate Frameset
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Frameset</title>
  <frameset rows="50%,50%">
    <frameset cols="10%,8%,10%">
      <frame name="top" src="Captain Levi Sir.gif" />
      <frame name="main" src="globe.gif" />
      <frame name="bottom" src="Computer Image.png" />
    </frameset>
    <frameset cols="10%,8%,10%">
      <frame name="right" src="Greenland img.jpg" />
      <frame name="another" src="north america.jpg"/>
      <frame name="yes" src="" />
    </frameset>
  </frameset>
</head>
<body>
```