Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE
ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

July 16, 2026

Patrick Miller
Cadillac, City of
1121 Plett Rd.
Cadillac, MI 49601

RE: Trace Project 26G0538
Client Project NPDES Monthly Requirements- July 2026

Enclosed are your analytical results. The results of this report relate only to the samples listed in the body of this report.

All reports were examined through Trace's validation process to ensure that requirements for quality and completeness were satisfied. All reported analytical results were obtained in accordance with the methods referenced on the reports. Every practical effort was made to meet the reporting limit specifications for this work, however, some results may have raised reporting limits to correct for percent solids.

For clients that require NELAP Accreditation, Trace certifies that these test results meet all requirements of the NELAP Standard, except for those analytes with a "N" notation. These analytes have not been evaluated by NELAP at Trace's discretion and will not be reported unless requested by client.

If you have questions concerning this report, please contact me at 231.773.5998 or by email at tbrewer@trace-labs.com.

Sincerely,

Tim Brewer
Project Manager
Enclosures

PJLA Testing Accreditation# 1031

TNI EL V1:2016

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE SUMMARY

Trace Project ID: 26G0538
Client Project ID: NPDES Monthly Requirements- July 2026

Trace ID	Sample ID	Matrix	Collected By	Date Collected	Date Received
26G0538-01	Effluent	Aqueous	TL	07/08/26 13:10	07/09/26 11:51
Sample type: Grab					

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 26G0538
Client Project ID: NPDES Monthly Requirements- July 2026

Trace ID: 26G0538-01 Matrix: Aqueous Date Collected: 07/08/26 13:10
Sample ID: Effluent Date Received: 07/09/26 11:51

PARAMETERS	RESULTS UNITS	RDL	DILUTION	PREPARED	BY	ANALYZED	BY	NOTES	MCL
SEMI-VOLATILE ORGANIC COMPOUNDS BY GC-MS									
Analysis Method: EPA 625.1 SIM									
Batch: T185578									
Benzidine	<0.10 ug/L	0.10	1	07/13/26	av	07/15/26	av		0.12
Surrogates:									
Nitrobenzene-d5	71 %	38-130	1	07/13/26	av	07/15/26	av		
2-Fluorobiphenyl	81 %	39-118	1	07/13/26	av	07/15/26	av	N	
Terphenyl-d14	75 %	14-96	1	07/13/26	av	07/15/26	av		
WET CHEMISTRY									
Analysis Method: EPA OIA 1677-09									
Batch: T185739									
Cyanide (Available)	<2.0 ug/L	2.0	1	07/15/26	ch	07/15/26	ch		5.9

CERTIFICATE OF ANALYSIS

QUALITY CONTROL RESULTS

Trace Project ID: 26G0538
Client Project ID: NPDES Monthly Requirements- July 2026

QC Batch: T185578
QC Batch Method: EPA 625 Extraction for BNAs
Analysis Description: 625 Benzidines SIM
Analysis Method: EPA 625.1 SIM

METHOD BLANK: T185578-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Benzidine	ug/L	<0.10	0.10	
Nitrobenzene-d5 (S)	%	58	38-130	
2-Fluorobiphenyl (S)	%	80	39-118	
Terphenyl-d14 (S)	%	87	14-96	

LABORATORY CONTROL SAMPLE: T185578-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Benzidine	ug/L	2.000	0.877	44	16-104	
Nitrobenzene-d5 (S)	%	1.000	0.520	52	38-130	
2-Fluorobiphenyl (S)	%	1.000	0.828	83	39-118	
Terphenyl-d14 (S)	%	1.000	0.825	83	14-96	

Trace Project ID: 26G0538
Client Project ID: NPDES Monthly Requirements- July 2026

QC Batch: T185589
QC Batch Method: EPA OIA 1677-09
Analysis Description: Cyanide, Available
Analysis Method: EPA OIA 1677-09

METHOD BLANK: T185589-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Cyanide (Available)	ug/L	<2.0	2.0	

LABORATORY CONTROL SAMPLE: T185589-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Cyanide (Available)	ug/L	100.0	102	102	86-118	

Trace Project ID: 26G0538
Client Project ID: NPDES Monthly Requirements- July 2026

QC Batch: T185739
QC Batch Method: EPA OIA 1677-09
Analysis Description: Cyanide, Available
Analysis Method: EPA OIA 1677-09

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

METHOD BLANK: T185739-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Cyanide (Available)	ug/L	<2.0	2.0	

LABORATORY CONTROL SAMPLE: T185739-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Cyanide (Available)	ug/L	100.0	100	100	86-118	

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE
ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

AN EXPLANATION OF TERMS AND SYMBOLS WHICH MAY OCCUR IN THIS REPORT

DEFINITIONS

LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
DUP	Matrix Duplicate
RDL	Reporting Detection Limit
MCL	Maximum Contamination Limit
TIC	Tentatively Identified Compound
<, ND or U	Indicates the compound was analyzed for but not detected
*	Indicates a result that exceeds its associated MCL or Surrogate control limits
N	Indicates that the laboratory is not accredited by NELAP for this compound
NA	Indicates that the compound is not available.

NOTE: Samples for volatiles that have been extracted with a water miscible solvent were corrected for the total volume of the solvent/water mixture.
Solid matrices Method Blanks are at 100% solids as such results are the same wet or dry.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

TRACE ANALYTICAL LABORATORIES, INC.

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

CHAIN-OF-CUSTODY RECORD

Page 1 of 1

TRACE ANALYTICAL LABORATORIES, INC.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

Phone 231.773.5998
Fax 888.979.4469
www.trace-labs.com

Trace ID No. 26G0538

Report Results To:		Bill To:	
Company Name: City of Cadillac - Utilities - WWTP		PO #:	
Report To: Cindy Tomaszewski		Contact Name: Cindy Tomaszewski	
Mailing Address: 1121 Plett Rd (for shipping only; UPS, FedEx)		Billing Address (if different): 200 N Lake St (for USPS only)	
City, State, Zip Code: Cadillac MI 49601		City, State, Zip Code: Cadillac MI 49601	
Office Phone: 231-775-2368	Cell Phone: 231-878-6230	Phone Number: 231-775-0181	
Email Address: lab@cadillac-mi.net, ctomaszewski@cadillac-mi.net		Billing Email Address: ap@cadillac-mi.net	

Trace Use:	
Logged By:	MJ
Checked By:	HM
Soil Volatiles Preserved (circle if applicable): MeOH Low Level Lab	
Sampling Time:	

Turnaround Requirements:

- ☒ Standard, 5-10 Days
- ☐ 3 Day*
- ☐ 1 Day*

*Results provided end of business day, requires prior approval.

Matrix Key:

S = Soil / Solid | WI = Wipes
W = Water | LW = Liquid Waste
SL = Sludge | A = Air
OI = Oil | D = Drinking Water

Project Name: NPDES Monthly

Sampled By: T.Laczko

Trace No.	Date Collected	Time Collected	Client Sample ID	Metals Field Filtered (Y / N)	Matrix	Number of Containers	Preservation: Cool	HCl	HNO_3	H_2SO_4	NaOH	Other	Analysis Requested: 625 Benzidine SIMs	available CN	Remarks	Possible Health Hazards?
1	7/8/2026	1310	Effluent		W	2						x	X		Grab	
1	7/8/2026	1310	Effluent		W	1								X	Grab	

Please Sign	Released By	Received By	Date	Time	Released By	Received By	Date	Time
	1) T. Laczko	[illegible]	7-8-26	1315	2) [illegible]	[illegible]	7-9-26	1151
	3) [illegible]				4)	[illegible]	7/10/26	8:31

In executing this Chain of Custody, the client acknowledges the terms as set forth at www.trace-labs.com/terms-of-agreement.

☐ Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads.

Form 70-Z.1

CERTIFICATE OF ANALYSIS

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673

231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

TRACE ANALYTICAL LABORATORIES, INC.

26G0538
Cadillac, City of
Project Manager: Tim Brewer

Sample Log In Checklist

	Original Observation	Corrected Temperature	IR-9 (CF: +0.4°C)	IR-12 (CF: +0.1°C)	IR-13 (CF: -1.0°C)	IR-14 (CF: -0.6°C)	SR1 (CF: -0.3°C)	SR2 (CF: -0.2°C)	Temp Blank	Client Sample
Date: 7/10/2026										
Time: 8:31										
Initials: LN										
Package Description: cooler										
Package Temp °C	0.2	-1.4				✓				
Representative Sample Temp °C	1.8	0.2				✓				✓

Sample Receipt

Yes No
- [x] [ ] Received on ice or other coolant
- [x] [ ] Ice still present upon receipt
- [ ] [x] Custody seals present
- [ ] Yes [ ] No Custody seals intact (if applicable)
- [x] Trace Courier [ ] Client Drop-off [ ] UPS [ ] Fed Ex [ ] US Mail [ ] Other

Sample Condition

Yes No N/A
- [x] [ ] [ ] All sample containers arrived unbroken and labeled
- [x] [ ] [ ] Sufficient sample to run requested analyses
- [x] [ ] [ ] Correct chemical preservative added to samples
- [ ] [ ] [x] Samples preserved at Trace (if yes, fill in preservation information below)
  - Preservation - Reagent:________ LIMS ID:________ Date/Time:________
- [ ] [ ] [x] Chemical preservation verified, check EMD pH test strip used (if applicable)
  - [ ] pH 0-2.5 (Lot: HC461264) [ ] pH 11.0-13.0 (Lot: HC022540) [ ] Other
- [ ] [ ] [x] Air bubbles absent from VOAs (no bubble greater than 6mm) ________

Chain of Custody (COC)

Yes No
- [x] [ ] All bottle labels agree with COC
- [x] [ ] COC filled out properly
- [x] [ ] COC signed by client

Notes:

Form 70-A.63
Effective 4/20/26

TRACE Analytical Laboratories, Inc.