

BLACK & VEATCH
ENGINEERS-ARCHITECTS

6
TEL. (312) 346-3775



230 WEST MONROE, SUITE 2250
CHICAGO, ILLINOIS 60606

USEPA
ARCS V
Kysor and Northernnaire Sites

September 5, 1989

Mr. Steve Sanders, SHS-11
U.S. Environmental Protection Agency
230 S. Dearborn
Chicago, IL 60604

RE: Summary of Comments received: Kysor and Northernnaire Sites

Dear Steve:

Enclosed please find a summary of the comments on the Kysor Industrial and Northernnaire Plating Superfund sites. The comments are from the public meeting transcript and written comments forwarded to me by Dan O'Riordan, Community Relations Coordinator for the sites. The written comments received but not included in this compiled summary are those from ASI Environmental Technologies, as I could not find comments relevant to the Kysor and Northernnaire recommended alternative.

With the exception of the comments received from Kysor (which you have indicated you have), I have included the original comments with this transmittal.

If you have any questions regarding this information, please feel free to call. I will be happy to assist you further in compiling the Responsiveness Summary, and simply await your further instructions.

Sincerely,

Marti L. Shanks
Community Relations Specialist

Encls.

cc: Dan O'Riordan, USEPA w/enclosure
T. Lesser, USEPA w/enclosure
B. Bruce, B&V w/enclosure

EPA Region 5 Records Ctr.



234887

Comments for 8/7/89 Mtg

1. Cogeneration Michigan Inc.'s cogeneration facility should have been included for consideration as a remedial alternative (p.32) (discussion on the plans and merits of the cogeneration continue through p.49).
2. Wants a clear explanation of what the "Acute" & "Latent" effects of the existing site contaminants are. Commentor feels he been given evasive responses from various parties and officials questioned (p.50) He also feels the public is misinformed/uniformed (p.62).
3. (Letter 8/21) regarding contamination issues. Even if another groundwater alternative other than that recommended by EPA is considered (i.e. cogeneration), shorter cleanup time frames and less dollar's (if applicable) should not be deciding factor in a remedy. Cleanest levels possible environmentally should be the deciding factor.
4. Proposed Plan is inaccurate & misleading on three issues:
 - a) The Proposed Plan implies that K&N sites are the only sources of contamination in the Industrial Park. Actually, there are many other sources of the existing contamination.
 - b) The Proposed Plan states that the remedy is for K/N when actually it addresses several other contamination sources also.
 - c) The Proposed Plan and the FS understate the portion of remedial costs attributable to hexavalent chromium.
5. The groundwater remedy is too broad and expensive because it addresses contamination from sources in addition to K&N. Not legal because other sources not eligible for Superfund monies. Kysor is not eligible for Superfund dollars because it is not listed on the NPL.
6. In-situ soil-flushing is an equally protective and adequate remedy as in-situ vacuum extraction and should be reconsidered.
7. Deed restrictions should not be sought because the remedy proposed is a permanent remedy and is fully protective of human health and the environment thus, there is no need for deed restrictions.

DRAFT