

Annual Report Form For Reporting Biosolids

version 1.32

(Submission #: HPC-K20Z-68T3J, version 1)

Digitally signed by:
nForm_nCore_MiWaters_Cert
HCV761WATRPWA01.dnz-ad.state.mi.us
Date: 2021.10.28 10:35:00 -04:00
Reason: Submission Data
Location: State of Michigan

Details

Submission Alias Biosolids Annual Report

Submission ID HPC-K20Z-68T3J

Form Input

Section I - Biosolids Land Application Report

Please use the following hyperlink if you would like to view instructions for completing the Biosolids Annual Report:
[Biosolids Annual Report: A Step by Step Guide to Submittal in MiWaters](#)

ANNUAL REPORTING YEAR (If you are submitting for the current year please select "2021." If you are submitting a late Annual Report please select "Late report being submitted for a prior year."

2021

Enter the TOTAL Land-Applied of Bulk Biosolids in MICHIGAN (in DRY Tons; do not enter metric tons)

181.42

Generating Facility Name

Cadillac WWTP

What County is the facility located in?

Wexford

How many dry tons of biosolids did you land apply outside of Michigan? (Type 0 if none)

0

How many dry tons of biosolids/sludge were generated?

181.42

How many dry tons of biosolids/sludge were landfilled?

0

How many dry tons of biosolids/sludge were incinerated?

0

How many dry tons of biosolids/sludge were transported to another facility?

0

Do you have a previously approved Residuals Management Program (RMP)?

YES

Residuals Management Program certification is required for all users with a previously approved RMP, even if Biosolids were not land applied during the fiscal year represented in this annual report.

I certify that current residuals management practices are in accordance with the approved RMP

YES

Enter/Confirm Biosolids Contact Information

Prefix

Mr.

First Name

Jeffrey

Last Name

Dietlin

Title

Water Resources Supervisor/Director of Utilities

Organization Name

Cadillac WWTP

Phone Type

Business

Number

2317750181

Extension

124

Email

utilities@cadillac-mi.net

Fax

NONE PROVIDED

Address

200 N. Lake Street

Cadillac, MI 49601

United States

Contractor/Applier's Contact Information

Midwest Injection Inc. 1621 McCabe Lane Cascade, IA 52033 563-852-7125 Michigan Agribusiness Solutions LLC 3050 Freeway Lane Saginaw, MI 48601 989-399-0800

In addition to the Annual Report Form you are currently using, Biosolids Annual DMRs must be submitted for all permittees, even if zero tons of bulk biosolids have been land applied within Michigan. The following hyperlink can be used to read guidance on how to submit the Biosolids Annual Discharge Monitoring Reports (DMR) in MiWaters. [BIOSOLIDS ANNUAL DMR - Step by Step Guide to Submittal in MiWaters](#)

Section II - General Facility Information

Generating Facility Name

Cadillac WWTP

Current Actual Flow Rate (MGD)

1.6

Plant Type (Select all that apply):

Activated Sludge

Rotating Biological Contactor

Industrial Pretreatment?

Yes

Section III - Final Use/Disposal Practices

What is the total amount land applied (dT)?

181.42

What is the total amount of bulk biosolids land applied (dT)?

181.42

Which types of land are bulk biosolids applied to? (Select all that apply)

Agricultural land

What is the amount of derived material (dT) land applied?

181.42

What types of land have derived material been applied to? (Select all that apply)

Agricultural land

Section IV - Site Information for Land Application in Michigan

Provide a list of the sites in Michigan your facility applied biosolids to for this report period. Please upload spreadsheet(s) containing the information listed below (including a total year end summary sheet) or complete and upload the template provided:

Information you should provide includes:

?The land application site name (Land owner first and last name and field number; Ex: TN-01)

?Site Number (Township, range, section number; Ex: 04N03E25)

?Owner, Farmer, Applier

?Representative coordinates of the land application site location

?Total acres and acres used for the land application site

?Application rate (tons/acre)

?Total dry tons land applied per site

?Month/day/year of land application at each site.

?Has the 90% CPLR application rate been reached?

?Anticipated Crop

?Cumulative load required

[Download the template form for providing site information, or you may use your contractor's land application reports](#)

Attach as many copies of the above template as necessary, or you may attach your Land Application Reports and total year summary sheet.

[21N08W30-AB02.pdf - 10/20/2021 01:18 PM](#)

[21N08W30-AB01.pdf - 10/20/2021 01:18 PM](#)

[21N08W30-AB04.pdf - 10/20/2021 01:18 PM](#)

[Cadillac Dry Tons 2021.pdf - 10/20/2021 01:18 PM](#)

[Site Info.pdf - 10/20/2021 01:19 PM](#)

[Lab Data Fall 2020.pdf - 10/20/2021 01:28 PM](#)

[Spring 21 Lab Data.pdf - 10/20/2021 01:28 PM](#)

Comment

NONE PROVIDED

Does the total dry tons reported here match the total land applied dry tons reported in Section 1?

YES

Section V - Monitoring Data Summary

Annual DMR Submittal of Biosolids Monitoring Data

??IMPORTANT??: Biosolids monitoring data (Avg./Max./Min.) is now submitted using the Annual DMR report in MiWaters.

Please upload your analytical lab sheets below as well.

[R323.2406 \(2\) and R323.2412 \(2\) can be found in Part 24 of the Michigan Administrative Code](#)

Upload Actual Analytical Laboratory Data

[Fall 20biosolids.PACE.pdf - 10/20/2021 01:32 PM](#)

[Fall 20 biosolids.HML.pdf - 10/20/2021 01:32 PM](#)

[HML Spring.pdf - 10/20/2021 01:32 PM](#)

[210303.biosolids.PACE.pdf - 10/20/2021 01:32 PM](#)

Comment

NONE PROVIDED

Was a Biosolids PFAS sample collected for land application occurring after July 1, 2021?

YES

Did the WWTP submit those Biosolids PFAS Sample results through the Biosolids PFAS Monitoring Report in MiWaters?

YES

Section VI - Pathogen and Vector Attraction Reduction

Which class of pathogen reduction was used?

Class A

Pathogen Reduction Class A

Class A - Alternative 1 (+ elevated temp for specified time)

Class A - Alternative 3 (+ virus and helminth criteria)

Class A - Alternative 2 (+ pH adjust for specified time/temp)

Pathogen reduction documentation

[Digester Temps.pdf - 10/20/2021 01:38 PM](#)

[Generators Cert.pdf - 10/20/2021 01:42 PM](#)

Comment

NONE PROVIDED

Vector Attraction Reduction Method Used:

Option 1 (minimum 38 percent reduction in volatile solids)

Vector attraction reduction documentation

[TVS & 38% Reduction.xlsx - 10/20/2021 01:37 PM](#)

[Vector Attraction Reduction.pdf - 10/20/2021 01:37 PM](#)

Comment

NONE PROVIDED

Pathogen and Vector Attraction Reduction Certifications: I certify, under penalty of law, that the information that will be used to determine compliance with the pathogen reduction requirements in R 323.2414 and the vector attraction reductions in R 323.2415(4) has been prepared under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment.

I agree

Were the biosolids land applied by a contractor independent of the wastewater treatment facility, or a staff member of the treatment facility?

Independent contractor

Management Practice Certification

[Mangement Practices.pdf - 10/20/2021 01:37 PM](#)

[Cadillac 2021 Land Ap Certification.pdf - 10/20/2021 01:37 PM](#)

Comment

NONE PROVIDED

Any and all exceedances of Table 3 as found in R323.2409(5)(c) must be reported

[Table 3 pollutant concentration limits found in R 323.2409\(5\)\(c\) within Part 24 of the Michigan Administrative Code](#)

Were the pollutant concentration limits in R323.2409(5)(c), Table 3 exceeded?

NO

DMR STATUS

Users who did not land apply must still complete the Biosolids Annual DMR and select "No Discharge" on the summary tab

The following hyperlink can be used to read guidance on how to submit Biosolids Annual Discharge Monitoring Reports (DMR) in MiWaters.

[BIOSOLIDS ANNUAL DMR - Step by Step Guide to Submittal in MiWaters](#)

At the time of submitting this annual report, what is the status of your Biosolids Annual DMR?

A Biosolids Annual DMR has been submitted

Agreements and Signature(s)

SUBMISSION AGREEMENTS

- ☒ I am the owner of the account used to perform the electronic submission and signature.
- ☒ I have the authority to submit the data on behalf of the facility I am representing.
- ☒ I agree that providing the account credentials to sign the submission document constitutes an electronic signature equivalent to my written signature.
- ☒ I have reviewed the electronic form being submitted in its entirety, and agree to the validity and accuracy of the information contained within it to the best of my knowledge.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with the system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system of those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signed Jeffrey Dietlin Cadillac Financing Auth. GWCU on 10/28/2021 at 10:14 AM
By