

From: Doug Langworthy <dlangworthy@Cadillac-MI.net>
Sent: 10/14/2019 2:27:19 PM
To: "Sneller, Cindy (EGLE)" <SNELLERC@michigan.gov>
Cc: "Jeff Dietlin" <utilities@cadillac-mi.net>
Subject: RMP
Attachments: [Untitled].pdf, Amend RMP.doc

Cindy,

I've attached a letter from 2014 asking about an RMP amendment and the response letter granting our amendment. Is this amendment still stand for our program?

Thanks for your time.

Doug

Douglas Langworthy

Assistant Water Resources Supervisor

City of Cadillac

231-775-2841

ATTACHMENT NAME:

[Untitled].pdf

ATTACHMENT TYPE:

Adobe Portable Document Format (PDF) compound image



RICK SNYDER
GOVERNOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
GRAND RAPIDS DISTRICT OFFICE



DAN WYANT
DIRECTOR

July 10, 2014

Mr. Hamid Rahbarnoohi, Water Resources Supervisor
City of Cadillac WWTP
200 North Lake Street
Cadillac, Michigan 49601

Dear Mr. Rahbarnoohi:

SUBJECT: Residuals Management Program (RMP) Modification
National Pollutant Discharge Elimination System (NPDES)
Permit No. MI0020257
Designated Name: Cadillac WWTP

This letter is in response to your submittal of a RMP modification request to the Michigan Department of Environmental Quality (DEQ), Water Resources Division (WRD), Grand Rapids District Office, received on July 7, 2014, for biosolids generated at the city of Cadillac Wastewater Treatment Plant, Wexford County, Michigan.

The RMP modification request is to surface apply Class A biosolids that have been determined to be Exception Quality (EQ). Review of our records for the city of Cadillac biosolids program indicates that correspondence of July 26, 2004, from Mr. Jim Johnson granted the city of Cadillac WWTP Class A EQ status for the biosolids produced. Analytical data which you recently submitted indicates Class A EQ standards continue to be achieved.

Your RMP modification has been reviewed and is hereby approved with the following conditions:

- The surface application of biosolids should only be considered when conventional injection of biosolids is not possible. As you have indicated, only pasture and hay fields are available at this time and your treated biosolids storage is at capacity.
- Visually inspect each site after application to insure there are no significant odors, run off or pooling.
- Do not apply during precipitation or prior to a forecasted rain event.
- Only land apply on sites with slopes less than 6 % (R323.2410(4)).
- Maintain the minimum isolation distances for surface application specified in R-323.2410(11) Table 6.
- Surface application of biosolids shall only be used on sites with a low potential for public exposure. Adequate signage should be posted at the surface application site notifying the public that access is restricted and that the land owner shall not graze animals on the land for not less than 30 days after biosolids are applied.

- Mr. Dave Schipper, MDEQ WRD district biosolids coordinator must be notified 24 hours prior to initiating surface application.

You are authorized to land apply biosolids in accordance with the conditions found in the city of Cadillac RMP. This authorization is conditioned upon the issuance of your NPDES General Permit authorizing biosolids application. By this authorization, the city of Cadillac shall also comply with the standards and requirements contained in 40 CFR Part 503 of Federal Law and Part 24 Land Application of Biosolids, of Administrative Rules promulgated pursuant to Part 31, Water Resources Protection of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended (NREPA) in Michigan Law.

This authorization shall immediately be revoked if: (a) either the NPDES permit or RMP is revoked; (b) application for an NPDES permit is denied; (c) there is any change in the chemical composition of the biosolids that cause them to no longer be acceptable for land application; (d) the permittee or any contractor or subcontractor fails to comply with the aforementioned terms and conditions of this approval; (e) additional information indicates the biosolids are no longer acceptable for land application or are causing environmental contamination; or (f) new state or federal regulations are promulgated which would cause this authorization to be invalid.

Adverse environmental impacts resulting from the use of land application sites are subject to the enforcement provisions of Parts 17, 31, 55, 111, 115, and 201 of the NREPA, and other applicable state and federal laws.

Should you require further information, please contact Mr. Dave Schipper at 616-250-6120; schipperd@michigan.gov; or at the DEQ, WRD, Grand Rapids District Office, 350 Ottawa Avenue NW, Unit 10, Grand Rapids, Michigan 49503-2341.

Sincerely,



Michael J. Worm
District Supervisor
Grand Rapids District Office
Water Resources Division – MDEQ

mjlw/ds/lr

cc: Mr. Dave Schipper, WRD – DEQ (via email)

ATTACHMENT NAME:

Amend RMP.doc

ATTACHMENT TYPE:

Microsoft Office 1-11, Binary format: document (DOC)

7/2/2014

Mr. Dave Schipper
Department of Environmental Quality
350 Ottawa N.W.
Grand Rapids, MI 49503

Subject: Amendment to Existing RMP

Dear Mr. Schipper:

The City of Cadillac would like to add a method to Section III (Land Application Plan) Part B-4 of our RMP whereas we can surface apply biosolids. We would like to have this option, if the sub-surface injection cannot be carried out. We meet the criteria for "Exceptional Quality" Biosolid as listed in Part 24;

(i) Pollutant ceiling concentrations in R 323.2409(5)(a)

(ii) Pollutant concentrations in R 323.2409(5)(c)

(iii) Vector attraction reduction options in R 323.2415(4) (a); *we had 54.11% volatile reduction in 2013 with primary digester heated to average of 96.20 °F using external heat exchanger and retention time of 22.2 days. And class A pathogen reduction alternatives in R 323.2414(2)(a); the density of salmonella sp. bacteria in the biosolids was <3 MPN per 4 grams of total solids (dry weight basis) for 2013.*

The following analytical data represents the average contents of biosolids in our most recent analysis. Please find the attached documents for the complete list of the variables analyzed.

Recent biosolids analysis in mg/kg (dry weight basis)

Name	Concentration (mg/kg) Dry Weight	Pollutant Concentrations (Table 3, 40 CFR 503.13) (monthly average)	Ceiling Concentrations* (Table 1, 40 CFR 503.13) (daily maximum)
Arsenic	15.3	41 mg/kg	75 mg/kg
Cadmium	2.7	39 mg/kg	85 mg/kg
Copper	706	1500 mg/kg	4300 mg/kg
Lead	<50	300 mg/kg	840 mg/kg
Mercury	0.72	17 mg/kg	57 mg/kg
Molybdenum	23	N/A**	75 mg/kg
Nickel	18.6	420 mg/kg	420 mg/kg
Selenium	4.2	100 mg/kg	100 mg/kg
Zinc	1060	2800 mg/kg	7500 mg/kg
Nitrogen Concentration		N/A	N/A

* Biosolids may not be land applied if any pollutant exceeds these values.

** EPA has temporarily removed molybdenum limits from Table 2, Table 3 and Table 4

If you have any questions, please do not hesitate to contact me.

Sincerely,

Hamid Rahbarnoohi, Water Resources Supervisor

City of Cadillac

200 N. Lake Street

Email: hrahbarnoohi@cadillac-mi.net; Phone: 231-775-2841; Fax: 231-775-2876