

LAND APPLICATION - MANAGEMENT PRACTICES

FACILITY: Cadillac WWTFCITY: Cadillac MI

How are the land application management practices requirements met?

Site Identification:

Are the site identification for this form the same as previously identified on the site description form?

x Yes No If no, provide a correct site description form for each site and attach it to this form.

Indicate all sites on which sludge was applied during the year.

Site	All	1	2	3	4	5	6	7	8	9	10
No	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Yes	<u> </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

- 1) Regulations provide that the land application of bulk sewage sludge must not cause adverse effects to a threatened or endangered species of plant, fish, or wildlife or their critical habitat. Was this criteria met?

Site	All	1	2	3	4	5	6	7	8	9	10
No	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Yes	<u> </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

- 2) Was bulk sewage sludge land applied to flooded, frozen or snow-covered ground?

Site	All	1	2	3	4	5	6	7	8	9	10
No	<u> </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Yes	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

If no to all sites, go to question 3.If yes to any site, review the following and answer question 2A.

Bulk sewage sludge shall not be applied to land application site that is flooded, frozen or snow-covered so that the bulk sewage sludge enters a wetland or other waters of the United States.

- 2A) What measures were implemented to prevent bulk sewage sludge applied to a flooded, frozen, or snow covered land application site from entering a wetland or other waters of the United States? From the choices A-G, provide the appropriate measures implemented for each site listed below.

MEASURES TAKEN

- A Application site is isolated from wetlands and waters of the United States.
- B Application Site has less than 5% slope.
- C Application site has grass/crop residue cover.
- D Application site is terraced to prevent rapid runoff.
- E Application site is bermed to prevent runoff.
- F Application site has grass/tree filter strip at potential runoff points
- G Other - Identify each site and provide description of measures taken.

Site Number	1	2	3	4	5
Measures Taken					
Site Number	6	7	8	9	10
Measures Taken					

- 3) Was the bulk sewage sludge applied to the land application site kept at least 32.8 feet from waters of the United States?

Site	All	1	2	3	4	5	6	7	8	9	10
No											
Yes		x	x	x	x						

- 4) Was the sludge application rate equal to or less than the agronomic rate for the land application site?

Site	All	1	2	3	4	5	6	7	8	9	10
No	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Yes	<u> </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

- 4A) Were any of the sites, KDHE approved reclamation sites?

Site	All	1	2	3	4	5	6	7	8	9	10
No	<u> </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> x </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Yes	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

If yes to any site, go to question 4B.

If no to all sites, go to statement 5.

- 4B) What was the approved and actual loading rate in dry tons/acre for each reclamation site?
Identify site and provide requested data.

Site Number	1	2	3	4	5
Approved Rate, dry tons/acre	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Actual Rate, dry tons/acre	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Site Number	6	7	8	9	10
Approved Rate, dry tons/acre	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
Actual Rate, dry tons/acre	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

- 5) Provide the calculations for the agronomic sludge application rate used at each site on the KDHE forms for the agronomic rate calculation - Form LA-ANR.

CERTIFICATION

I certify under the penalty of law that the information as listed above is complete and accurate to the best of my knowledge. This determination has been made under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information used to determine the management practices have been met. I am aware that there are significant penalties for false certification, including the possibility of fine and imprisonment.

Todd Timmerman Supervisor
Name and Official Title (type or print)


Signature

5-18-18
Date Signed