



June 24, 2026

Cindy Tomaszewski
City of Cadillac
1121 Plett Rd
Cadillac, MI 49601

RE: Project: IPP Monitoring
Pace Project No.: 50433625

Dear Cindy Tomaszewski:

Enclosed are the analytical results for sample(s) received by the laboratory on June 10, 2026. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads "Brian Hall".

Brian Hall
brian.hall@pacelabs.com
(616)975-4500
Project Manager

Enclosures

cc:



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Table of Contents

Sections:

Section 1: Cert Page	3
Section 2: Sample Summary	4
Section 3: Sample Analyte	5
Section 4: Summary of Hits	6
Section 5: Results	7
Section 6: Quality Control	11
Section 7: Qualifiers	20
Section 8: QC Cross Reference	21
Section 9: Chain of Custody	22
9.1: Chain of Custody	22

1

2

3

4

5

6

7

8

9



CERTIFICATIONS

Project: IPP Monitoring
Pace Project No.: 50433625

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268
Indiana Drinking Water Laboratory #: C-49-06
Kentucky UST Agency Interest #: 80226
Louisiana Certification #: 04076
Oklahoma Laboratory #: 9204
Wisconsin Laboratory #: 999788130

Illinois Accreditation #: 200074
Kansas/TNI Certification #: E-10177
Kentucky WW Laboratory ID #: 98019
Michigan Drinking Water Laboratory #9050
Texas Certification #: T104704355
USDA Compliance Agreement #: IN-SL-22-001

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: IPP Monitoring
Pace Project No.: 50433625

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50433625001	Influent Composite	Water	06/09/26 07:00	06/10/26 10:14
50433625002	Influent Grab	Water	06/09/26 12:58	06/10/26 10:14
50433625003	Effluent Composite	Water	06/09/26 07:00	06/10/26 10:14
50433625004	Effluent Grab	Water	06/09/26 12:45	06/10/26 10:14

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: IPP Monitoring
Pace Project No.: 50433625



Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50433625001	Influent Composite	EPA 608.3	AAB	8	PASI-I
		EPA 608.3	DMP1	2	PASI-I
50433625002	Influent Grab	EPA 625.1	JCM	7	PASI-I
		EPA 624.1	BES	17	PASI-I
		EPA 420.4 R1	CAS	1	PASI-I
		SM 4500-CN-E (2021)	JTR	1	PASI-I
		EPA 608.3	AAB	8	PASI-I
50433625003	Effluent Composite	EPA 608.3	DMP1	2	PASI-I
50433625004	Effluent Grab	EPA 625.1	JCM	7	PASI-I
		EPA 624.1	BES	17	PASI-I
		EPA 420.4 R1	CAS	1	PASI-I
		SM 4500-CN-E (2021)	JTR	1	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: IPP Monitoring
Pace Project No.: 50433625

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50433625002	Influent Grab					
EPA 624.1	Chloroform	0.58J	ug/L	4.8	06/12/26 17:06	
EPA 624.1	Toluene	4.6J	ug/L	5.0	06/12/26 17:06	
EPA 420.4 R1	Phenolics, Total Recoverable	41.0J	ug/L	200	06/17/26 11:51	
SM 4500-CN-E (2021)	Cyanide	0.0098	mg/L	0.0050	06/17/26 16:10	
50433625004	Effluent Grab					
SM 4500-CN-E (2021)	Cyanide	0.064	mg/L	0.0050	06/16/26 18:14	



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



ANALYTICAL RESULTS

Project: IPP Monitoring

Pace Project No.: 50433625

Sample: Influent Composite		Lab ID: 50433625001		Collected: 06/09/26 07:00		Received: 06/10/26 10:14		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
608.3 PCB		Analytical Method: EPA 608.3 Preparation Method: EPA 608.3 Pace Analytical Services - Indianapolis							
PCB-1016 (Aroclor 1016)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/24/26 05:50	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/24/26 05:50	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/24/26 05:50	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/24/26 05:50	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/24/26 05:50	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/24/26 05:50	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.032	ug/L	0.10	0.032	1	06/15/26 14:59	06/24/26 05:50	11096-82-5	
Surrogates									
Tetrachloro-m-xylene (S)	93	%.	1-115		1	06/15/26 14:59	06/24/26 05:50	877-09-8	
608.3 Pesticides		Analytical Method: EPA 608.3 Preparation Method: EPA 608.3 Pace Analytical Services - Indianapolis							
gamma-BHC (Lindane)	<0.060	ug/L	0.50	0.060	10	06/15/26 12:25	06/18/26 16:12	58-89-9	D3
Surrogates									
Decachlorobiphenyl (S)	69	%.	1-211		10	06/15/26 12:25	06/18/26 16:12	2051-24-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



ANALYTICAL RESULTS

Project: IPP Monitoring

Pace Project No.: 50433625

Sample: Influent Grab		Lab ID: 50433625002		Collected: 06/09/26 12:58		Received: 06/10/26 10:14		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
625.1 Semivolatile Organics		Analytical Method: EPA 625.1 Preparation Method: EPA 625.1 Pace Analytical Services - Indianapolis							
Phenol	<3.1	ug/L	10.0	3.1	1	06/12/26 13:58	06/22/26 15:11	108-95-2	
Surrogates									
2-Fluorophenol (S)	36	%.	1-102		1	06/12/26 13:58	06/22/26 15:11	367-12-4	
Phenol-d5 (S)	28	%.	8-424		1	06/12/26 13:58	06/22/26 15:11	4165-62-2	
Nitrobenzene-d5 (S)	51	%.	15-314		1	06/12/26 13:58	06/22/26 15:11	4165-60-0	
2-Fluorobiphenyl (S)	47	%.	2-103		1	06/12/26 13:58	06/22/26 15:11	321-60-8	
2,4,6-Tribromophenol (S)	66	%.	20-155		1	06/12/26 13:58	06/22/26 15:11	118-79-6	
p-Terphenyl-d14 (S)	68	%.	1-168		1	06/12/26 13:58	06/22/26 15:11	1718-51-0	
624.1 Volatile Organics		Analytical Method: EPA 624.1 Pace Analytical Services - Indianapolis							
Benzene	<0.23	ug/L	5.0	0.23	1		06/12/26 17:06	71-43-2	
Bromomethane	<2.1	ug/L	5.0	2.1	1		06/12/26 17:06	74-83-9	
Chloroform	0.58J	ug/L	4.8	0.19	1		06/12/26 17:06	67-66-3	
1,2-Dichlorobenzene	<0.27	ug/L	5.0	0.27	1		06/12/26 17:06	95-50-1	
1,1-Dichloroethane	<0.22	ug/L	5.0	0.22	1		06/12/26 17:06	75-34-3	
1,2-Dichloroethane	<0.26	ug/L	5.0	0.26	1		06/12/26 17:06	107-06-2	
1,2-Dichloroethene (Total)	<0.31	ug/L	10.0	0.31	1		06/12/26 17:06	540-59-0	
1,1-Dichloroethene	<0.33	ug/L	5.0	0.33	1		06/12/26 17:06	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/L	5.0	0.31	1		06/12/26 17:06	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/L	4.8	0.27	1		06/12/26 17:06	156-60-5	
Ethylbenzene	<0.25	ug/L	5.0	0.25	1		06/12/26 17:06	100-41-4	
Styrene	<0.26	ug/L	5.0	0.26	1		06/12/26 17:06	100-42-5	N2
Toluene	4.6J	ug/L	5.0	0.26	1		06/12/26 17:06	108-88-3	
Xylene (Total)	<0.29	ug/L	10.0	0.29	1		06/12/26 17:06	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%.	91-114		1		06/12/26 17:06	1868-53-7	
4-Bromofluorobenzene (S)	99	%.	85-120		1		06/12/26 17:06	460-00-4	
Toluene-d8 (S)	99	%.	85-117		1		06/12/26 17:06	2037-26-5	
420.4 Phenolics, Total		Analytical Method: EPA 420.4 R1 Preparation Method: EPA 420.4 R1 Pace Analytical Services - Indianapolis							
Phenolics, Total Recoverable	41.0J	ug/L	200	39.0	1	06/16/26 11:30	06/17/26 11:51	64743-03-9	
4500CNE Cyanide		Analytical Method: SM 4500-CN-E (2021) Preparation Method: SM 4500-CN-C (2021) Pace Analytical Services - Indianapolis							
Cyanide	0.0098	mg/L	0.0050	0.00070	1	06/17/26 08:19	06/17/26 16:10	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



ANALYTICAL RESULTS

Project: IPP Monitoring

Pace Project No.: 50433625

Sample: Effluent Composite		Lab ID: 50433625003		Collected: 06/09/26 07:00		Received: 06/10/26 10:14		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
608.3 PCB		Analytical Method: EPA 608.3 Preparation Method: EPA 608.3 Pace Analytical Services - Indianapolis							
PCB-1016 (Aroclor 1016)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/18/26 19:15	12674-11-2	
PCB-1221 (Aroclor 1221)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/18/26 19:15	11104-28-2	
PCB-1232 (Aroclor 1232)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/18/26 19:15	11141-16-5	
PCB-1242 (Aroclor 1242)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/18/26 19:15	53469-21-9	
PCB-1248 (Aroclor 1248)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/18/26 19:15	12672-29-6	
PCB-1254 (Aroclor 1254)	<0.052	ug/L	0.10	0.052	1	06/15/26 14:59	06/18/26 19:15	11097-69-1	
PCB-1260 (Aroclor 1260)	<0.032	ug/L	0.10	0.032	1	06/15/26 14:59	06/18/26 19:15	11096-82-5	
Surrogates									
Tetrachloro-m-xylene (S)	70	%.	1-115		1	06/15/26 14:59	06/18/26 19:15	877-09-8	
608.3 Pesticides		Analytical Method: EPA 608.3 Preparation Method: EPA 608.3 Pace Analytical Services - Indianapolis							
gamma-BHC (Lindane)	<0.0060	ug/L	0.050	0.0060	1	06/15/26 12:25	06/18/26 16:25	58-89-9	
Surrogates									
Decachlorobiphenyl (S)	75	%.	1-211		1	06/15/26 12:25	06/18/26 16:25	2051-24-3	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



ANALYTICAL RESULTS

Project: IPP Monitoring

Pace Project No.: 50433625

Sample: Effluent Grab		Lab ID: 50433625004		Collected: 06/09/26 12:45		Received: 06/10/26 10:14		Matrix: Water	
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
625.1 Semivolatile Organics		Analytical Method: EPA 625.1 Preparation Method: EPA 625.1 Pace Analytical Services - Indianapolis							
Phenol	<3.3	ug/L	10.5	3.3	1	06/12/26 13:58	06/22/26 15:31	108-95-2	
Surrogates									
2-Fluorophenol (S)	46	%.	1-102		1	06/12/26 13:58	06/22/26 15:31	367-12-4	
Phenol-d5 (S)	34	%.	8-424		1	06/12/26 13:58	06/22/26 15:31	4165-62-2	
Nitrobenzene-d5 (S)	64	%.	15-314		1	06/12/26 13:58	06/22/26 15:31	4165-60-0	
2-Fluorobiphenyl (S)	53	%.	2-103		1	06/12/26 13:58	06/22/26 15:31	321-60-8	
2,4,6-Tribromophenol (S)	84	%.	20-155		1	06/12/26 13:58	06/22/26 15:31	118-79-6	
p-Terphenyl-d14 (S)	77	%.	1-168		1	06/12/26 13:58	06/22/26 15:31	1718-51-0	
624.1 Volatile Organics		Analytical Method: EPA 624.1 Pace Analytical Services - Indianapolis							
Benzene	<0.23	ug/L	5.0	0.23	1		06/12/26 17:34	71-43-2	
Bromomethane	<2.1	ug/L	5.0	2.1	1		06/12/26 17:34	74-83-9	
Chloroform	<0.19	ug/L	4.8	0.19	1		06/12/26 17:34	67-66-3	
1,2-Dichlorobenzene	<0.27	ug/L	5.0	0.27	1		06/12/26 17:34	95-50-1	
1,1-Dichloroethane	<0.22	ug/L	5.0	0.22	1		06/12/26 17:34	75-34-3	
1,2-Dichloroethane	<0.26	ug/L	5.0	0.26	1		06/12/26 17:34	107-06-2	
1,2-Dichloroethene (Total)	<0.31	ug/L	10.0	0.31	1		06/12/26 17:34	540-59-0	
1,1-Dichloroethene	<0.33	ug/L	5.0	0.33	1		06/12/26 17:34	75-35-4	
cis-1,2-Dichloroethene	<0.31	ug/L	5.0	0.31	1		06/12/26 17:34	156-59-2	
trans-1,2-Dichloroethene	<0.27	ug/L	4.8	0.27	1		06/12/26 17:34	156-60-5	
Ethylbenzene	<0.25	ug/L	5.0	0.25	1		06/12/26 17:34	100-41-4	
Styrene	<0.26	ug/L	5.0	0.26	1		06/12/26 17:34	100-42-5	N2
Toluene	<0.26	ug/L	5.0	0.26	1		06/12/26 17:34	108-88-3	
Xylene (Total)	<0.29	ug/L	10.0	0.29	1		06/12/26 17:34	1330-20-7	
Surrogates									
Dibromofluoromethane (S)	108	%.	91-114		1		06/12/26 17:34	1868-53-7	
4-Bromofluorobenzene (S)	100	%.	85-120		1		06/12/26 17:34	460-00-4	
Toluene-d8 (S)	98	%.	85-117		1		06/12/26 17:34	2037-26-5	
420.4 Phenolics, Total		Analytical Method: EPA 420.4 R1 Preparation Method: EPA 420.4 R1 Pace Analytical Services - Indianapolis							
Phenolics, Total Recoverable	<13.0	ug/L	66.7	13.0	1	06/16/26 11:30	06/17/26 11:53	64743-03-9	D3
4500CNE Cyanide		Analytical Method: SM 4500-CN-E (2021) Preparation Method: SM 4500-CN-C (2021) Pace Analytical Services - Indianapolis							
Cyanide	0.064	mg/L	0.0050	0.00070	1	06/16/26 08:09	06/16/26 18:14	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

QC Batch 903332

QC Batch Method: EPA 624.1

Analysis Method: EPA 624.1

Analysis Description: 624.1 MSV

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50433625002, 50433625004

METHOD BLANK: 4141122

Matrix: Water

Associated Lab Samples: 50433625002, 50433625004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1-Dichloroethane	ug/L	<0.22	5.0	0.22	06/12/26 12:00	
1,1-Dichloroethene	ug/L	<0.33	5.0	0.33	06/12/26 12:00	
1,2-Dichlorobenzene	ug/L	<0.27	5.0	0.27	06/12/26 12:00	
1,2-Dichloroethane	ug/L	<0.26	5.0	0.26	06/12/26 12:00	
1,2-Dichloroethene (Total)	ug/L	<0.31	10.0	0.31	06/12/26 12:00	
Benzene	ug/L	<0.23	5.0	0.23	06/12/26 12:00	
Bromomethane	ug/L	<2.1	5.0	2.1	06/12/26 12:00	
Chloroform	ug/L	<0.19	4.8	0.19	06/12/26 12:00	
cis-1,2-Dichloroethene	ug/L	<0.31	5.0	0.31	06/12/26 12:00	
Ethylbenzene	ug/L	<0.25	5.0	0.25	06/12/26 12:00	
Styrene	ug/L	<0.26	5.0	0.26	06/12/26 12:00	N2
Toluene	ug/L	<0.26	5.0	0.26	06/12/26 12:00	
trans-1,2-Dichloroethene	ug/L	<0.27	4.8	0.27	06/12/26 12:00	
Xylene (Total)	ug/L	<0.29	10.0	0.29	06/12/26 12:00	
4-Bromofluorobenzene (S)	%	101	85-120		06/12/26 12:00	
Dibromofluoromethane (S)	%	108	91-114		06/12/26 12:00	
Toluene-d8 (S)	%	97	85-117		06/12/26 12:00	

LABORATORY CONTROL SAMPLE: 4141123

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethane	ug/L	20	23.0	115	70-130	
1,1-Dichloroethene	ug/L	20	18.1	90	50-150	
1,2-Dichlorobenzene	ug/L	20	22.8	114	65-135	
1,2-Dichloroethane	ug/L	20	22.4	112	70-130	
1,2-Dichloroethene (Total)	ug/L	40	47.9	120		
Benzene	ug/L	20	24.0	120	65-135	
Bromomethane	ug/L	20	15.3	76	15-185	
Chloroform	ug/L	20	23.3	116	70-135	
cis-1,2-Dichloroethene	ug/L	20	24.8	124	81-125	
Ethylbenzene	ug/L	20	23.2	116	60-140	
Styrene	ug/L	20	23.7	118	77-132	N2
Toluene	ug/L	20	22.6	113	70-130	
trans-1,2-Dichloroethene	ug/L	20	23.1	116	70-130	
Xylene (Total)	ug/L	60	69.5	116	79-127	
4-Bromofluorobenzene (S)	%			106	85-120	
Dibromofluoromethane (S)	%			106	91-114	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

LABORATORY CONTROL SAMPLE: 4141123

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Toluene-d8 (S)	%.			99	85-117	

MATRIX SPIKE SAMPLE: 4141209

Parameter	Units	50433625004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
1,1-Dichloroethane	ug/L	<0.22	20	20.3	102	59-155	
1,1-Dichloroethene	ug/L	<0.33	20	18.3	92	1-234	
1,2-Dichlorobenzene	ug/L	<0.27	20	18.8	94	18-190	
1,2-Dichloroethane	ug/L	<0.26	20	18.3	91	49-155	
1,2-Dichloroethene (Total)	ug/L	<0.31	40	41.9	105		
Benzene	ug/L	<0.23	20	21.0	105	37-151	
Bromomethane	ug/L	<2.1	20	13.4	67	1-242	
Chloroform	ug/L	<0.19	20	19.8	99	51-138	
cis-1,2-Dichloroethene	ug/L	<0.31	20	20.8	104	35-174	
Ethylbenzene	ug/L	<0.25	20	19.8	99	37-162	
Styrene	ug/L	<0.26	20	19.9	99	30-165	N2
Toluene	ug/L	<0.26	20	19.9	100	47-150	
trans-1,2-Dichloroethene	ug/L	<0.27	20	21.1	105	54-156	
Xylene (Total)	ug/L	<0.29	60	58.3	97	38-161	
4-Bromofluorobenzene (S)	%.				106	85-120	
Dibromofluoromethane (S)	%.				106	91-114	
Toluene-d8 (S)	%.				104	85-117	

SAMPLE DUPLICATE: 4141208

Parameter	Units	50433625002 Result	Dup Result	RPD	Max RPD	Qualifiers
1,1-Dichloroethane	ug/L	<0.22	<0.22		40	
1,1-Dichloroethene	ug/L	<0.33	<0.33		32	
1,2-Dichlorobenzene	ug/L	<0.27	<0.27		57	
1,2-Dichloroethane	ug/L	<0.26	<0.26		49	
1,2-Dichloroethene (Total)	ug/L	<0.31	<0.31			
Benzene	ug/L	<0.23	<0.23		61	
Bromomethane	ug/L	<2.1	<2.1		61	
Chloroform	ug/L	0.58J	0.80J		54	
cis-1,2-Dichloroethene	ug/L	<0.31	<0.31		40	
Ethylbenzene	ug/L	<0.25	<0.25		63	
Styrene	ug/L	<0.26	<0.26		40	N2
Toluene	ug/L	4.6J	4.5J		41	
trans-1,2-Dichloroethene	ug/L	<0.27	<0.27		45	
Xylene (Total)	ug/L	<0.29	<0.29		40	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring
Pace Project No.: 50433625

SAMPLE DUPLICATE: 4141208

Parameter	Units	50433625002 Result	Dup Result	RPD	Max RPD	Qualifiers
4-Bromofluorobenzene (S)	%.	99	100			
Dibromofluoromethane (S)	%.	108	106			
Toluene-d8 (S)	%.	99	99			



Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

QC Batch 903639

QC Batch Method: EPA 608.3

Analysis Method: EPA 608.3

Analysis Description: 608.3 PCB

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50433625001, 50433625003

METHOD BLANK: 4142424

Matrix: Water

Associated Lab Samples: 50433625001, 50433625003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	<0.052	0.10	0.052	06/18/26 18:45	
PCB-1221 (Aroclor 1221)	ug/L	<0.052	0.10	0.052	06/18/26 18:45	
PCB-1232 (Aroclor 1232)	ug/L	<0.052	0.10	0.052	06/18/26 18:45	
PCB-1242 (Aroclor 1242)	ug/L	<0.052	0.10	0.052	06/18/26 18:45	
PCB-1248 (Aroclor 1248)	ug/L	<0.052	0.10	0.052	06/18/26 18:45	
PCB-1254 (Aroclor 1254)	ug/L	<0.052	0.10	0.052	06/18/26 18:45	
PCB-1260 (Aroclor 1260)	ug/L	<0.032	0.10	0.032	06/18/26 18:45	
Tetrachloro-m-xylene (S)	%.	48	1-115		06/18/26 18:45	

LABORATORY CONTROL SAMPLE: 4142425

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	0.5	0.45	89	50-140	
PCB-1260 (Aroclor 1260)	ug/L	0.5	0.51	102	8-140	
Tetrachloro-m-xylene (S)	%.			82	1-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4142426

4142427

Parameter	Units	50433625003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
PCB-1016 (Aroclor 1016)	ug/L	<0.052	0.5	0.5	0.63	0.46	127	92	50-140	32	36	
PCB-1260 (Aroclor 1260)	ug/L	<0.032	0.5	0.5	0.63	0.49	127	98	8-140	26	38	
Tetrachloro-m-xylene (S)	%.						89	75	1-115			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

QC Batch 903574

QC Batch Method: EPA 608.3

Analysis Method: EPA 608.3

Analysis Description: 608.3 Pesticides

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50433625001, 50433625003

METHOD BLANK: 4142255

Matrix: Water

Associated Lab Samples: 50433625001, 50433625003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
gamma-BHC (Lindane)	ug/L	<0.0060	0.050	0.0060	06/18/26 13:41	
Decachlorobiphenyl (S)	%	74	1-211		06/18/26 13:41	

LABORATORY CONTROL SAMPLE: 4142256

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
gamma-BHC (Lindane)	ug/L	0.1	0.051	51	32-140	
Decachlorobiphenyl (S)	%			71	1-211	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4142460

4142461

Parameter	Units	50433585004 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
gamma-BHC (Lindane)	ug/L	ND	0.096	0.095	0.089J	0.092J	92	96	32-140		39	
Decachlorobiphenyl (S)	%						0	0	1-211			S4

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

QC Batch 903287

QC Batch Method: EPA 625.1

Analysis Method: EPA 625.1

Analysis Description: 625.1 Semivolatile Organics

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50433625002, 50433625004

METHOD BLANK: 4140930

Matrix: Water

Associated Lab Samples: 50433625002, 50433625004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Phenol	ug/L	<3.1	10.0	3.1	06/15/26 11:01	
2,4,6-Tribromophenol (S)	%.	91	20-155		06/15/26 11:01	
2-Fluorobiphenyl (S)	%.	62	2-103		06/15/26 11:01	
2-Fluorophenol (S)	%.	52	1-102		06/15/26 11:01	
Nitrobenzene-d5 (S)	%.	73	15-314		06/15/26 11:01	
p-Terphenyl-d14 (S)	%.	102	1-168		06/15/26 11:01	
Phenol-d5 (S)	%.	44	8-424		06/15/26 11:01	

LABORATORY CONTROL SAMPLE: 4140931

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenol	ug/L	50	15.0	30	5-120	
2,4,6-Tribromophenol (S)	%.			51	20-155	
2-Fluorobiphenyl (S)	%.			34	2-103	
2-Fluorophenol (S)	%.			35	1-102	
Nitrobenzene-d5 (S)	%.			40	15-314	
p-Terphenyl-d14 (S)	%.			60	1-168	
Phenol-d5 (S)	%.			33	8-424	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4140932

4140933

Parameter	Units	50433765001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Phenol	ug/L	ND	47.6	50	17.3	16.8	36	34	5-120	3	64	
2,4,6-Tribromophenol (S)	%.						86	83	20-155			
2-Fluorobiphenyl (S)	%.						51	53	2-103			
2-Fluorophenol (S)	%.						46	47	1-102			
Nitrobenzene-d5 (S)	%.						70	67	15-314			
p-Terphenyl-d14 (S)	%.						82	80	1-168			
Phenol-d5 (S)	%.						37	35	8-424			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

QC Batch 903701

QC Batch Method: EPA 420.4 R1

Analysis Method: EPA 420.4 R1

Analysis Description: 420.4 Phenolics

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50433625002, 50433625004

METHOD BLANK: 4142632

Matrix: Water

Associated Lab Samples: 50433625002, 50433625004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Phenolics, Total Recoverable	ug/L	<3.9	20.0	3.9	06/17/26 11:37	

LABORATORY CONTROL SAMPLE: 4142633

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	50	52.1	104	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4142634

4142635

Parameter	Units	50433610003 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Phenolics, Total Recoverable	ug/L	ND	50	50	51.5	52.4	103	105	90-110	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

QC Batch 903692

QC Batch Method: SM 4500-CN-C (2021)

Analysis Method: SM 4500-CN-E (2021)

Analysis Description: 4500CNE Cyanide

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50433625004

METHOD BLANK: 4142607

Matrix: Water

Associated Lab Samples: 50433625004

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/L	<0.00070	0.0050	0.00070	06/16/26 18:08	

LABORATORY CONTROL SAMPLE: 4142608

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.097	97	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4142609

4142610

Parameter	Units	20392506002 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Cyanide	mg/L				0.098	0.082				17	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA

Project: IPP Monitoring

Pace Project No.: 50433625

QC Batch 903894

QC Batch Method: SM 4500-CN-C (2021)

Analysis Method: SM 4500-CN-E (2021)

Analysis Description: 4500CNE Cyanide

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50433625002

METHOD BLANK: 4143511

Matrix: Water

Associated Lab Samples: 50433625002

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Cyanide	mg/L	<0.00070	0.0050	0.00070	06/17/26 16:05	

LABORATORY CONTROL SAMPLE: 4143512

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.092	92	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 4143567

4143568

Parameter	Units	20392916013 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Cyanide	mg/L	0.28	0.1	0.1	0.36	0.32	86	44	90-110	12	20	M3

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALIFIERS

Project: IPP Monitoring
Pace Project No.: 50433625

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

ANALYTE QUALIFIERS

D3	Sample was diluted due to the presence of high levels of non-target analytes or other matrix interference.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
N2	The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.
S4	Surrogate recovery not evaluated against control limits due to sample dilution.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: IPP Monitoring

Pace Project No.: 50433625

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50433625001	Influent Composite	EPA 608.3	903639	EPA 608.3	903976
50433625003	Effluent Composite	EPA 608.3	903639	EPA 608.3	903976
50433625001	Influent Composite	EPA 608.3	903574	EPA 608.3	903826
50433625003	Effluent Composite	EPA 608.3	903574	EPA 608.3	903826
50433625002	Influent Grab	EPA 625.1	903287	EPA 625.1	903541
50433625004	Effluent Grab	EPA 625.1	903287	EPA 625.1	903541
50433625002	Influent Grab	EPA 624.1	903332		
50433625004	Effluent Grab	EPA 624.1	903332		
50433625002	Influent Grab	EPA 420.4 R1	903701	EPA 420.4 R1	903925
50433625004	Effluent Grab	EPA 420.4 R1	903701	EPA 420.4 R1	903925
50433625002	Influent Grab	SM 4500-CN-C (2021)	903894	SM 4500-CN-E (2021)	904005
50433625004	Effluent Grab	SM 4500-CN-C (2021)	903692	SM 4500-CN-E (2021)	903846



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

Date: 06/24/2026 04:06 PM



Sample Conditions Upon Receipt Form (SCUR)

Date/Time: <u>6.10.20</u>	Evaluated By: <u>WDE</u>	WO#: 50433625	
Client: <u>City of Cadillac</u>	PM: <u>BJH</u>	PM: BJH	Due Date: 06/24/26
Lab Notified of Rush or Short Holds: <u>YES</u> NO NA		CLIENT: GR-Cadillac	
Project Received Via: <u>FedEx</u> UPS Client Pace Courier Other: _____			Comments:
Custody Seal Present and Intact:	<u>YES</u>	NO	NA
Received Sample Information Form (SIF): Drinking Waters Only	<u>YES</u>	NO	NA
Short Hold Present (≤ 48 Hours):	<u>YES</u>	NO	NA
Sample Received in Hold:	<u>YES</u>	NO	NA
Custody Signature Present:	<u>YES</u>	NO	NA
Collector Signature Present:	<u>YES</u>	NO	NA
Sample Collected Today and On Ice:	<u>YES</u>	NO	N/A
IR Gun #: <u>350</u> <u>351</u> Therm #: <u>282</u> <u>283</u>	Temp. should be 0°C - 6°C (Initial/Corrected)		
Ice Type: <u>WET Bagged / WET Loose</u> <u>BLUE</u> NONE	1. Cooler Temp. Upon Receipt: <u>49/48</u> °C		
Ice Location: <u>TOP</u> BOTTOM MIDDLE DISPERSED	2. Cooler Temp. Upon Receipt: _____ °C		
Temp Blank Received:	<u>YES</u>	NO	NA
Sample Label Matches COC (ID/Date/Time):	<u>YES</u>	NO	NA
Container Intact:	<u>YES</u>	NO	NA
Correct Container:	<u>YES</u>	NO	NA
Sufficient Volume:	<u>YES</u>	NO	NA
Sample pH Acceptable: All containers needing preservation are found to be in compliance with EPA recommendation. Denote with pink sticker on the lid if unacceptable. pH Strip Lot #: <u>HC578093</u> Exceptions are VOA, coliform, LLHg, O&G/TPH, or any container with a septum cap or preserved with HCl	<u>YES</u>	NO	N/A
Residual Chlorine Absent: Cl ₂ Strip Lot #: <u>HC507074</u> Applies to SVOC 625, PCB/Pest. 608, Total/Amenable/Available/Free Cyanide	<u>YES</u>	NO	N/A
VOA Headspace Acceptable (<6mm): Denote with silver x on rim of container cap if unacceptable.	<u>YES</u>	NO	N/A
Trip Blank Received: <u>HCl</u> <u>MeOH</u> Other: _____	<u>YES</u>	NO	ON HOLD
Comments:	3. Cooler Temp. Upon Receipt: _____ °C		
	4. Cooler Temp. Upon Receipt: _____ °C		
	Non-Conformance Form Required: <u>YES</u> NO		

9.1

6