

Annual Report Form For Reporting Biosolids

version 2.0

(Submission #: HQ7-KAAW-2S9Y5, version 2)

Digitally signed by:
MiEnviro Portal
Date: 2025.01.15 10:06:11 -05:00
Reason: Submission Data
Location: State of Michigan

Details

Submission Alias Biosolids Annual Report

Submission ID HQ7-KAAW-2S9Y5

Form Input

Section I - Biosolids Land Application Report

Please use the following hyperlink if you would like to view instructions for completing the Biosolids Annual Report:

[Biosolids Annual Report: A Step by Step Guide to Submittal in MiEnviro Portal](#)

Annual Report Due Date Year

2024

Annual Report Due Date

10/30/2024

This annual report is for biosolids generated between the following dates:

Reporting Period Start Date	Reporting Period End Date
October 1, 2023	September 30, 2024

Enter the TOTAL Land-Applied of Bulk Biosolids in MICHIGAN (in DRY Tons; do not enter metric tons)

214.43

Generating Facility Name

Cadillac WWTP

What County is the facility located in?

Wexford

How many dry tons of biosolids did you land apply outside of Michigan? (Type 0 if none)

0

How many dry tons of biosolids/sludge were generated?

214.43

How many dry tons of biosolids/sludge were landfilled?

0

How many dry tons of biosolids/sludge were incinerated?

0

How many dry tons of biosolids/sludge were transported to another facility?

0

Do you have a previously approved Residuals Management Program (RMP)?

YES

Residuals Management Program certification is required for all users with a previously approved RMP, even if Biosolids were not land applied during the fiscal year represented in this annual report.

I certify that current residuals management practices are in accordance with the approved RMP

YES

Enter/Confirm Biosolids Contact Information

Prefix

Mr.

First Name

Patrick

Last Name

Miller

Title

Water Resources Supervisor

Organization Name

City of Cadillac WWTP

Phone Type**Number****Extension**

Business

2313068084

Email

pmiller@cadillac-mi.net

Fax

NONE PROVIDED

Address

1121 PLETT RD

CADILLAC, MI 49601

United States

Contractor/Applier's Contact Information

BioTech Agronomics

1651 Beulah Highway

Beulah, MI 49617

616-887-4211

In addition to the Annual Report Form you are currently using, Biosolids Annual DMRs must be submitted for all permittees, even if zero tons of bulk biosolids have been land applied within Michigan. The following hyperlink can be used to read guidance on how to submit the Biosolids Annual Discharge Monitoring Reports (DMR) in MiEnviro Portal (formerly known as MiWaters).

[BIOSOLIDS ANNUAL DMR - Step by Step Guide to Submittal in MiEnviro Portal](#)

Section II - General Facility Information

Generating Facility Name

Cadillac WWTP

Annual Report Due Date

10/30/2024

Current Actual Flow Rate (MGD)

1.85

Plant Type (Select all that apply):

Activated Sludge

Rotating Biological Contactor

Industrial Pretreatment?

Yes

Section III - Final Use/Disposal Practices

What is the total amount land applied (dT)?

214.43

What is the total amount of bulk biosolids land applied (dT)?

214.43

Which types of land are bulk biosolids applied to? (Select all that apply)

Agricultural land

What is the amount of derived material (dT) land applied?

214.43

What types of land have derived material been applied to? (Select all that apply)

Agricultural land

Section IV - Site Information for Land Application in Michigan

Provide a list of the sites in Michigan your facility applied biosolids to for this report period. Please upload spreadsheet(s) (or other documentation) containing the information listed below (including a total year end summary sheet):

Information you should provide includes:

- The land application site name (Land owner first and last name and field number; Ex: TN-01)
- Site Number (Township, range, section number; Ex: 04N03E25)
- Owner, Farmer, Applier
- Representative coordinates of the land application site location
- Total acres and acres used for the land application site
- Application rate (tons/acre)
- Total dry tons land applied per site
- Month/day/year of land application at each site.
- Has the 90% CPLR application rate been reached?
- Anticipated Crop
- Cumulative load required

Attach Land Application and Total Year Summary Documentation.

[Biosolids Land-App Ammounts Fall 2023.docx - 10/23/2024 07:15 AM](#)

[Biosolids Land-App Ammounts 1.docx - 10/23/2024 07:15 AM](#)

[Biosolids Land-App Ammounts 2.docx - 10/23/2024 07:15 AM](#)

[Biosolids Lab&Hauling Sheet Fall 2023.xlsx - 10/23/2024 07:17 AM](#)

[Biosoilids Lab&Hauling Sheet Spring 2024.pdf - 10/23/2024 07:20 AM](#)

Comment

NONE PROVIDED

Does the total dry tons reported here match the total land applied dry tons reported in Section 1?

YES

Section V - Monitoring Data Summary

Annual DMR Submittal of Biosolids Monitoring Data

IMPORTANT: Biosolids monitoring data (Avg./Max./Min.) is now submitted using the Annual DMR report in MiEnviro Portal

Please upload your analytical lab sheets below as well.

[R323.2406 \(2\) and R323.2412 \(2\) can be found in Part 24 of the Michigan Administrative Code](#)

Upload Actual Analytical Laboratory Data

[230928.biosolids.chem.PACE.RevRL.pdf - 10/23/2024 07:20 AM](#)

[230928.biosolids.pathogens.HML.pdf - 10/23/2024 07:21 AM](#)

[Biosolids Lab&Hauling Sheet Fall 2023.xlsx - 10/23/2024 07:22 AM](#)

[240401.biosolids.chem.PACE.pdf - 10/23/2024 07:22 AM](#)

[240401.biosolids.pathogens.HML.pdf - 10/23/2024 07:22 AM](#)

[240401.biosolids.PFAS.Merit.PDF - 10/23/2024 07:22 AM](#)

[Biosolids Lab&Hauling Sheet Spring 2024.pdf - 10/23/2024 07:22 AM](#)

Comment

NONE PROVIDED

Was the required biosolids PFAS sample taken prior to land application?

YES

Did the WWTP submit those Biosolids PFAS Sample results through the Biosolids PFAS Monitoring Report in MiEnviro Portal?

YES

Section VI - Pathogen and Vector Attraction Reduction

Which class of pathogen reduction was used?

Both Class A and Class B

Pathogen Reduction Class A

Class A - Alternative 1 (+ elevated temp for specified time)

Class A - Alternative 4 (+ other virus and helminth criteria)

Pathogen Reduction Class B

Class B - Alternative 1 (geometric mean of 7 samples)

Pathogen reduction documentation

[TVS & 38% Reduction 2024.xlsx - 10/23/2024 07:37 AM](#)

[230928.biosolids.pathogens.HML.pdf - 10/23/2024 07:38 AM](#)

[240401.biosolids.pathogens.HML.pdf - 10/23/2024 07:38 AM](#)

[Degester Temps.pdf - 10/24/2024 07:34 AM](#)

[Digester Detention Times.pdf - 01/15/2025 10:00 AM](#)

Comment

NONE PROVIDED

Vector Attraction Reduction Method Used:

Option a (minimum 38 percent reduction in volatile solids)

Option i (Injection below land surface with significant soil coverage)

Vector attraction reduction documentation

[TVS & 38% Reduction 2024.xlsx - 10/23/2024 07:42 AM](#)

Comment

NONE PROVIDED

Pathogen and Vector Attraction Reduction Certifications: I certify, under penalty of law, that the information that will be used to determine compliance with the pathogen reduction requirements in R 323.2414 and the vector attraction reductions in R 323.2415(4) has been prepared under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment.

I agree

Were the biosolids land applied by a contractor independent of the wastewater treatment facility, or a staff member of the treatment facility?

Independent contractor

Management Practice Certification

[Cadillac 2023 Certification.pdf - 10/23/2024 07:44 AM](#)

[Mgt Practices Certification.doc - 10/24/2024 07:34 AM](#)

Comment

NONE PROVIDED

Any and all exceedances of Table 3 as found in R323.2409(5)(c) must be reported

[Table 3 pollutant concentration limits found in R 323.2409\(5\)\(c\) within Part 24 of the Michigan Administrative Code](#)

Were the pollutant concentration limits in R323.2409(5)(c), Table 3 exceeded?
NO

DMR STATUS

Users who did not land apply must still complete the Biosolids Annual DMR and select "No Discharge" on the summary tab

The following hyperlink can be used to read guidance on how to submit Biosolids Annual Discharge Monitoring Reports (DMR) in MiEnviro Portal
[BIOSOLIDS ANNUAL DMR - Step by Step Guide to Submittal in MiEnviro Portal](#)

At the time of submitting this annual report, what is the status of your Biosolids Annual DMR?
A Biosolids Annual DMR has been submitted

Revisions

Revision	Revision Date	Revision By
Revision 1	10/23/2024 7:06 AM	Patrick Miller
Revision 2	1/14/2025 9:46 AM	Patrick Miller

Agreements and Signature(s)

SUBMISSION AGREEMENTS

- ☒ I am the owner of the account used to perform the electronic submission and signature.
- ☒ I have the authority to submit the data on behalf of the facility I am representing.
- ☒ I agree that providing the account credentials to sign the submission document constitutes an electronic signature equivalent to my written signature.
- ☒ I have reviewed the electronic form being submitted in its entirety, and agree to the validity and accuracy of the information contained within it to the best of my knowledge.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with the system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system of those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signed Jeffrey Dietlin on 01/15/2025 at 10:04 AM
By