

Annual Report Form For Reporting Biosolids

version 1.26

(Submission #: HNT-5SPH-XVKKZ, version 1)

Digitally signed by:
nForm_nCore_MiWaters_Cert
HCV761WATRPWA01.dnz-ad.state.mi.us
Date: 2019.10.28 11:41:20 -04:00
Reason: Copy Of Record
Location: State of Michigan

Details

Form Alias Biosolids Annual Report

Submission # HNT-5SPH-XVKKZ

Status Submitted

Form Input

Section I - Biosolids Land Application Report

ANNUAL REPORTING YEAR (If you are submitting for the current year please select "2019." If you are submitting a late Annual Report please select "Late report being submitted for a prior year.")

2019

Enter the TOTAL Land-Applied of Bulk Biosolids in MICHIGAN (in DRY Tons; do not enter metric tons)

212.29

Generating Facility Name

Cadillac WWTP

What County is the facility located in?

Wexford

How many dry tons of biosolids did you land apply outside of Michigan? (Type 0 if none)

0

How many dry tons of biosolids/sludge were generated?

212.29

How many dry tons of biosolids/sludge were landfilled?

0

How many dry tons of biosolids/sludge were incinerated?

0

How many dry tons of biosolids/sludge were transported to a treatment facility?

0

Do you have a previously approved Residuals Management Plan (RMP)?

YES

Residuals Management Plan certification is required for all users with a previously approved RMP, even if Biosolids were not land applied during the fiscal year represented in this annual report.

I certify that current residuals management practices are in accordance with the approved RMP

YES

Enter/Confirm Biosolids Contact Information

Contact

Prefix

Mr.

First Name

Jeffrey

Last Name

Dietlin

Title

Water Resources Supervisor/Director of Utilities

Organization Name

Cadillac WWTP

Phone Type

Business

Number

2317750181

Extension

124

Email

utilities@cadillac-mi.net

Fax

NONE PROVIDED

Address

200 N. Lake Street

Cadillac, MI 49601

US

Contractor/Applier's Contact Information

Midwest Injection Inc. PO Box 141 1621 McCabe Ln. Cascade, Iowa 52033 855-644-2013

? IF YOU HAVE REPORTED ZERO DRY TONS BULK BIOSOLIDS LAND APPLIED IN MICHIGAN , CLICK THROUGH ALL REMAINING SECTIONS UNTIL YOU REACH THE SECTION TITLED "DMR STATUS." AFTER YOU SUBMIT THE FORM, PROCEED BY SUBMITTING A DMR ?

?In addition to the Annual Report Form you are currently using, Biosolids DMRS Must be submitted for all permittees, even if zero tons of bulk biosolids have been land applied within Michigan.

[CLICK HERE to learn more about submitting Biosolids DMRS. Guidance relating to DMRS begins on slide 22](#)

Section II - General Facility Information

Generating Facility Name

Cadillac Waste Water Treatment Plant

Current Actual Flow Rate (MGD)

1.80

Plant Type (Select all that apply):

Activated Sludge

Rotating Biological Contactor

Industrial Pretreatment?

Yes

Section III - Final Use/Disposal Practices

What is the total amount land applied (dT)?

212.29

What is the total amount of bulk biosolids land applied (dT)?

212.29

Which types of land are bulk biosolids applied to? (Select all that apply)

Agricultural land

What is the amount of derived material (dT) land applied?

212.29

What types of land have derived material been applied to? (Select all that apply)

Agricultural land

Section IV - Site Information for Land Application in Michigan

Provide a list of the sites in Michigan your facility applied to. Please either upload a spreadsheet containing the following information or complete and upload the template we have provided:

Information you should provide includes:

?The land application site name (Land owner first and last name and field number; Ex: TN-01)

?Site Number (Township, range, section number; Ex: 04N03E25)

?Owner, Farmer, Applier

?Representative coordinates of the land application site location

?Total acres and acres used for the land application site

?Application rate (tons/acre)

?Total dry tons land applied per site

?Has the 90% CPLR application rate been reached?

?Anticipated Crop

?Cumulative load required

[Click HERE to download a template form for providing site information, or you may use your contractor's land application reports](#)

Attach as many copies of the above template as necessary, or you may attach your contractor's Land Application Reports

[Site Information.pdf - 10/28/2019 10:11 AM](#)

[DT Applied.pdf - 10/28/2019 10:26 AM](#)

[Raw Data Metals.pdf - 10/28/2019 10:28 AM](#)

Comment

NONE PROVIDED

Does the total dry tons reported here match the total land applied dry tons reported in Section 1?

YES

Section V - Monitoring Data Summary

DMR Submittal of Biosolids Monitoring Data

??IMPORTANT??: Biosolids monitoring data will now need to be submitted using DMR reporting in MiWaters.

Please upload your analytical lab sheets below as well.

[R323.2415 \(2\) and R323.2406 \(2\) can be found in Part 24 of Act No.451.](#)

Upload Actual Analytical Laboratory Data

[HML 2018 Fall Biosolids.pdf - 10/01/2019 11:26 AM](#)

[Pace Lab Biosolids 9-4-2018.pdf - 10/01/2019 11:26 AM](#)

[Solids Lab Data.pdf - 10/01/2019 11:26 AM](#)

[HML 4-8-2019.pdf - 10/01/2019 11:26 AM](#)

[HML Fecals 4-18-2019.pdf - 10/01/2019 11:26 AM](#)

[Pace Biosolids 4-8-2019.pdf - 10/01/2019 11:27 AM](#)

[Lab Data Spring Hauling 2019.pdf - 10/01/2019 11:27 AM](#)

Comment

NONE PROVIDED

Section VI - Pathogen and Vector Attraction Reduction

Which class of pathogen reduction was used?

Class B

Pathogen Reduction Class B

Class B - Alternative 2 (Use of PSRP)

Indicate which Process to Significantly Reduce Pathogens (PSRP) was used to meet the requirements of Class B - Alternative 2:

Anaerobic digestion

Pathogen reduction documentation

[Class B Pathogen Reduction and Site Res..pdf - 10/28/2019 10:21 AM](#)

Comment

NONE PROVIDED

Vector Attraction Reduction Method Used:

Option 1 (minimum 38 percent reduction in volatile solids)

Vector attraction reduction documentation

[Vector Attraction Reduction.pdf - 10/28/2019 10:12 AM](#)

Comment

NONE PROVIDED

Pathogen and Vector Attraction Reduction Certifications: "I certify, under penalty of law, that the information that will be used to determine compliance with the pathogen reduction requirements in R 323.2414 and the vector attraction reductions in R 323.2415(4) has been prepared under my direction and supervision in accordance with the system designed to ensure that qualified personnel properly gather and evaluate the information. I am aware that there are significant penalties for false certification including the possibility of fine and imprisonment."

I agree

Were the biosolids land applied by a contractor independent of the wastewater treatment facility, or a staff member of the treatment facility?

Independent contractor

Management Practice Certification

[Management Practices.pdf - 10/28/2019 10:12 AM](#)

Comment

NONE PROVIDED

Any and all exceedances of Table 3 as found in R323.2409(5)(c) must be reported

[View Table 3 pollutant concentration limits in Act No.451, Part 24, R 323.2409\(5\)\(c\)](#)

Were the pollutant concentration limits in R323.2409(5)(c), Table 3 exceeded?

NO

DMR STATUS

At the time of submitting this annual report, what is the status of your Biosolids DMR?

A Biosolids DMR has been submitted

[CLICK HERE to learn more about how to submit Biosolids DMRs. Guidance relating to DMRS begins on slide 22.](#)

Status History

	User	Processing Status
9/30/2019 1:43:02 PM	Douglas Langworthy	Draft
10/28/2019 11:41:18 AM	Jeffrey Dietlin	Submitted

Submission Agreements

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with the system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system of those persons directly responsible for gathering the information, the information is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

☒	I am the owner of the account used to perform the electronic submission and signature.
☒	I have the authority to submit the data on behalf of the facility I am representing.
☒	I agree that providing the account credentials to sign the submission document constitutes an electronic signature equivalent to my written signature.
☒	I have reviewed the electronic form being submitted in its entirety, and agree to the validity and accuracy of the information contained within it to the best of my knowledge.