

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

June 19, 2026

Cindy Tomaszewski
Cadillac, City of
200 North Lake Street
Cadillac, MI 49601

RE: Trace Project 26F0303
Client Project NPDES Monthly Requirements- June 2026

Enclosed are your analytical results. The results of this report relate only to the samples listed in the body of this report.

All reports were examined through Trace's validation process to ensure that requirements for quality and completeness were satisfied. All reported analytical results were obtained in accordance with the methods referenced on the reports. Every practical effort was made to meet the reporting limit specifications for this work, however, some results may have raised reporting limits to correct for percent solids.

For clients that require NELAP Accreditation, Trace certifies that these test results meet all requirements of the NELAP Standard, except for those analytes with a "N" notation. These analytes have not been evaluated by NELAP at Trace's discretion and will not be reported unless requested by client.

If you have questions concerning this report, please contact me at 231.773.5998 or by email at tbrewer@trace-labs.com.

Sincerely,

A handwritten signature in black ink, appearing to read "Timothy W. Brewer".

Tim Brewer
Project Manager
Enclosures



TNI EL V1:2016

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

SAMPLE SUMMARY

Trace Project ID: 26F0303
Client Project ID: NPDES Monthly Requirements- June 2026

Trace ID	Sample ID	Matrix	Collected By	Date Collected	Date Received
26F0303-01	Effluent	Aqueous	TL	06/03/26 11:17	06/04/26 12:25
Sample type: Grab					
26F0303-02	Influent	Aqueous	TL	06/03/26 11:46	06/04/26 12:25
Sample type: Grab					
26F0303-03	Effluent	Aqueous	TL	06/03/26 11:17	06/04/26 12:25
Sample type: Grab					
26F0303-04	Influent	Aqueous	TL	06/03/26 11:46	06/04/26 12:25
Sample type: Grab					
26F0303-05	Industrial Manhole	Aqueous	TL	06/03/26 10:40	06/04/26 12:25
Sample type: Grab					

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 26F0303
Client Project ID: NPDES Monthly Requirements- June 2026

Trace ID: 26F0303-01 Matrix: Aqueous Date Collected: 06/03/26 11:17
Sample ID: Effluent Date Received: 06/04/26 12:25

PARAMETERS	RESULTS UNITS	RDL	DILUTION	PREPARED	BY	ANALYZED	BY	NOTES	MCL
SEMI-VOLATILE ORGANIC COMPOUNDS BY GC-MS									
Analysis Method: EPA 625.1 SIM									
<i>Batch: T184131</i>									
Benzidine	<0.10 ug/L	0.10	1	06/10/26	av	06/18/26	av		0.12
Surrogates:									
Nitrobenzene-d5	66 %	38-130	1	06/10/26	av	06/18/26	av		
2-Fluorobiphenyl	73 %	39-118	1	06/10/26	av	06/18/26	av	N	
Terphenyl-d14	65 %	14-96	1	06/10/26	av	06/18/26	av		

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 26F0303
Client Project ID: NPDES Monthly Requirements- June 2026

Trace ID: 26F0303-02 Matrix: Aqueous Date Collected: 06/03/26 11:46
Sample ID: Influent Date Received: 06/04/26 12:25

PARAMETERS	RESULTS UNITS	RDL	DILUTION	PREPARED	BY	ANALYZED	BY	NOTES	MCL
SEMI-VOLATILE ORGANIC COMPOUNDS BY GC-MS									900
Analysis Method: EPA 625.1 SIM									
<i>Batch: T184131</i>									
Benzidine	<0.26 ug/L	0.26	1	06/10/26	av	06/18/26	av		0.12
Surrogates:									
Nitrobenzene-d5	52 %	38-130	1	06/10/26	av	06/18/26	av		
2-Fluorobiphenyl	* 27 %	39-118	1	06/10/26	av	06/18/26	av	S10, N	
Terphenyl-d14	24 %	14-96	1	06/10/26	av	06/18/26	av		

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 26F0303
Client Project ID: NPDES Monthly Requirements- June 2026

Trace ID: 26F0303-03 Matrix: Aqueous Date Collected: 06/03/26 11:17
Sample ID: Effluent Date Received: 06/04/26 12:25

PARAMETERS	RESULTS	UNITS	RDL	DILUTION	PREPARED	BY	ANALYZED	BY	NOTES	MCL
------------	---------	-------	-----	----------	----------	----	----------	----	-------	-----

WET CHEMISTRY

Analysis Method: EPA OIA 1677-09

Batch: T184019

Cyanide (Available)	*	29 ug/L	2.0	1	06/08/26	Ijs	06/08/26	Ijs		5.9
---------------------	---	---------	-----	---	----------	-----	----------	-----	--	-----

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 26F0303
Client Project ID: NPDES Monthly Requirements- June 2026

Trace ID: 26F0303-04 Matrix: Aqueous Date Collected: 06/03/26 11:46
Sample ID: Influent Date Received: 06/04/26 12:25

PARAMETERS	RESULTS	UNITS	RDL	DILUTION	PREPARED	BY	ANALYZED	BY	NOTES	MCL
------------	---------	-------	-----	----------	----------	----	----------	----	-------	-----

WET CHEMISTRY

Analysis Method: EPA OIA 1677-09

Batch: T184019

Cyanide (Available)	*	12 ug/L	2.0	1	06/08/26	Ijs	06/08/26	Ijs		5.9
---------------------	---	---------	-----	---	----------	-----	----------	-----	--	-----

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

ANALYTICAL RESULTS

Trace Project ID: 26F0303
Client Project ID: NPDES Monthly Requirements- June 2026

Trace ID: 26F0303-05 Matrix: Aqueous Date Collected: 06/03/26 10:40
Sample ID: Industial Manhole Date Received: 06/04/26 12:25

PARAMETERS	RESULTS	UNITS	RDL	DILUTION	PREPARED	BY	ANALYZED	BY	NOTES	MCL
------------	---------	-------	-----	----------	----------	----	----------	----	-------	-----

WET CHEMISTRY

Analysis Method: EPA OIA 1677-09

Batch: T184020

Cyanide (Available)	*	67 ug/L	2.0	1	06/08/26	Ijs	06/08/26	Ijs		5.9
---------------------	---	---------	-----	---	----------	-----	----------	-----	--	-----

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

QUALITY CONTROL RESULTS

Trace Project ID: 26F0303

Client Project ID: NPDES Monthly Requirements- June 2026

QC Batch: T184131

Analysis Description: 625 Benzidines SIM

QC Batch Method: EPA 625 Extraction for BNAs

Analysis Method: EPA 625.1 SIM

METHOD BLANK: T184131-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Benzidine	ug/L	<0.10	0.10	
Nitrobenzene-d5 (S)	%	50	38-130	
2-Fluorobiphenyl (S)	%	74	39-118	
Terphenyl-d14 (S)	%	82	14-96	

LABORATORY CONTROL SAMPLE: T184131-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Benzidine	ug/L	2.000	1.14	57	16-104	
Nitrobenzene-d5 (S)	%	1.000	0.656	66	38-130	
2-Fluorobiphenyl (S)	%	1.000	0.730	73	39-118	
Terphenyl-d14 (S)	%	1.000	0.777	78	14-96	

Trace Project ID: 26F0303

Client Project ID: NPDES Monthly Requirements- June 2026

QC Batch: T184019

Analysis Description: Cyanide, Available

QC Batch Method: EPA OIA 1677-09

Analysis Method: EPA OIA 1677-09

METHOD BLANK: T184019-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Cyanide (Available)	ug/L	<2.0	2.0	

LABORATORY CONTROL SAMPLE: T184019-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Cyanide (Available)	ug/L	100.0	99.4	99	86-118	

Trace Project ID: 26F0303

Client Project ID: NPDES Monthly Requirements- June 2026

QC Batch: T184020

Analysis Description: Cyanide, Available

QC Batch Method: EPA OIA 1677-09

Analysis Method: EPA OIA 1677-09

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

METHOD BLANK: T184020-BLK1

Parameter	Units	Blank Result	Reporting Limit	Notes
Cyanide (Available)	ug/L	<2.0	2.0	

LABORATORY CONTROL SAMPLE: T184020-BS1

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limit	Notes
Cyanide (Available)	ug/L	100.0	99.4	99	86-118	

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

AN EXPLANATION OF TERMS AND SYMBOLS WHICH MAY OCCUR IN THIS REPORT

DEFINITIONS

LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MS	Matrix Spike
MSD	Matrix Spike Duplicate
RPD	Relative Percent Difference
DUP	Matrix Duplicate
RDL	Reporting Detection Limit
MCL	Maximum Contamination Limit
TIC	Tentatively Identified Compound
<, ND or U	Indicates the compound was analyzed for but not detected
*	Indicates a result that exceeds its associated MCL or Surrogate control limits
N	Indicates that the laboratory is not accredited by NELAP for this compound
NA	Indicates that the compound is not available.

NOTE: Samples for volatiles that have been extracted with a water miscible solvent were corrected for the total volume of the solvent/water mixture.
Solid matrices Method Blanks are at 100% solids as such results are the same wet or dry.

Definitions and Notes

Trace ID: 26F0303-02

Analysis: EPA 625.1 SIM

Note 900 : Due to high amount of suspended solid in sample the whole bottle was unable to be extracted resulting in raised reporting limits.

2-Fluorobiphenyl

Note S10 : One of the base/neutral surrogate recoveries was outside the control limit. Since the other two base/neutral surrogates were within the control limits, no data requires qualification.

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.

Page 1 of 1

Trace Use: _____
 Logged By: *NC*
 Checked By: *1 PM*

Soil Volatiles Preserved (circle if applicable)		
MeOH	Low Level	Lab

Sampling Time:

WV = Water
LWV = Liquid waste
SL = Sludge
A = Air

Ol = Oil D = Drinking Water

Sampled By: T. Laczko

☐ Check this box if you would not like your samples analyzed if received outside of the conditions outlined in the Trace Sample Acceptance Policy at www.trace-labs.com/downloads

Page 11 of 12

Trace Analytical Laboratories, Inc.
2241 Black Creek Road
Muskegon, MI 49444-2673



231-773-5998 Phone
888-979-4469 Fax
www.trace-labs.com

26F0303
Cadillac, City of
Project Manager: Tim Brewer

Sample Log In Checklist

Date: 6/4/24	Original Observation	Corrected Temperature	IR-9 (CF: +0.4°C)	IR-12 (CF: +0.1°C)	IR-13 (CF: -1.0°C)	IR-14 (CF: -0.6°C)	SR1 (CF: -0.3°C)	SR2 (CF: -0.2°C)	Temp Blank	Client Sample
Time: 1519										
Initials: MS										
Package Description: Cooler										
Package Temp °C	0.6	0.0								
Representative Sample Temp °C	6.8	6.8								

Sample Receipt

Yes No

☒ ☐ Received on ice or other coolant

☒ ☐ Ice still present upon receipt

☐ ☒ Custody seals present

☒ Trace Courier ☐ Client Drop-off

☐ Yes ☐ No Custody seals intact (if applicable)

☐ UPS ☐ Fed Ex ☐ US Mail ☐ Other

Sample Condition

Yes No N/A

☒ ☐ ☐ All sample containers arrived unbroken and labeled

☒ ☐ ☐ Sufficient sample to run requested analyses

☒ ☐ ☐ Correct chemical preservative added to samples

☐ ☒ ☐ Samples preserved at Trace (if yes, fill in preservation information below)

Preservation - Reagent: _____ LIMS ID: _____ Date/Time: _____

☒ ☐ ☐ Chemical preservation verified, check EMD pH test strip used (if applicable)

☐ pH 0-2.5 (Lot: HC461264) ☒ pH 11.0-13.0 (Lot: HC022540) ☐ Other

☐ ☐ ☒ Air bubbles absent from VOAs (no bubble greater than 6mm)

Chain of Custody (COC)

Yes No

☒ ☐ All bottle labels agree with COC

☒ ☐ COC filled out properly

☒ ☐ COC signed by client

Notes:

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full, without the written consent of Trace Analytical Laboratories, Inc.