






GROUND WATER PURGE SYSTEM FLOW DIAGRAM AAR MOBILITY SYSTEMS - NPDES MI 0002640





Narrative on City Water Flow Diagram

AAR mobility Systems produces aluminum covered, wood-cored pallets and containers used for cargo shipments (transportation industry). Aluminum sheets are cleaned and prepared for adhesive application. Aluminum rails, used to hold the assembly together, are finish processed and attached to pallets and containers prior to a steam press operation.

Water uses are divided into three categories:

1. Non-contact cooling water is used in the press cooling operation for two steam-operated presses in the main plant and one press in the LMS building. Usage of the presses is dependent on production needs. Flows through the press cooling system can range from 0.14 MGD to 0.44 MGD if all three presses are in operation around the clock. This non-contact cooling water is discharged via Outfall 001 to the Clam River.
2. Sanitary wastewater from all three buildings located at Haynes Street is discharged to the City of Cadillac WTP. Wastewater flow is estimated to be about 0.005 MGD.
3. Process wastewater includes rinse water from aluminum cleaning, container washing, boiler blow down and miscellaneous pump cooling discharges. All process wastewater described above is discharged to the City of Cadillac WTP. Process wastewater flow is approximately 0.125 MGD.

Narrative on Groundwater Flow Diagram

The groundwater purge system contributes an additional 0.202 MGD of water to the Clam River. The groundwater is purged from the aquifers via two shallow wells and one deep well at a rate of about 160 GPM. The groundwater passes through an air-stripping tower for treatment. The air-stripping tower effluent discharges to the Clam River via Outfall 001. This discharge is authorized in a Consent Decree filed with the State of Michigan in Circuit Court for the County of Wexford, File No. 83-5771-CF, filed in December 1984.

Narrative on Storm Water Flow Diagram

All storm water from the North parking lot and the main plant area is discharged to the Clam River via Outfall 001.

New Pro[™]
**Download every
 Topo and Aerial at
 this location \$9.95**
 Get Your MapPack
 Now!

Map and Photo Info
 Download Topo Images
 Download Photo Images
USGS Topo Maps

- ☒ 1:24K/25K Topo Maps
- ☐ 1:100K Topo Maps
- ☐ 1:250K Topo Maps
- ☐ Automatic selection

Map Size

- ☐ Small
- ☐ Medium
- ☒ Large

View Scale

1:25,000

Coordinate Format

DD.DDD

Map Datum

NAD27

☐ Show target

Email this topo map

Bookmark this topo map

Print this topo map


mytopo.com

GET A
 CUSTOM
 MAP PRINT



USGS Cadillac North (MI) Topo Map

View TopoZone Pro topographic maps, aerial photos, street maps, coordinate and elevation display
 44.2520°N, 85.4089°W (NAD27)



MK
 ALG



Δ=BOGE WELLS O=CLAM RIVER DUTELL O=NON-CONTACT COPIES WATER □=STORMWATER Δ=AAR M.W. O=MDER M.W.

M=-5.676
 G=1.111
 What's This?

Ads by

Free
 Map: Get a
 satellite
 your f
 space
 Satellite

Cust
 Photo
 Aerial
 stereoc
 PA, N
 MD, V
 MA.
 www.ge

Instal
 Photo
 Brows
 Satell
 with o
 Image
 www.G

World
 Outlin
 Down
 topog
 of the
 variol
 detailec

Adverti:

www.mvtopo.com
 2014/07/14/07