

D. Non-Domestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME City of Cadillac	NPDES PERMIT NUMBER MI0020257
-----------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Cadillac Castings - Permit # 590 -11		
Facility Address 1500 Fourth Avenue		
City Cadillac	State Michigan	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (gpd)	Continuous or Intermittent
Process Wastewater	100,600	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☒ Categorical Pretreatment Standards. Category Part 464 Foundry Subcategory c 464.34(f)(i)

Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste discharged by this SIU during the last three years.

Was sending High zinc levels to plant . We caught and corrected the problem.