

 XML	3:35:44 PM	192407	1677117177	3:35:44 PM		Accepted
 XML	3-10-2014 3:35:34 PM	192406	1677117177	3-10-2014 3:35:34 PM		Accepted
 XML	3-10-2014 3:33:51 PM	192404	619452357	3-10-2014 3:33:51 PM		Accepted
 XML	3-10-2014 3:33:35 PM	192403	619452357	3-10-2014 3:33:35 PM		Accepted
 XML	2-14-2014 5:10:52 PM	191056	2457483361	2-14-2014 5:10:53 PM		Accepted
 XML	2-14-2014 5:10:38 PM	191055	2457483361	2-14-2014 5:10:38 PM		Accepted
 XML	2-14-2014 5:09:50 PM	191054	187028390	2-14-2014 5:09:51 PM		Accepted
 XML	1-17-2014 4:13:28 PM	189518	399707427	1-17-2014 4:13:29 PM		Accepted
 XML	1-17-2014 4:13:18 PM	189517	399707427	1-17-2014 4:13:18 PM		Accepted
 XML	1-17-2014 4:06:57 PM	189511	2575687117	1-17-2014 4:06:58 PM		Accepted
 XML	1-17-2014 4:06:47 PM	189510	2575687117	1-17-2014 4:06:47 PM		Accepted
 XML	12-11-2013 8:02:15 AM	186423	903435665	12-11-2013 8:02:15 AM		Accepted
 XML	12-11-2013 8:01:16 AM	186422	3460854284	12-11-2013 8:01:17 AM		Accepted
 XML	11-8-2013 11:53:53 AM	184095	419528461	11-8-2013 11:53:53 AM		Accepted
 XML	11-8-2013 11:52:00 AM	184093	3977092664	11-8-2013 11:52:00 AM		Accepted

Balcom	Brett O.	19178 D	January 15, 2018	Cadillac
Briggs	Kevin R.	19127 C, D	January 15, 2018	Cadillac
Campbell	Larry H.	10497 A, B, C, D	April 15, 2017	Cadillac
Dietlin	Jeffrey M.	10435 A, B, C, D	April 15, 2017	Cadillac
Goodrich	Derek W.	18456 C, D	July 15, 2017	Cadillac
Hoffert	Elijah L.	18977 D	July 15, 2016	Cadillac
Langworthy, Jr.	Douglas K.	18398 C, D	July 15, 2016	Cadillac
Marquardt	Chad K.	19368 D	January 15, 2019	Cadillac
Skiff	David W.	19190 D	January 15, 2018	Cadillac
Stein	Eric M.	18662 C, D	July 15, 2016	Cadillac
Vail	Amy J.	18553 D	July 15, 2016	Cadillac
Rahbamoohi	Hamid	11717 A, B, C, D	July 15, 2018	Cadillac WWTP

Callan WUTP

	(Sundays)	
Jan 2015	CSOOS	1-16-15 1-21-15
Feb 2015	TSS	2-23-15
March 2015	FE meeting between	3-30-15 & Amendment
April 2015	Presidents Meeting & Amendment	
May 2015	(Many) ? all areas?	
June 2015	(Many) all areas	
July 2015	(None)	
August	(None)	
Sept.	(None)	
October	(None)	
Nov.	(None)	
Dec.	(None) NOT submitted any 1-6-2016	

1-6-2016 Callan Jeff Driller to find out what's happening
Aft. i.m.


1-7-2016 Jeff mentioned a black sludge.

* Jeff says that facility was in non-compliance
I said I would send an email letter on
what we should do next. He said don't
speak from him.

* Review of Violations in NMS does not show violations with
DNR dates. Rather than Reviewing DNRs I was looking at
only violations / NMS with not Missing violations / DNRs.

	Violations	Daily (Violations)		Monthly (Violations)	Agreed to 2015
		Yes	No		
2015	June	Yes	Yes	TSS CBOD ₅ - Ammonia	NO
2015	May	Yes	Yes	CBOD ₅ - Ammonia - TSS	NO
2015	April	NO	Yes	CBOD ₅ - Ammonia - TSS	NO
2015	March	NO	Yes	X	
2015	Feb	Yes	Yes	Ammonia	
2015	Jan	Yes	NO	X	
2014	Dec	NO	NO	X	
2014	Nov	Yes	Yes	Ammonia CBOD ₅	
2014	Oct		Yes	Ammonia TSS CBOD ₅	
2014	Sep	NO	NO	phosphorus (daily)	
2014	August	NO	NO	X	
2015	July	NO	NO	X	
2015	August	NO	NO	X	
2015	September	NO	NO	X	
2015	October	NO	NO	X	
2015	November	NO	NO	X	
2015	December	NA	NA	1-7 data not yet submitted	

* Violations "Flare-ups" in enclosures



* May of 2014 was last violation flare-up

City of Chandler

* Handled through IPP
all via Robbere.

* Letter 6-26-13 (printed)

* Note to Julie 10-16-15

* Julie returned note 5-14-15

* Memo to Julie 7-8-15

~~* Appropriation Bills Violations in structure~~
~~(Required violations)~~

~~* Blatantly NOT Complying (Notifications)~~

on 10/3/15

~~* Copy of Draft to Julie~~

~~to be added
the same notes as
IPP violations.~~

~~231) 389-044~~

~~2:47 pm~~

~~Jim Vogel~~

~~DESSINDE~~



Cadillac Utilities Department

January 12, 2016

Dear Mr. Jamie Wade,

Per part 2 Section C paragraph 7 spill notification of our NPDES permit I'm writing this letter to inform you of a spill. On the morning of January 12, 2016 at 9:22 am I received a call from Larry Springberg, the leachate driver for American Waste. He informed me that there had been a leachate spill while offloading. While heading out to survey the situation I promptly contacted the Director of Utilities Jeff Dietlin to report the spill to him. Upon arrival of the incident I noticed the discharge from the truck had ended. I witnessed the tail end of the leachate running along the edge of the asphalt and ponding at a lower elevation around the head from the truck.

At that time we took immediate actions to contain the spill. Snow berms were plowed up to help contain the ponding leachate from running toward the river. While containing the ponding I looked over the three storm drains in the area. Two of them were not of harm's way due to elevation. The third was in the direct path of the leachate. Three sand bags were placed on the storm drain in the drive and snow was packed around it to ensure no leachate enter the storm drain structure and thus eventually into the river. The leachate truck can contain up to ten thousand gallons. It was determined less than this amount was spilled. We continued to monitor the leachate at the spill. Upon the arrival of the Director of Utilities we contacted you Mr. Wade and asked you to take a look at the spill site. Together we surveyed the spill site and you gave us your recommendation for cleanup.

The frozen slush was pushed off the asphalt via a plow truck to the ponded area. All the contaminated snow was taken off the spill site, edges of the road and around the area that the leachate ponded. The dirt was scrapped down to the frost level in all the affected areas via a backhoe and loader. All contaminated material was removed and hauled to the waste water treatment plants drying beds where it can filter through and be treated by the process. All excavated areas were back filled with fresh top soil.

At this time it was believed that a leachate truck driver pulled the hose almost all the way out of the waste stream to prevent freezing. The weight and heat of the next morning's leachate delivery made the hose pliable and heavy pulling it out of the hole that secures the hose to the waste stream. To prevent this from happening in the future we will have the leachate truck drivers check the hose depth and remain in their trucks while offloading. I believe this will help reduce the risk of a spill this size from happening again. Thank you for taking time out of your day to help us with this matter.

Respectfully,

Douglas Langworthy
Assistant Water Resources Supervisor
City of Cadillac W.W.T.P.
231-775-2841

**WATER RESOURCES
DIVISION**

JAN 19 2016

CADILLAC DISTRICT OFFICE

Wexford Co
Cadillac WWTP
Jan 2016

Wade, Jamie (DEQ)

From: Veldkamp, Christine (DEQ)
Sent: Friday, January 8, 2016 9:58 AM
To: Wade, Jamie (DEQ)
Cc: Jankowski, Brian (DEQ)
Subject: RE: Michigan FY15 Annual SNC list

I am happy to help if you need it ☺.

Chris Veldkamp

Water Resources Division
Department of Environmental Quality
State of Michigan Building
350 Ottawa Ave NW Unit 10
Grand Rapids MI 49503
616-401-1556 (new phone number)
veldkampc@michigan.gov

From: Wade, Jamie (DEQ)
Sent: Friday, January 8, 2016 9:48 AM
To: Veldkamp, Christine (DEQ) <VELDKAMPC@michigan.gov>
Cc: Jankowski, Brian (DEQ) <JANKOWSKIB@michigan.gov>
Subject: FW: Michigan FY15 Annual SNC list

Chris,
I will be sending a violation notice to Cadillac. They have already made changes to plant operations and staff to rectify their frequent SNC during late 2014 and early 2015.
I've not issued a VN like this so, I may be looking for some guidance.
Thanks
Jamie

From: Wade, Jamie (DEQ)
Sent: Thursday, January 7, 2016 12:19 PM
To: Jankowski, Brian (DEQ) <JANKOWSKIB@michigan.gov>
Subject: RE: Michigan FY15 Annual SNC list

Brian,
It appears that Cadillac WWTP did have some significant exceedances for several months in late 2014 through June of 2015. The NMS software in the past did highlight values that were or could be in violation and that would alert the viewer to review further. The DMRs in 2015 and late 2014 were not highlighted or flagged as a violation in NMS or in MiWaters under the 'violations' tab.

I did speak to Jeff Dietlin (Utilities director for Cadillac) and said that Cadillac would likely receive a violation notice from me (DEQ) and that I would be requesting some sort of report from him as to how the exceedances occurred and what steps have been taken to reduce the likelihood of them reoccurring.

I will be watching their DMRs a little closer and will follow up as needed.

Jamie

From: Jankowski, Brian (DEQ)
Sent: Wednesday, January 6, 2016 9:54 AM
To: Heuer, Janice (DEQ) <HEUERJ@michigan.gov>; Wade, Jamie (DEQ) <WadeJ@michigan.gov>
Subject: FW: Michigan FY15 Annual SNC list
Importance: High

Jamie and Janice

Please review and address. Cadillac WWTP and Ludington WWTP are on this list. Respond to me and we will forward a response to Jon and Chris after that.

Sincerely

Brian Jankowski, P.E.
District Supervisor
Water Resources Division, Cadillac District (Cadillac Unit)
Dept. of Environmental Quality

231-429-0982 (phone)
jankowskib@michigan.gov

From: Veldkamp, Christine (DEQ)
Sent: Tuesday, January 05, 2016 5:41 PM
To: Bauer, Charles (DEQ); Casey, Steve (DEQ); Haas, Joseph (DEQ); Hartz, Andrew (DEQ); Jankowski, Brian (DEQ); Jordan, Kameron (DEQ); Kammer, Stephanie (DEQ); Masterson, Mike (DEQ); Myers, Tiffany (DEQ); Ostlund, Peter (DEQ); Pennala, Virginia (DEQ); Rudolph, Brian (DEQ); Saldivia, Luis (DEQ); Sanders, Jerrod (DEQ); Vanderlaan, Mary (DEQ); Verona, Laura (DEQ); Worm, Michael (DEQ); Yoon, Hae-Jin (DEQ)
Cc: Russell, Jon (DEQ); Ostlund, Peter (DEQ)
Subject: Michigan FY15 Annual SNC list

Dear District Supervisors,

EPA has sent us their FY15 Annual Significant Noncompliance (SNC) list for review. More than half of the significant noncompliance was associated with DMR Non-Receipt (likely due to the transition to MiWaters). We will be working with EPA to address this.

However, there were still 19 major facilities that had other SNC violations. Four of the 19 permittees appropriately received violation notices to address the noncompliance. The other 15 permittees in SNC do not appear to have been addressed as required by EPA. Two of the 15 in SNC had violations in FY14 that were unaddressed.

In 2014, the WRD and EPA presented 3 PowerPoint presentations to field staff about how to handle major facilities in SNC. The attached presentation discusses EPA's expectations, but the important slides are 32-38.

The following permittees were in SNC for 2015 and no action appears to have been taken to address the noncompliance (specifically the violations associated with the SNC on the Annual List or due to unresolved violations after the VN was issued):

Great Lakes Tissue Co
Lansing BWL-Eckert Station
St Louis WWTP
Saline WWTP

BASF- Wyandotte
Neenah Paper-Munising Paper
Cargill Salt Div-St Clair
Stoneco Inc-Maybee
Cadillac WWTP
Cheboygan WWTP
Ludington WWTP
Hillsdale WWTP
St Johns WWTP

FutureMark Manistique – FY14 SNC
Marquette WWTP – FY14 SNC

District staff should be sending VNs to these permittees to address their SNC and perhaps pursuing escalated enforcement if the issues won't be resolved soon. Please provide a response to Jon Russell and copy me on what action was, or will be, taken to address each of these facilities in SNC.

If you have any questions about this, please let me know. Thanks.

Chris Veldkamp

Water Resources Division
Department of Environmental Quality
State of Michigan Building
350 Ottawa Ave NW Unit 10
Grand Rapids MI 49503
616-401-1556 (new phone number)
veldkampc@michigan.gov

2014

[illegible]

[illegible]

[illegible]

DATE	PARAMETER	EFFLUENT LIMITATION		REPORTED VALUES	
		Daily Maximum	Monthly Average	Daily Maximum	Monthly Average
5-19-15	TSS max 7-day	30 mg/L		51.50	
5-19-15	TSS max 7-day	800 lb/day		861.70	
5-19	CBOD ₅ max 7 day	270 lb/day		308.91	
5-19	CBOD ₅ max daily	10 mg/L		21.08	
5-19	Ammonia N	2 mg/L		2.46	
5-20	CBOD ₅	10 mg/L		12.9	
5-20	Ammonia N	2 mg/L		3.08	
5-21	TSS	30 mg/L		68.00	
5-21	TSS	800 lb/day		1069.11	
5-21	CBOD ₅ max 7	270 lb/day		339.60	
5-21	CBOD ₅	10 mg/L		21.60	
5-21	Ammonia	53 lb/day		77.75	
5-21	Ammonia	2 mg/L		4.92	
5-22	TSS	30 mg/L		87.00	
22	TSS	800 lb/day		1248.04	
22	CBOD ₅	270 lb/day		309.86	
22	CBOD ₅	10 mg/L		21.6	
22	Ammonia	53 lb/day		66.56	
22	Ammonia	2 mg/L		4.64	
5-25	TSS	30 mg/L		199.00	
5-25	TSS	800 lb/day		3337.03	
5-25	CBOD ₅	270 lb/day		352.15	
5-25	CBOD ₅	10 mg/L		21.0	
5-25	Ammonia	2 mg/L		2.87	
5-26	TSS	30 mg/L		60.00	
5-26	TSS	800 lb		972.82	
5-26	CBOD ₅	270 lb		289.41	
5-26	CBOD ₅	10 mg/L		17.9	
5-26	Ammonia	2 mg/L		2.28	
5-27	CBOD ₅	10 mg/L		11.4	
5-28	CBOD ₅	10 mg/L		12	
5-28	Ammonia	53 lb/day		55.76	
5-28	Ammonia	2 mg/L		3.40	
5-29	CBOD	270 lb/day		362.76	
5-29	CBOD	10 mg/L		21.00	
5-29	Ammon	53 lb/day		86.37	
5-29	Ammon	2 mg/L		5.0	
may	TSS max monthly	—	20 mg/L	—	28.7
may	CBOD ₅ max monthly	—	190 lb/day	—	190.97
may	CBOD ₅	—	7 mg/L	—	11.87
may	Ammonia max monthly	—	24 lb/day	—	47.2
may	Ammonia maximum monthly	—	0.9 mg/L	—	30



Cadillac Utilities Department

**WATER RESOURCES
DIVISION**

February 26, 2016

FEB 23 2016

Mr. Jamie Wade, P.E.
Michigan Department of Environmental Quality
Cadillac District Office
120 West Chapin Street
Cadillac, Michigan 49601

CADILLAC DISTRICT OFFICE

Re: Violation Notice—Cadillac WWTP VN No. VN-006346

Dear Mr. Wade,

This is in response to your letter dated February 1, 2016 which you informed us of violations that occurred at the Cadillac waste water treatment plant. We will describe what happened and what was done to mitigate the situation. I believe that there were two separate incidents that took place leading up to the violations noted. The first period of violation took place from October 21, 2014 to November 27, 2014 and the second violation period was from January 9, 2015 to June 23, 2015.

At this time it isn't entirely clear what the influent or operational problems were because the plant supervisor that was in charge during the duration of violation periods is no longer here. I do know that there was an influx of material in both instances that caused a large mass of floating sludge on the primary clarifiers. This floating mass caused severe settling issues within the plant. The solids passing through the aeration basins into the secondary clarifiers' caused bulking within the clarifier tanks. The operators were instructed to continually increase the RAS and WAS, which increased the solids loading problem on the plant. The bulking made its way through the tertiary treatment causing our cloth filtration to bypass. The solids then made it through U.V. disinfection reducing U.V. dose and then into the river. I believe that a lack of communication and supervision led to the majority of these problems.

The increased unsettled solids passing through the plant caused the following violations on several occasions between October 21, 2014 and November 27, 2014:

- Total Suspended Solids 7-day Ave. mg/L

- Total Suspended Solids 7-day Ave. lbs./day
- CBOD5 lbs./day
- CBOD5 mg/L
- Fecal Coliform Max 7-day Gm.
- Ammonia as (N) mg/L
- Ammonia as (N) 7-day Ave. lbs./day
- Ammonia lbs./day
- Total Phosphorus

The following operational procedures were put into action to mitigate the issues dated above:

- Double pumping to reduce the solids in the primary clarifiers.
- Increased ferric chloride feed to aid in secondary settling.
- Increased aeration to provide more oxygen for the bacteria and to aid in driving off Ammonia.
- Mild Chlorine solution to control filamentous.
- Increased IPP monitoring to minimize the possibility of unwanted inflow.

The increased unsettled solids passing through the plant caused the following violations on several occasions between January 9, 2015 and June 23, 2015:


- Total Suspended Solids 7-day Ave. mg/L
- Total Suspended Solids 7-day Ave. lbs./day
- Total Suspended Solids Monthly Ave. Max
- Total Suspended Solids % Removal
- CBOD5 Monthly Ave. Max
- CBOD5 lbs./day
- CBOD5 mg/L
- Fecal Coliform Max 7-day Gm.
- Ammonia as (N) mg/L
- Ammonia as (N) 7-day Ave. lbs./day
- Ammonia Monthly Ave. Max
- pH

The following operational procedures were put into action to mitigate the issues dated above:

- Double pumping to reduce the solids in the primary clarifiers.
- Increased ferric chloride feed to aid in secondary settling.
- Increased aeration to provide more oxygen for the bacteria and to aid in driving off Ammonia.
- Mild Chlorine solution to control filamentous.
- Increased IPP monitoring to minimize the possibility of unwanted inflow.

At this time I would like to thank you for your time addressing the violations that took place. As I previously stated before the supervisor that was here at the time of the violation periods is no longer here. That being said I will never completely know all of the exact causes or events that took place. I also cannot give an explanation as to why the supervisor did not give written notice for each occurrence as is required in our NPDES permit. The only information I have is the vague violation reports I have received from the previous supervisor and information given to me by the operators. The poor communication and lack of supervision have been removed from the operations at the Cadillac waste water treatment plant. Through this I believe we will not have these operational issues again. Again I would like to thank you for your time.

Respectfully,

A handwritten signature in black ink, appearing to read "Jeffrey M. Dietlin", with a long horizontal flourish extending to the right.

Jeffrey M. Dietlin
Director of Utilities
City of Cadillac
231-779-7346 direct line
231-775-0906 fax

State of Michigan
Department of Environmental Quality

This is to certify that

Jeffrey M. Dietlin

having submitted acceptable evidence of qualifications, in accordance with the requirements of the Rules Governing the Certification of Sewage Treatment Works Operators, is qualified to operate any sewage treatment works of any of the following classifications:

A, B, C, D

Issued
March 4, 2014

Operator LD. Number
10435

Expires
April 15, 2017



ISSUED BY THE DIRECTOR OF THE DEPARTMENT OF ENVIRONMENTAL QUALITY
UNDER AUTHORITY OF ACT 451 P.A. 1994 AS AMENDED

EOP 3402
REV 3/20

DATE: 2-26-2016

TO: Michigan Department of Environmental Quality
Water Resources Division

ATTN: Brian Jankowski, Supervisor
Cadillac District Office

I hereby designate JEFFREY M. DIETRICH as the responsible operator in charge of the waste treatment facilities at CADILLAC W.W.T.P. discharge Permit No. MI0020257. He/she has met the requirements of the Department and has been properly certified. The Certificate No. is 10435, and the license classification(s) are A, B, C, D. The names, certificate number, and license classification(s) of other operators who are employed at the above facilities are listed below.

<u>Name</u>	<u>Certificate No.</u>	<u>License Classification(s)</u>
<u>Doug Langworthy</u>	<u>18398</u>	<u>C, D</u>
<u>DEBBIE GOODRICH</u>	<u>18456</u>	<u>C, D</u>
<u>KEVIN BRIGGS</u>	<u>19127</u>	<u>C, D</u>
<u>BRETT BALCOLM</u>	<u>19178</u>	<u>D</u>
<u>DAVE SKIFF</u>	<u>19190</u>	<u>D</u>

JEFFREY M. DIETRICH
Name
UTILITIES DIRECTOR
Title
CITY OF CADILLAC
Company

Send this form to: Brian Jankowski, Supervisor
Water Resources Division
Cadillac District Office
Department of Environmental Quality
120 West Chapin Street
Cadillac, MI 49601



Cadillac Utilities Department

December 21, 2015

Dear Mr. Jamie Wade,

On the afternoon of Friday December 18th an incident occurred at the Cadillac Waste Water Treatment Plant. An operator was performing a routine chemical cleaning of our Aqua Disk cloth filtration system. The operator had bypassed the three tanks and pumped the tanks solids to the head works of the plant. The operator then refilled the tanks with approximately 6,000 gallons each of tertiary water. Five gallons of Grease B Gone degreaser was added in total to the three tanks. Upon adding the degreaser the operator set the tanks to recirculate for a few hours. After recirculation the operator would normally pump the chemical solution to the head works where it can be treated before restoring the tanks to normal operation. Instead the operator returned the tanks to normal operation sending the chemical solution to our effluent. This took place around 12:30 p.m.

At approximately 1:30 p.m. fish in the onsite fish tank appeared to become incapacitated. The fish tank is fed with the plants effluent. At this time the operator was instructed to bypass the Aqua Disk filtration tanks stopping the chemical solution from going to our effluent. Immediately following this you were contacted and personnel were sent out to observe the effluent. Plant personnel walked the river banks looking for any sign of the degreaser in the river. There was no sign or indication the chemical had impacted the river in anyway.

Some of the fish in the fish tank and minnow net did expire but the majority of the incapacitated fish returned to an active state within 20 to 30 minutes of redirecting the diluted cleaning solution. The Aqua Disk filtration tanks were then filled with tertiary water to further dilute and since the degreaser away. It was then pumped to the head works for treatment. This process was repeated three times before restoring the plant back to normal operation.

To prevent this or any other similar occurrences from happening in the future these processes will be gone over and more appropriate training will take place. Once again we would like to thank you for taking the time to come out and look things over.


Jeffrey M. Dietlin
Utilities Director
City of Cadillac
(231) 775-9326

**WATER RESOURCES
DIVISION**

DEC 21 2015

CADILLAC DISTRICT OFFICE