

From: Lowe, Claire (EGLE)
Sent: 12/5/2022 4:28:44 PM
To: "Shattuck, Terri (EGLE)" <ShattuckT@michigan.gov>
Subject: FW: Categorical determination : CCI plant map with sewer drain lines
Attachments: PLANT SEWER LINES.pdf

Hi Terri,

I've been checking out the procedure for categorical determinations and see you're the one I need to speak to about Metal Casting Facilities. A bit of background on this one, on a PCI at Cadillac WWTP I reviewed the file for Cadillac Casting, and determined that the IU permit was inadequate because the POTW didn't include any categorical limits in the permit, even though the permit identified them as categorical. There was no application form and no flow diagram, and very little information on file on the facility. I tried repeatedly to get the relevant information out of Cadillac WWTP, and they couldn't provide it. I finally got a meeting with Cadillac Casting and Cadillac WWTP and I think I have all of the relevant information. I have no doubt they are categorical, and the facility seem in agreement with that since I provided them with Part 464, but I would still like to send the City and the facility an official determination, due to the City of Cadillac's confusion on this. Could you help me out with that process? Reading procedure 1 it seems that we can issue a determination even if one hasn't been requested by the POTW.

The flow diagram and some relevant information is given in the email below from Erik Olson. I also have further notes from the meeting with the facility if necessary.

Let me know what you think.

Thanks,

Claire Lowe

Environmental Quality Analyst
Water Resources Division, Gaylord District Office
Michigan Department of Environment, Great Lakes, and Energy
[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov
Michigan.gov/EGLE



MICHIGAN DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY

From: Erik Olson <eolson@cadillaccasting.com>
Sent: Monday, December 5, 2022 9:23 AM
To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>; Jeff Dietlin <utilities@cadillac-mi.net>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Categorical determination : CCI plant map with sewer drain lines

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Here is a revised map with more detail asked for below. The two categorical inputs are the North wwtp and the Melt scrubber wwtp.

North wwtp effluent: This wastewater treatment system is for our *Dust Collection Scrubber Operations*. This scrubber system catches the dirty air from our molding line and sand system. The main components are sand and bentonite clay. The filter press effluent goes to the sewer drain.

The Melt wwtp effluent: The system that treats our *Melting Furnace Scrubber Operations*. It consists of a three stage scrubber system. There is a primary quench scrubber, a venturi scrubber, and a demister scrubber stage. All three water drains from these sections combine and are treated in the wwtp. The filter press effluent goes to the sewer drain.

We do have a **Slag Quench Operation** but it does not drain to the sewer. City water is fed to the system as needed to supplement evaporated water.

I am having our plant engineering group look into metering options for the two filter press effluents and future sampling ports as well.

Erik

From: Lowe, Claire (EGLE) <LoweC9@michigan.gov>

Sent: Wednesday, November 30, 2022 3:46 PM

To: Erik Olson <eolson@cadillaccasting.com>; Jeff Dietlin <utilities@cadillac-mi.net>; Patrick Miller <pmiller@cadillac-mi.net>

Subject: RE: Categorical determination : CCI plant map with sewer drain lines

Thank you Erik. Could you clarify, are the marked process wastewater inputs the categorical sources only? Or does this include the non-categorical sources like the non-contact cooling water? Is it possible to add to this plan to show where the treatment systems are and other sources of wastewater (sanitary waste, and non-contact cooling water) combine?

Thank you for your help.

Claire Lowe

Environmental Quality Analyst

Water Resources Division, Gaylord District Office

Michigan Department of Environment, Great Lakes, and Energy
[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov
Michigan.gov/EGLE



From: Erik Olson <eolson@cadillaccasting.com>
Sent: Wednesday, November 30, 2022 11:08 AM
To: Jeff Dietlin <utilities@cadillac-mi.net>; Lowe, Claire (EGLE) <LoweC9@michigan.gov>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Categorical determination : CCI plant map with sewer drain lines

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Here is the plant map showing our drain lines. You need to enlarge the pdf but the detail is there. I am working to get a updated spill plan put together (1-2 months). Basically, we have also had above the floor drains so, our spill plan is simple.

From: Jeff Dietlin <utilities@cadillac-mi.net>
Sent: Wednesday, November 30, 2022 9:04 AM
To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>; Erik Olson <eolson@cadillaccasting.com>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Categorical determination meeting/phone call

Erik,

When can I expect a copy of the facility plan?

Thank you,

Jeffrey M. Dietlin

City of Cadillac
Director of Utilities
(231) 779-7346(Direct)
(231)775-0906 (Fax)

From: Lowe, Claire (EGLE) <LoweC9@michigan.gov>
Sent: Monday, November 28, 2022 9:10 AM
To: Jeff Dietlin <utilities@cadillac-mi.net>; Erik Olson <eolson@cadillaccasting.com>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Categorical determination meeting/phone call

Good Morning,

Thank you all for taking the time to meet with me last week. I think I have a better understanding of what needs to be done going forward to ensure that Cadillac Casting has an appropriate permit to monitor compliance with the categorical pretreatment standards. As a next step, Erik please could you provide a copy of the facility plan you mentioned to me and to Jeff?

Thank you,

Claire Lowe

Environmental Quality Analyst

Water Resources Division, Gaylord District Office

Michigan Department of Environment, Great Lakes, and Energy

[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov

Michigan.gov/EGLE



From: Jeff Dietlin <utilities@cadillac-mi.net>

Sent: Monday, November 21, 2022 3:17 PM

To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>; Erik Olson <eolson@cadillaccasting.com>; Patrick Miller <pmiller@cadillac-mi.net>

Subject: RE: Categorical determination meeting/phone call

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

I sent out invites.

Jeffrey M. Dietlin

City of Cadillac

Director of Utilities

(231) 779-7346(Direct)

(231)775-0906 (Fax)

From: Lowe, Claire (EGLE) <LoweC9@michigan.gov>

Sent: Monday, November 21, 2022 12:10 PM

To: Jeff Dietlin <utilities@cadillac-mi.net>; Erik Olson <eolson@cadillaccasting.com>; Patrick Miller <pmiller@cadillac-mi.net>

Subject: RE: Categorical determination meeting/phone call

Hi Jeff,

We use Teams, but I know that doesn't work for everyone. If you would like to set it up through zoom, that's fine with me. Is 1:30 ok?

Claire Lowe

Environmental Quality Analyst
Water Resources Division, Gaylord District Office
Michigan Department of Environment, Great Lakes, and Energy
[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov
Michigan.gov/EGLE



MICHIGAN DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY

From: Jeff Dietlin <utilities@cadillac-mi.net>
Sent: Monday, November 21, 2022 12:05 PM
To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>; Erik Olson <eolson@cadillaccasting.com>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Categorical determination meeting/phone call

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

When should we have our meeting tomorrow?

Claire,

Do you want to host it? I can host a zoom meeting if you want me to.

Jeffrey M. Dietlin

City of Cadillac
Director of Utilities
(231) 779-7346(Direct)
(231)775-0906 (Fax)

From: Lowe, Claire (EGLE) <LoweC9@michigan.gov>
Sent: Thursday, November 17, 2022 2:34 PM
To: Erik Olson <eolson@cadillaccasting.com>; Patrick Miller <pmiller@cadillac-mi.net>; Jeff Dietlin <utilities@cadillac-mi.net>
Subject: RE: Categorical determination meeting/phone call

Erik,

Previous pretreatment permits issued to Cadillac Casting indicated that [40 CFR Part 464, Subpart C](#) (Ferrous Metal Casting) applies, but there are multiple pretreatment standards under this subpart that may apply. I would like to discuss if you have any of the processes listed under the subpart, what happens to the wastewater generated by the process, is it treated, does it combine with any other wastewater before or after treatment, is any wastewater recycled for other purposes, and how is that waste disposed of. Once we know that, we can start discussing what standards might be applicable and how compliance can be determined. As subpart C includes production based limits we would need information on production for each regulated process and well as flow data. It's likely that we won't be able to answer everything based on our call next week but I'm hopeful that we can start moving in the right direction.

Claire Lowe

Environmental Quality Analyst

Water Resources Division, Gaylord District Office

Michigan Department of Environment, Great Lakes, and Energy

[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov

Michigan.gov/EGLE



MICHIGAN DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY

From: Erik Olson <eolson@cadillaccasting.com>

Sent: Thursday, November 17, 2022 12:20 PM

To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>; Patrick Miller <pmiller@cadillac-mi.net>; Jeff Dietlin <utilities@cadillac-mi.net>

Subject: RE: Categorical determination meeting/phone call

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Tuesday is best for me. Clare, if you could give me some examples or specify what categorical system we are discussing, I might be able to get there ahead of time. Or, have information to make our Tuesday more valuable.

From: Lowe, Claire (EGLE) <LoweC9@michigan.gov>

Sent: Thursday, November 17, 2022 11:25 AM

To: Patrick Miller <pmiller@cadillac-mi.net>; Jeff Dietlin <utilities@cadillac-mi.net>; Erik Olson <eolson@cadillaccasting.com>

Subject: RE: Categorical determination meeting/phone call

Tuesday is best for me. Right now I can make any time work.

Claire Lowe

Environmental Quality Analyst
Water Resources Division, Gaylord District Office
Michigan Department of Environment, Great Lakes, and Energy
[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov
Michigan.gov/EGLE



MICHIGAN DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY

From: Patrick Miller <pmiller@cadillac-mi.net>
Sent: Thursday, November 17, 2022 10:49 AM
To: Jeff Dietlin <utilities@cadillac-mi.net>; Lowe, Claire (EGLE) <LoweC9@michigan.gov>; Erik Olson <eolson@cadillaccasting.com>
Subject: RE: Categorical determination meeting/phone call

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

I can make most times work on Monday or Tuesday next week.

Patrick Miller

City of Cadillac
Water Resources Supervisor
O: (231)306-8084
C: (906)373-9442

From: Jeff Dietlin <utilities@cadillac-mi.net>
Sent: Thursday, November 17, 2022 10:33 AM
To: Patrick Miller <pmiller@cadillac-mi.net>; Lowe, Claire (DEQ) <LoweC9@michigan.gov>; Erik Olson <eolson@cadillaccasting.com>
Subject: FW: Categorical determination meeting/phone call

All,

Trying to gauge what day will work for us all to determine the exact categorical designation of CCI for wastewater discharge.

I know next week is a holiday week but can we get together on Monday or Tuesday? What time works best?

Thank you,

Jeffrey M. Dietlin

City of Cadillac
Director of Utilities

(231) 779-7346(Direct)
(231)775-0906 (Fax)

From: Lowe, Claire (EGLE) <LoweC9@michigan.gov>
Sent: Thursday, November 17, 2022 8:36 AM
To: Jeff Dietlin <utilities@cadillac-mi.net>
Subject: RE: Categorical determination

Morning Jeff,

It will take more information to determine exactly what limits apply. It does sound like they are discharging categorical wastewater at least from the wet scrubbers though. I think it would be helpful to have a call with Erik. Would you want to have Patrick involved as well since he is learning about the program right now?

Claire Lowe
Environmental Quality Analyst
Water Resources Division, Gaylord District Office
Michigan Department of Environment, Great Lakes, and Energy
[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov
Michigan.gov/EGLE



MICHIGAN DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY

From: Jeff Dietlin <utilities@cadillac-mi.net>
Sent: Wednesday, November 16, 2022 2:15 PM
To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>
Subject: FW: Categorical determination

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

Please see below.

Is this enough information to make a determination? Do you want to talk to Erik?

Jeffrey M. Dietlin
City of Cadillac
Director of Utilities
(231) 779-7346(Direct)
(231)775-0906 (Fax)

From: Erik Olson <eolson@cadillaccasting.com>
Sent: Wednesday, November 16, 2022 12:06 PM

To: Jeff Dietlin <utilities@cadillac-mi.net>

Subject: RE: Categorical determination

Maybe have Clare call me to discuss and help me answer the question. I do not know what categorical system is being referred to but I can describe and we will get to the answer.

We are a ductile iron foundry. We use water that is discharged for: Non-contact cooling water on our cupola shell and the cooling loop for our holding furnaces. We use water for our wet scrubbers and we have our restroom/shower waters. The list is pretty short really.

From: Jeff Dietlin <utilities@cadillac-mi.net>

Sent: Wednesday, November 16, 2022 11:48 AM

To: Erik Olson <eolson@cadillaccasting.com>

Subject: Categorical determination

Erik,

Clare would like to know what kind of categorical foundry CCI is.

I guess we need to know the processes you use. So are you a Ferric/Iron foundry? How do you clean the cast metal? Do you use water? Do you dunk? Is there an air scrubber? I guess there are 10 different types of categorical foundries it could be.

Clare indicates we cannot make an accurate IPP permit for CCI without knowing what processes at the foundry. Anything that comes in contact with the water that is discharged to Cadillac should be considered. Whether it is to quench a part or a wet air scrubber.

Thank you for your help.

Jeffrey M. Dietlin

City of Cadillac

Director of Utilities

(231) 779-7346(Direct)

(231)775-0906 (Fax)

ATTACHMENT NAME:

PLANT SEWER LINES.pdf

ATTACHMENT TYPE:

Adobe Portable Document Format (PDF) compound image

