

From: Elaine J. Venema <evenema@fveng.com>
Sent: 10/30/2025 2:40:05 PM
To: "Lowe, Claire (EGLE)" <LoweC9@michigan.gov>
Subject: FW: Cadillac Additional Local Limits Parameters - Proposed Sampling Plan
Attachments: MAHL 2.0 Calendar.xlsx

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

From: Patrick Miller <pmiller@cadillac-mi.net>
Sent: Thursday, October 30, 2025 2:18 PM
To: Elaine J. Venema <evenema@fveng.com>
Subject: RE: Cadillac Additional Local Limits Parameters - Proposed Sampling Plan

Elaine,

That new sampling plan looks great except for maybe one change if possible. We do not want to sample on the 26th because of hold times and shipping. We propose to sample Tuesday and Wednesday the first week and Monday the second week. I attached a proposed schedule for you to review and make sure we are ok.

Patrick Miller
City of Cadillac
Water Resources Supervisor
(231)306-8084

From: Elaine J. Venema <evenema@fveng.com>
Sent: Thursday, October 30, 2025 12:09 PM
To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>
Cc: Patrick Miller <pmiller@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>; Jeff Dietlin <utilities@cadillac-mi.net>
Subject: RE: Cadillac Additional Local Limits Parameters - Proposed Sampling Plan

Hi Claire –

Thanks for the quick response.
Please find a revised sampling plan which clarifies that phenol is a grab sample and changes the sampling at the WWTP and domestic / background locations over 4 weeks. Note that if sampling commences on November 17 as planned, it will continue during the week of

Thanksgiving, so the only sample taken that week will be on a Wednesday to avoid the holiday weekend.

Thanks,
Elaine

From: Lowe, Claire (EGLE) <LoweC9@michigan.gov>
Sent: Thursday, October 30, 2025 9:18 AM
To: Elaine J. Venema <evenema@fveng.com>
Subject: RE: Cadillac Additional Local Limits Parameters - Proposed Sampling Plan

Hi Elaine,

I reviewed the plan and the only comments I have are that phenol should be collected as a grab, and I have concerns about trying to compress sampling into a single week instead of over the month used in the previous plan. It looks like the motivation for doing that is to complete the process by the end of the year. I think there is confusion about the requirement to implement all the other limits that were already determined to be approvable by the end of the year in the letter sent on October 13. The permit required these remaining limits to be submitted back in January, so there's no need to compress the sampling for a due date that's already passed. If you agree, please make that modification and resubmit. Otherwise give me a call and we can discuss.

Thanks,

Claire Lowe

Environmental Quality Analyst
Water Resources Division, Gaylord District Office
Michigan Department of Environment, Great Lakes, and Energy
[989-330-4639](tel:989-330-4639) | LoweC9@Michigan.gov
[//Michigan.gov/EGLE](https://Michigan.gov/EGLE)



MICHIGAN DEPARTMENT OF
ENVIRONMENT, GREAT LAKES, AND ENERGY



From: Elaine J. Venema <evenema@fveng.com>
Sent: Wednesday, October 29, 2025 2:06 PM
To: Lowe, Claire (EGLE) <LoweC9@michigan.gov>
Cc: Patrick Miller <pmiller@cadillac-mi.net>; Jeff Dietlin <utilities@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@cadillac-mi.net>
Subject: Cadillac Additional Local Limits Parameters - Proposed Sampling Plan

CAUTION: This is an External email. Please send suspicious emails to
abuse@michigan.gov

Hi Claire –

Attached is our proposed sampling plan for the four additional parameters that have a local limit submittal deadline of December 31, 2025. Please let us know if you have any questions or comments. The City would like to collect samples during the week of November 17.

Thanks,

Elaine

Elaine J. Venema, PE

Sr. Project Manager, Associate

FLEIS & VANDENBRINK
DESIGN. BUILD. OPERATE.

O: 616.977.1000

C: 616.446.9669

D: 616.588.1913

2960 Lucerne Drive SE, Grand Rapids, MI 49546

FVCPM
CERTIFIED PROJECT MANAGER



www.fveng.com



Please be aware of the increasing risk of cybercrime. Always verify the authenticity of emails, especially those requesting sensitive information or financial transactions. Do not click on links or open attachments from unknown or suspicious sources. If you receive an unexpected email from me or anyone else in our organization, please contact us directly to confirm its legitimacy.

The information contained in this message and any attachment may be proprietary, confidential, and privileged or subject to the work product doctrine and thus protected from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify me immediately by replying to this message and deleting it and all copies and backups thereof. Thank you.

Please be aware of the increasing risk of cybercrime. Always verify the authenticity of emails, especially those requesting sensitive information or financial transactions. Do not click on links or open attachments from unknown or suspicious sources. If you receive an unexpected email from me or anyone else in our organization, please contact us directly to confirm its legitimacy.

The information contained in this message and any attachment may be proprietary, confidential, and privileged or subject to the work product doctrine and thus protected from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify me immediately by replying to this message and deleting it and all copies and backups thereof. Thank you.

Please be aware of the increasing risk of cybercrime. Always verify the authenticity of emails, especially those requesting sensitive information or financial transactions. Do not click on links or open attachments from unknown or suspicious sources. If you receive an unexpected email from me or anyone else in our organization, please contact us directly to confirm its legitimacy.

The information contained in this message and any attachment may be proprietary, confidential, and privileged or subject to the work product doctrine and thus protected from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify me immediately by replying to this message and deleting it and all copies and backups thereof. Thank you.

ATTACHMENT NAME:

MAHL 2.0 Calendar.xlsx

ATTACHMENT TYPE:

Microsoft Office 12+, Office Open XML (OOXML/OpenXML): spreadsheet (XLSX)

2025 NOVEMBER

#NAME?	Monday	Tuesday	Wednesday	Thursday	Friday	Shabbat
#NAME?	17 AAR 6th AKWEL Cad.	18 Comp's & Grab's	19 Comp's & Grab's	20 AAR FAC AAR RT	21 ARVCO Piranha Hose	22
#NAME?	24 Comp's & Grab's	25 CRE Borg Warner	26	27 HOLIDAY	28 HOLIDAY	29

2025 DECEMBER

Err:508	Monday	Tuesday	Wednesday	Thursday	Friday	Shabbat
Err:508	01 CCI Hutchinson	02 FIAMM MI Rubber	03 AAR 6th AKWEL	04 Comp's & Grab's	05 AAR FAC AAR RT	06
Err:508	08 CRE Borg Warner	09 ARVCO Piranha Hose	10 CCI Hutchison	11 FIAMM MI Rubber	12 Comp's & Grab's	13 Comp's & Grab's

Set composite samplers at each marked location at 7:30am on its day of sampling.

Take grab samples at each marked location at 8am, 10am, 12pm, 2pm on its day of sampling.

Take industrial A.M. grab samples (first set) at 7:30am & industrial P.M. grab samples (second set) at 2:30pm on its designated day.

2025

DECEMBER

CALENDAR YEAR

CALENDAR MONTH

SUNDAY

FIRST DAY OF WEEK

Err:508	Monday	Tuesday	Wednesday	Thursday	Friday	Shabbat
Err:508	01	02	03	04	05	06
Err:508	08	09	10	11	12	13
Err:508	15	16	17	18	19	20
Err:508	22	23	24	25	26	27
Err:508	29	30	31	01	02	03
Err:508	05	06	07	08	09	10