



June 6, 2023

NESHAP Asbestos Program
Air Quality Division (AQD)
Michigan Department of Environment, Great Lakes, and Energy (EGLE)
Cadillac District Office
120 West Chapin Street
Cadillac, Michigan 49601-2158

Subject: **Green for Life Environmental (GFL) – Wexford County Landfill, LLC**
Notification of Excavation/Disturbance of Asbestos Containing Waste
MI-ROP-N3862-2022, Manton, MI

Green For Life (GFL) Wexford County Landfill, LLC (WCL) is subject to the National Emission Standards for Hazardous Air Pollutants (NESHAPs) for asbestos, 40 CFR 61 and Renewable Operating Permit (ROP) number MI-ROP-N3862-2022.

WCL respectfully submits this notice of excavation of waste material at the Wexford County Landfill as required by the NESHAPs for Asbestos being 40 CFR 61 Subpart M and ROP No: MI-ROP-N3862-2022, for an active asbestos disposal site. The WCL is required to notify EGLE-AQD, in writing, at least 45 days prior to excavation or otherwise disturbing any asbestos-containing waste material that has been deposited and is covered.

Beginning as early as July 25, 2023, the WCL plans to install several horizontal or vertical gas extraction wells and lateral piping as part of the landfill gas collection and control system expansion, maintenance, and upgrade. These installations will occur throughout the 2023 calendar year at various points as maintenance is required or landfill gas system expansion projects are completed. The WCL is therefore making this notification in anticipation of performing work through the end of December 2023.

During well installation activities, asbestos-containing wastes may be encountered. Excavated waste that is determined to contain asbestos materials will then be transported and disposed of in the active fill area that the WCL designates for asbestos disposal. Any excavated waste or wastes from cutting and drilling activities that is determined to not contain asbestos materials will be disposed of in the daily active fill area.

As the waste excavated during the well installation process will likely be wet, potential for visible emission or airborne exposure will be minimal. Waste material will be covered during transport to the final disposal location. Asbestos-containing materials will be disposed of at the designated asbestos disposal area portion of the landfill within 24 hours of disturbing the waste.

If you have any questions, please contact me at (231) 597-8553 or cgee@gflenv.com.

Sincerely,

Green for Life Environmental (GFL) – Wexford County Landfill, LLC

Christopher Gee
General Manager – Wexford County Landfill

Enclosure: Notification of Intent to Renovate/Demolish

cc: Tami Craig, Anthony Pelletier – GFL(Electronically)
Robert Dickman, AQD-EGLE
Wexford County Landfill Operating Record

NOTIFICATION OF INTENT TO RENOVATE/DEMOLISH

EGLE

MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY (EGLE) AIR QUALITY DIVISION
NESHAP, 40 CFR Part 61, Subpart M

LARA

MICHIGAN DEPARTMENT OF LICENSING AND REGULATORY AFFAIRS (LARA), ASBESTOS PROGRAM,
P.A. 135 OF 1986, AS AMENDED, Section 220 (1-4) or (8)

EGLE/LARA USE ONLY

Postmark Date: ____/____/____ Rec'd Date: ____/____/____

Emergency Date: ____/____/____ Valid No.: ____

OK ☐ Send Def Ltr. Date of Def Ltr.: ____/____/____

FOLLOW UP: ____/____/____ Spoke w/____

Comments: _____

Notification No.: _____ Trans No.: _____

Calculate LARA Asbestos Project Fee:

(1% Project Fee)

Total Project Cost: _____ x 0.01 = _____

Type of Contractor: _____ License No.: _____

Licensing Authority: _____

1. NOTIFICATION:

Date of Notification: June 6, 2023

Date of Revision(s): _____

Notification Type: ☒ Original ☐ Revised ☐ Canceled ☐ Annual

Mark appropriate boxes: (both EGLE and LARA may apply):

EGLE (NESHAP) [260 ln. ft./160 sq. ft. or more is

☐ **threshold]** Planned Renovation – 10 working days notice

☐ Emergency Renovation

☐ Scheduled Demolition – 10 working days notice

☐ Intentional Burn – 10 working days notice

☐ Ordered Demolition

LARA (MIOSHA) [Will not accept annual notifications]

☐ Demo, Reno, Encap. (>10 ln. ft./15 sq. ft.) 10 calendar days notice

☐ Emergency Renovation/Encapsulation

2. PROJECT SCHEDULE:

	START DATE	END DATE
* Renovation	N/A	N/A

+Asb. Removal	July 25, 2023	December 31, 2023
---------------	---------------	-------------------

+Demolition:	N/A	N/A
--------------	-----	-----

Encapsulation:	N/A	N/A
----------------	-----	-----

Work Schedule: Please indicate the anticipated days of the week and work hours for the purpose of scheduling a compliance inspection.

	Days of the Week	Work Hours
Asb. Removal:	M, T, W, Th, F	8:00 a.m. - 4:00 p.m.

Demolition:	N/A	N/A
-------------	-----	-----

Encapsulation:	N/A	N/A
----------------	-----	-----

* Includes setup, build enclosure, asbestos removal, demobilizing, etc.

+Include only those dates you are conducting asbestos removal/demo.

☐ Check here if this is a multi-phased project, attach a schedule showing the start/end date of each phase.

3. ABATEMENT CONTRACTOR:

Internal Project #: _____

Name: N/A

Mailing Address: _____

City/State/Zip: _____

E-mail: _____

Contact: _____ Phone: _____

4. DEMOLITION CONTRACTOR:

Internal Project #: _____

Name: N/A

Mailing Address: _____

City/State/Zip: _____

E-mail: _____

Contact: _____ Phone: _____

5. FACILITY OWNER: ("Facility" includes Bridges)

Name: Wexford County Landfill, LLC

Mailing Address: 990 North Mackinaw Trail

City/State/Zip: Manton, Michigan 49663

E-mail: cgee@gflevn.com

Contact: Christopher Gee Phone: 231-597-8553

6. FACILITY DESCRIPTION:

Facility Name: Wexford County Landfill,

Location Address/Description: 990 North Mackinaw Trail

If Apt. # of units: _____

City/Twp. Manton State: MI Zip Code: 49663

County: Wexford Nearest Crossroad: N 35 Road

Size: (sq. ft.) _____ No. of Floors: _____ Floor No.: _____

Age: _____ Present Use: _____ Prior Use: _____

Specific Location(s) in Facility: Several locations in Waste Mass

7. DISPOSAL SITE:

Name: Wexford County Landfill

Location Address: 990 North Mackinaw Trail

City/State/Zip: Manton, Michigan 49663

8. WASTE TRANSPORTER 1:

Name: N/A

Address: _____

City/State/Zip: _____

Phone: _____

WASTE TRANSPORTER 2:

9. ORDERED DEMOLITIONS: (See NESHAP regulations for definition of "Ordered Demolition.") A copy of the official Order must accompany this notification.

Gov't Agency Ordering Demo: N/A

Name/Title of Person Signing Order: _____

Date of Order: _____ Date Ordered to Begin: _____

10. IS ASBESTOS PRESENT?

☐ Yes ☐ No

☐ To be removed prior to demolition

Estimate the amount of asbestos: Include RACM (Regulated Asbestos Containing Material) to be removed, encapsulated, etc. Also include the amount and type (floor tile, roofing, etc.) of non-friable Category I and/or Category II ACM that will not be removed prior to demolition. (NOTE: In a demolition, cementitious ACM cannot remain in a structure, as it is likely to become regulated in the demolition/handling process. It must be removed prior to demolition.)

RACM to be

RACM to be

Non-friable ACM not
removed prior to demo.

Category I

Category II

Units of Measure

Removed	Encapsulated			☐ Ln. Ft.	☐ Ln. M.
See Attached Letter for project description.				☐ Sq. Ft.	☐ Sq. M.
				☐ Cu. Ft.*	☐ Cu. M.*

*Volume (cubic ft./meters) should be used only if unable to measure by linear/square measure (example: asbestos has fallen off of surface).

(continued on reverse side)

NOTIFICATION OF INTENT TO RENOVATE/DEMOLISH (continued)

11. PROJECT DESCRIPTION: Complete **A) for Renovation** (asbestos removal/encapsulation) and/or **B) for Demolition**:

A) RENOVATION: Mark all surfaces/types of RACM to be removed:

- ☐ Piping ☐ Fittings ☐ Boiler(s) ☐ Tanks(s)
☐ Beam(s) ☐ Duct(s) ☐ Tunnel(s) ☐ Ceiling Tile(s)
☐ Mag Block ☐ Other (describe) _____

Encapsulation (for LARA): Mark surfaces/types to be encapsulated:

- ☐ Piping ☐ Fittings ☐ Boiler(s) ☐ Tank(s)
☐ Beam(s) ☐ Duct(s) ☐ Tunnel(s) ☐ Ceiling Tile(s)
☐ Other (describe) _____

Method of removal: Describe how the asbestos will be removed from the surface (example: glove bag, scrape with hand tools, cut in sections and carefully lower, etc.): N/A - See Attached Letter

B) DEMOLITION: Describe the method of demolition of facility, bridge, etc., and indicate if complete or partial. If partial, describe which part of facility bridge, etc., will be demolished: See Attached Letter. Vertical or Horizontal Landfill gas extraction wells and lateral piping will be installed in the existing waste mass.

12. ENGINEERING CONTROLS: Describe work practices and engineering controls used to prevent visible emissions before, during, and after removal, and until proper disposal: Material will be wet down as necessary to prevent emissions. If necessary, the temporary stockpile will be covered with a tarp and/or clean soils to assure the waste remains wet.

13. UNEXPECTED ASBESTOS: Describe the steps you intend to follow in the event that unexpected RACM is found or previously non-friable asbestos becomes friable (crumbled, pulverized, reduced to powder, etc.) and therefore regulated: All activities will stop and the suspect material will be wet down. A licensed asbestos abatement contractor will be contacted.

14. PROCEDURE(S) USED TO DETECT THE PRESENCE OF ASBESTOS: **A)** Indicate how you determined whether or not asbestos is in the facility. If analytical sampling was used, describe method of analysis. (The determination of the presence or absence of asbestos must be made prior to submitting a renovation/demolition notification.): A review of site location maps and discussions with the site personnel will be performed to identify areas potentially containing (RACM).

B) Name, address, and phone number of company performing asbestos survey: N/A

C) Name, accreditation number of inspector, and date of inspection: N/A

15. EMERGENCY RENOVATIONS: Date/time of emergency: N/A Describe the sudden, unexpected event: _____

Explain how the event caused unsafe conditions, and/or would cause equipment damage and/or an unreasonable financial burden: _____

16. I certify that an individual trained in the provisions of 40 CFR Part 61, Subpart M, will be on-site during the renovation and during demolition involving RACM above the threshold and/or during an ordered demolition. Evidence that this person has completed the required training will be available for inspection at the renovation or demolition site.

N/A

Signature of Owner or Abatement Contractor _____ Date _____

N/A

Signature of Owner or Demolition Contractor _____ Date _____

17. Signature Requirements for Projects with Negative Pressure Enclosures: (required by LARA)

Per Section 221(1)(2) of P.A. 135 of 1986, as amended, clearance air monitoring is required for any asbestos abatement project involving 10 linear feet/15 square feet or more of friable material which is performed within a negative pressure enclosure. I (the building owner or lessee) have been advised by the contractor of my responsibility under Act 135 to have clearance air monitoring performed on this project.

N/A

Signature of Building Owner or Lessee _____ Date _____

N/A

Signature of Asbestos Abatement Contractor Representative _____ Date _____

NOTE: It is **not** mandatory that a signed copy be sent to LARA unless requested. For affected projects, this section of the notification form must be completed, signed, and made part of **your** records before the project begins.

18. I certify that the above information is correct:

Christopher Gee

Printed Name of Owner/Operator

6/6/2023

Date



Signature of Owner/Operator

6/6/2023

Date

MAILING ADDRESSES/PHONE NUMBERS: (See Item 1 to determine which agency requirements/regulations are applicable to your project.)

For **Public Act 135 of 1986, as amended, Section 220 (1-4) or (8)**, mail to address below. For more info visit:
<http://www.michigan.gov/asbestos>

MIOSHA Asbestos Program
 LARA, CSHD
 P.O. Box 30671
 Lansing, MI 48909-8171

517.284.7699 (office), 517.284.7700 (fax)

For **NESHAP Demolitions/Renovations, 40 CFR, Part 61, Subpart M**, please use the e-submittal process. For more information visit
<http://www.michigan.gov/air>, under Air Links click on Asbestos NESHAP Program.

NESHAP Asbestos Program
 EGLE, AQD
 P.O. Box 30260
 Lansing, MI 48909-7760

517.284.6777 (Office)