



February 20, 2024

Cindy Tomaszewski
City of Cadillac
1121 Plett Rd
Cadillac, MI 49601

RE: Project: Effluent PFAS-Revised Report
Pace Project No.: 50364106

Dear Cindy Tomaszewski:

Enclosed are the analytical results for sample(s) received by the laboratory on January 24, 2024. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Minneapolis

This report replaces the one issued 2/16/24. It was revised at the request of the client to add a statement regarding PFAS method to the cover letter. JLR 2/20/24.

ENV-SOP-MIN4-0178 utilizes LC/MS/MS technology with quantification by isotope dilution, per USEPA Method 537.1.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Jennifer Rice for
Brian Hall
brian.hall@pacelabs.com
(616)975-4500
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



CERTIFICATIONS

Project: Effluent PFAS-Revised Report
Pace Project No.: 50364106

Pace Analytical Services, LLC - Minneapolis MN

1700 Elm Street SE, Minneapolis, MN 55414
A2LA Certification #: 2926.01
Alabama Certification #: 40770
Alaska Contaminated Sites Certification #: 17-009
Alaska DW Certification #: MN00064
Arizona Certification #: AZ0014
Arkansas DW Certification #: MN00064
Arkansas WW Certification #: 88-0680
California Certification #: 2929
Colorado Certification #: MN00064
Connecticut Certification #: PH-0256
EPA Region 8 Tribal Water Systems+Wyoming DW
Certification #: via MN 027-053-137
Florida Certification #: E87605
Georgia Certification #: 959
GMP+ Certification #: GMP050884
Hawaii Certification #: MN00064
Idaho Certification #: MN00064
Illinois Certification #: 200011
Indiana Certification #: C-MN-01
Iowa Certification #: 368
Kansas Certification #: E-10167
Kentucky DW Certification #: 90062
Kentucky WW Certification #: 90062
Louisiana DEQ Certification #: AI-03086
Louisiana DW Certification #: MN00064
Maine Certification #: MN00064
Maryland Certification #: 322
Michigan Certification #: 9909
Minnesota Certification #: 027-053-137
Minnesota Dept of Ag Approval: via MN 027-053-137
Minnesota Petrofund Registration #: 1240

Mississippi Certification #: MN00064
Missouri Certification #: 10100
Montana Certification #: CERT0092
Nebraska Certification #: NE-OS-18-06
Nevada Certification #: MN00064
New Hampshire Certification #: 2081
New Jersey Certification #: MN002
New York Certification #: 11647
North Carolina DW Certification #: 27700
North Carolina WW Certification #: 530
North Dakota Certification (A2LA) #: R-036
North Dakota Certification (MN) #: R-036
Ohio DW Certification #: 41244
Ohio VAP Certification (1700) #: CL101
Oklahoma Certification #: 9507
Oregon Primary Certification #: MN300001
Oregon Secondary Certification #: MN200001
Pennsylvania Certification #: 68-00563
Puerto Rico Certification #: MN00064
South Carolina Certification #: 74003001
Tennessee Certification #: TN02818
Texas Certification #: T104704192
Utah Certification #: MN00064
Vermont Certification #: VT-027053137
Virginia Certification #: 460163
Washington Certification #: C486
West Virginia DEP Certification #: 382
West Virginia DW Certification #: 9952 C
Wisconsin Certification #: 999407970
Wyoming UST Certification #: via A2LA 2926.01
USDA Permit #: P330-19-00208

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE SUMMARY

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50364106001	Effluent Duplic.	Water	01/23/24 13:07	01/24/24 11:15
50364106002	Effluent	Water	01/23/24 13:05	01/24/24 11:15
50364106003	Field Blank	Water	01/23/24 13:02	01/24/24 11:15

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SAMPLE ANALYTE COUNT

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50364106001	Effluent Duplic.	ENV-SOP-MIN4-0178	NBH	53	PASI-M
50364106002	Effluent	ENV-SOP-MIN4-0178	NBH	53	PASI-M
50364106003	Field Blank	ENV-SOP-MIN4-0178	NBH	53	PASI-M

PASI-M = Pace Analytical Services - Minneapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



SUMMARY OF DETECTION

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Lab Sample ID	Client Sample ID					
Method	Parameters	Result	Units	Report Limit	Analyzed	Qualifiers
50364106001	Effluent Duplic.					
ENV-SOP-MIN4-0178	NMeFOSAA	1.1J	ng/L	1.9	02/14/24 16:54	
ENV-SOP-MIN4-0178	Perfluorobutanesulfonic acid	22.9	ng/L	1.7	02/14/24 16:54	
ENV-SOP-MIN4-0178	Perfluorohexanoic acid	11.1	ng/L	1.9	02/14/24 16:54	
ENV-SOP-MIN4-0178	PFBA	4.2	ng/L	1.9	02/14/24 16:54	
ENV-SOP-MIN4-0178	PFPeA	1.4J	ng/L	1.9	02/14/24 16:54	
ENV-SOP-MIN4-0178	Perfluoroheptanoic acid	0.66J	ng/L	1.9	02/14/24 16:54	
ENV-SOP-MIN4-0178	Perfluorohexanesulfonic acid	1.1J	ng/L	1.7	02/14/24 16:54	
ENV-SOP-MIN4-0178	Perfluorooctanesulfonic acid	1.6J	ng/L	1.7	02/14/24 16:54	
ENV-SOP-MIN4-0178	Perfluorooctanoic acid	2.3	ng/L	1.9	02/14/24 16:54	
50364106002	Effluent					
ENV-SOP-MIN4-0178	NMeFOSAA	0.89J	ng/L	2.1	02/14/24 16:47	
ENV-SOP-MIN4-0178	Perfluorobutanesulfonic acid	22.7	ng/L	1.8	02/14/24 16:47	
ENV-SOP-MIN4-0178	Perfluorohexanoic acid	11.2	ng/L	2.1	02/14/24 16:47	
ENV-SOP-MIN4-0178	PFBA	3.4	ng/L	2.1	02/14/24 16:47	
ENV-SOP-MIN4-0178	PFPeA	1.8J	ng/L	2.1	02/14/24 16:47	
ENV-SOP-MIN4-0178	Perfluorohexanesulfonic acid	0.83J	ng/L	1.9	02/14/24 16:47	
ENV-SOP-MIN4-0178	Perfluorooctanesulfonic acid	1.5J	ng/L	1.9	02/14/24 16:47	
ENV-SOP-MIN4-0178	Perfluorooctanoic acid	2.3	ng/L	2.1	02/14/24 16:47	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Sample: Effluent Duplic. Lab ID: 50364106001 Collected: 01/23/24 13:07 Received: 01/24/24 11:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
PFAS ID NPW									
Analytical Method: ENV-SOP-MIN4-0178 Preparation Method: ENV-SOP-MIN4-0178									
Pace Analytical Services - Minneapolis									
11CI-PF3OUdS	<0.52	ng/L	1.8	0.52	1	02/12/24 09:05	02/14/24 16:54	763051-92-9	
4:2 FTS	<0.44	ng/L	1.8	0.44	1	02/12/24 09:05	02/14/24 16:54	757124-72-4	
6:2 FTS	<0.64	ng/L	1.8	0.64	1	02/12/24 09:05	02/14/24 16:54	27619-97-2	
8:2 FTS	<0.47	ng/L	1.8	0.47	1	02/12/24 09:05	02/14/24 16:54	39108-34-4	
9CI-PF3ONS	<0.44	ng/L	1.8	0.44	1	02/12/24 09:05	02/14/24 16:54	756426-58-1	
ADONA	<0.86	ng/L	1.8	0.86	1	02/12/24 09:05	02/14/24 16:54	919005-14-4	
HFPO-DA	<0.46	ng/L	1.9	0.46	1	02/12/24 09:05	02/14/24 16:54	13252-13-6	
NEtFOSAA	<0.77	ng/L	1.9	0.77	1	02/12/24 09:05	02/14/24 16:54	2991-50-6	
NMeFOSAA	1.1J	ng/L	1.9	0.65	1	02/12/24 09:05	02/14/24 16:54	2355-31-9	
Perfluorobutanesulfonic acid	22.9	ng/L	1.7	0.46	1	02/12/24 09:05	02/14/24 16:54	375-73-5	
Perfluorodecanoic acid	<0.57	ng/L	1.9	0.57	1	02/12/24 09:05	02/14/24 16:54	335-76-2	
Perfluorohexanoic acid	11.1	ng/L	1.9	0.86	1	02/12/24 09:05	02/14/24 16:54	307-24-4	
PFBA	4.2	ng/L	1.9	0.47	1	02/12/24 09:05	02/14/24 16:54	375-22-4	
PFDS	<0.60	ng/L	1.8	0.60	1	02/12/24 09:05	02/14/24 16:54	335-77-3	
PFHpS	<0.63	ng/L	1.8	0.63	1	02/12/24 09:05	02/14/24 16:54	375-92-8	
PFNS	<0.55	ng/L	1.8	0.55	1	02/12/24 09:05	02/14/24 16:54	68259-12-1	
PFOSA	<0.68	ng/L	1.9	0.68	1	02/12/24 09:05	02/14/24 16:54	754-91-6	
PFPeA	1.4J	ng/L	1.9	0.77	1	02/12/24 09:05	02/14/24 16:54	2706-90-3	
PFPeS	<0.57	ng/L	1.8	0.57	1	02/12/24 09:05	02/14/24 16:54	2706-91-4	
Perfluorododecanoic acid	<0.45	ng/L	1.9	0.45	1	02/12/24 09:05	02/14/24 16:54	307-55-1	
Perfluoroheptanoic acid	0.66J	ng/L	1.9	0.65	1	02/12/24 09:05	02/14/24 16:54	375-85-9	
Perfluorohexanesulfonic acid	1.1J	ng/L	1.7	0.50	1	02/12/24 09:05	02/14/24 16:54	355-46-4	
Perfluorononanoic acid	<0.75	ng/L	1.9	0.75	1	02/12/24 09:05	02/14/24 16:54	375-95-1	
Perfluorooctanesulfonic acid	1.6J	ng/L	1.7	0.63	1	02/12/24 09:05	02/14/24 16:54	1763-23-1	
Perfluorooctanoic acid	2.3	ng/L	1.9	0.81	1	02/12/24 09:05	02/14/24 16:54	335-67-1	
Perfluorotetradecanoic acid	<0.56	ng/L	1.9	0.56	1	02/12/24 09:05	02/14/24 16:54	376-06-7	
Perfluorotridecanoic acid	<0.59	ng/L	1.9	0.59	1	02/12/24 09:05	02/14/24 16:54	72629-94-8	
Perfluoroundecanoic acid	<0.46	ng/L	1.9	0.46	1	02/12/24 09:05	02/14/24 16:54	2058-94-8	
Surrogates									
13C26:2FTS (S)	215	%	50-150		1	02/12/24 09:05	02/14/24 16:54		S0
13C28:2FTS (S)	176	%	50-150		1	02/12/24 09:05	02/14/24 16:54		S0
13C24:2FTS (S)	144	%	50-150		1	02/12/24 09:05	02/14/24 16:54		
13C2-PFDoA (S)	77	%	50-150		1	02/12/24 09:05	02/14/24 16:54		
13C2PFHxDA (S)	50	%	50-150		1	02/12/24 09:05	02/14/24 16:54		
13C2-PFTA (S)	63	%	50-150		1	02/12/24 09:05	02/14/24 16:54		
13C3HFPO-DA (S)	48	%	50-150		1	02/12/24 09:05	02/14/24 16:54		S0
13C3-PFBS (S)	57	%	50-150		1	02/12/24 09:05	02/14/24 16:54	375-73-5	
13C3-PFHxS (S)	77	%	50-150		1	02/12/24 09:05	02/14/24 16:54	355-46-4	
13C4-PFBA (S)	50	%	50-150		1	02/12/24 09:05	02/14/24 16:54	375-22-4	
13C4-PFHxA (S)	81	%	50-150		1	02/12/24 09:05	02/14/24 16:54	375-85-9	
13C5-PFHxA (S)	84	%	50-150		1	02/12/24 09:05	02/14/24 16:54	307-24-4	
13C5-PFPeA (S)	47	%	50-150		1	02/12/24 09:05	02/14/24 16:54	2706-90-3	S0
13C6-PFDA (S)	81	%	50-150		1	02/12/24 09:05	02/14/24 16:54	335-76-2	
13C7-PFUdA (S)	75	%	50-150		1	02/12/24 09:05	02/14/24 16:54	2058-94-8	
13C8-PFOA (S)	75	%	50-150		1	02/12/24 09:05	02/14/24 16:54	335-67-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Sample: Effluent Duplic. Lab ID: 50364106001 Collected: 01/23/24 13:07 Received: 01/24/24 11:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

PFAS ID NPW

Analytical Method: ENV-SOP-MIN4-0178 Preparation Method: ENV-SOP-MIN4-0178

Pace Analytical Services - Minneapolis

Surrogates

13C8-PFOS (S)	74	%.	50-150		1	02/12/24 09:05	02/14/24 16:54	1763-23-1	
13C8-PFOA (S)	45	%.	50-150		1	02/12/24 09:05	02/14/24 16:54	754-91-6	S0
13C9-PFNA (S)	79	%.	50-150		1	02/12/24 09:05	02/14/24 16:54	375-95-1	
d3-MeFOSAA (S)	62	%.	50-150		1	02/12/24 09:05	02/14/24 16:54	2355-31-9	
d3-NMeFOSA (S)	21	%.	10-150		1	02/12/24 09:05	02/14/24 16:54	31506-32-8	
d5-EtFOSAA (S)	63	%.	50-150		1	02/12/24 09:05	02/14/24 16:54	2991-50-6	
d5-NEtFOSA (S)	19	%.	10-150		1	02/12/24 09:05	02/14/24 16:54	4151-50-2	
d7-NMeFOSE (S)	56	%.	10-150		1	02/12/24 09:05	02/14/24 16:54	24448-09-7	
d9-NEtFOSE (S)	44	%.	10-150		1	02/12/24 09:05	02/14/24 16:54	1691-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Sample: Effluent Lab ID: 50364106002 Collected: 01/23/24 13:05 Received: 01/24/24 11:15 Matrix: Water									
Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
PFAS ID NPW Analytical Method: ENV-SOP-MIN4-0178 Preparation Method: ENV-SOP-MIN4-0178 Pace Analytical Services - Minneapolis									
11CI-PF3OUdS	<0.57	ng/L	1.9	0.57	1	02/12/24 09:05	02/14/24 16:47	763051-92-9	
4:2 FTS	<0.48	ng/L	1.9	0.48	1	02/12/24 09:05	02/14/24 16:47	757124-72-4	
6:2 FTS	<0.70	ng/L	2.0	0.70	1	02/12/24 09:05	02/14/24 16:47	27619-97-2	
8:2 FTS	<0.52	ng/L	2.0	0.52	1	02/12/24 09:05	02/14/24 16:47	39108-34-4	
9CI-PF3ONS	<0.48	ng/L	1.9	0.48	1	02/12/24 09:05	02/14/24 16:47	756426-58-1	
ADONA	<0.95	ng/L	1.9	0.95	1	02/12/24 09:05	02/14/24 16:47	919005-14-4	
HFPO-DA	<0.51	ng/L	2.1	0.51	1	02/12/24 09:05	02/14/24 16:47	13252-13-6	
NEtFOSAA	<0.84	ng/L	2.1	0.84	1	02/12/24 09:05	02/14/24 16:47	2991-50-6	
NMeFOSAA	0.89J	ng/L	2.1	0.72	1	02/12/24 09:05	02/14/24 16:47	2355-31-9	
Perfluorobutanesulfonic acid	22.7	ng/L	1.8	0.50	1	02/12/24 09:05	02/14/24 16:47	375-73-5	
Perfluorodecanoic acid	<0.63	ng/L	2.1	0.63	1	02/12/24 09:05	02/14/24 16:47	335-76-2	
Perfluorohexanoic acid	11.2	ng/L	2.1	0.94	1	02/12/24 09:05	02/14/24 16:47	307-24-4	
PFBA	3.4	ng/L	2.1	0.51	1	02/12/24 09:05	02/14/24 16:47	375-22-4	
PFDS	<0.66	ng/L	2.0	0.66	1	02/12/24 09:05	02/14/24 16:47	335-77-3	
PFHpS	<0.69	ng/L	2.0	0.69	1	02/12/24 09:05	02/14/24 16:47	375-92-8	
PFNS	<0.60	ng/L	2.0	0.60	1	02/12/24 09:05	02/14/24 16:47	68259-12-1	
PFOSA	<0.74	ng/L	2.1	0.74	1	02/12/24 09:05	02/14/24 16:47	754-91-6	
PFPeA	1.8J	ng/L	2.1	0.85	1	02/12/24 09:05	02/14/24 16:47	2706-90-3	
PFPeS	<0.62	ng/L	1.9	0.62	1	02/12/24 09:05	02/14/24 16:47	2706-91-4	
Perfluorododecanoic acid	<0.49	ng/L	2.1	0.49	1	02/12/24 09:05	02/14/24 16:47	307-55-1	
Perfluoroheptanoic acid	<0.71	ng/L	2.1	0.71	1	02/12/24 09:05	02/14/24 16:47	375-85-9	
Perfluorohexanesulfonic acid	0.83J	ng/L	1.9	0.55	1	02/12/24 09:05	02/14/24 16:47	355-46-4	
Perfluorononanoic acid	<0.82	ng/L	2.1	0.82	1	02/12/24 09:05	02/14/24 16:47	375-95-1	
Perfluorooctanesulfonic acid	1.5J	ng/L	1.9	0.69	1	02/12/24 09:05	02/14/24 16:47	1763-23-1	
Perfluorooctanoic acid	2.3	ng/L	2.1	0.89	1	02/12/24 09:05	02/14/24 16:47	335-67-1	
Perfluorotetradecanoic acid	<0.62	ng/L	2.1	0.62	1	02/12/24 09:05	02/14/24 16:47	376-06-7	
Perfluorotridecanoic acid	<0.64	ng/L	2.1	0.64	1	02/12/24 09:05	02/14/24 16:47	72629-94-8	
Perfluoroundecanoic acid	<0.50	ng/L	2.1	0.50	1	02/12/24 09:05	02/14/24 16:47	2058-94-8	
Surrogates									
13C26:2FTS (S)	224	%	50-150		1	02/12/24 09:05	02/14/24 16:47		S0
13C28:2FTS (S)	187	%	50-150		1	02/12/24 09:05	02/14/24 16:47		S0
13C24:2FTS (S)	152	%	50-150		1	02/12/24 09:05	02/14/24 16:47		S0
13C2-PFDoA (S)	83	%	50-150		1	02/12/24 09:05	02/14/24 16:47		
13C2PFHxDA (S)	56	%	50-150		1	02/12/24 09:05	02/14/24 16:47		
13C2-PFTA (S)	66	%	50-150		1	02/12/24 09:05	02/14/24 16:47		
13C3HFPO-DA (S)	53	%	50-150		1	02/12/24 09:05	02/14/24 16:47		
13C3-PFBS (S)	62	%	50-150		1	02/12/24 09:05	02/14/24 16:47	375-73-5	
13C3-PFHxS (S)	82	%	50-150		1	02/12/24 09:05	02/14/24 16:47	355-46-4	
13C4-PFBA (S)	54	%	50-150		1	02/12/24 09:05	02/14/24 16:47	375-22-4	
13C4-PFHpA (S)	87	%	50-150		1	02/12/24 09:05	02/14/24 16:47	375-85-9	
13C5-PFHxA (S)	90	%	50-150		1	02/12/24 09:05	02/14/24 16:47	307-24-4	
13C5-PFPeA (S)	52	%	50-150		1	02/12/24 09:05	02/14/24 16:47	2706-90-3	
13C6-PFDA (S)	88	%	50-150		1	02/12/24 09:05	02/14/24 16:47	335-76-2	
13C7-PFUdA (S)	82	%	50-150		1	02/12/24 09:05	02/14/24 16:47	2058-94-8	
13C8-PFOA (S)	81	%	50-150		1	02/12/24 09:05	02/14/24 16:47	335-67-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Sample: Effluent Lab ID: 50364106002 Collected: 01/23/24 13:05 Received: 01/24/24 11:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
PFAS ID NPW									
Analytical Method: ENV-SOP-MIN4-0178 Preparation Method: ENV-SOP-MIN4-0178									
Pace Analytical Services - Minneapolis									
Surrogates									
13C8-PFOS (S)	82	%.	50-150		1	02/12/24 09:05	02/14/24 16:47	1763-23-1	
13C8-PFOA (S)	48	%.	50-150		1	02/12/24 09:05	02/14/24 16:47	754-91-6	S0
13C9-PFNA (S)	83	%.	50-150		1	02/12/24 09:05	02/14/24 16:47	375-95-1	
d3-MeFOSAA (S)	69	%.	50-150		1	02/12/24 09:05	02/14/24 16:47	2355-31-9	
d3-NMeFOSA (S)	27	%.	10-150		1	02/12/24 09:05	02/14/24 16:47	31506-32-8	
d5-EtFOSAA (S)	68	%.	50-150		1	02/12/24 09:05	02/14/24 16:47	2991-50-6	
d5-NEtFOSA (S)	23	%.	10-150		1	02/12/24 09:05	02/14/24 16:47	4151-50-2	
d7-NMeFOSE (S)	60	%.	10-150		1	02/12/24 09:05	02/14/24 16:47	24448-09-7	
d9-NEtFOSE (S)	56	%.	10-150		1	02/12/24 09:05	02/14/24 16:47	1691-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Sample: Field Blank Lab ID: 50364106003 Collected: 01/23/24 13:02 Received: 01/24/24 11:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
PFAS ID NPW									
Analytical Method: ENV-SOP-MIN4-0178 Preparation Method: ENV-SOP-MIN4-0178									
Pace Analytical Services - Minneapolis									
11CI-PF3OUdS	<0.52	ng/L	1.8	0.52	1	02/12/24 09:05	02/14/24 16:40	763051-92-9	
4:2 FTS	<0.44	ng/L	1.8	0.44	1	02/12/24 09:05	02/14/24 16:40	757124-72-4	
6:2 FTS	<0.63	ng/L	1.8	0.63	1	02/12/24 09:05	02/14/24 16:40	27619-97-2	
8:2 FTS	<0.47	ng/L	1.8	0.47	1	02/12/24 09:05	02/14/24 16:40	39108-34-4	
9CI-PF3ONS	<0.44	ng/L	1.7	0.44	1	02/12/24 09:05	02/14/24 16:40	756426-58-1	
ADONA	<0.86	ng/L	1.8	0.86	1	02/12/24 09:05	02/14/24 16:40	919005-14-4	
HFPO-DA	<0.46	ng/L	1.9	0.46	1	02/12/24 09:05	02/14/24 16:40	13252-13-6	
NEtFOSAA	<0.76	ng/L	1.9	0.76	1	02/12/24 09:05	02/14/24 16:40	2991-50-6	
NMeFOSAA	<0.65	ng/L	1.9	0.65	1	02/12/24 09:05	02/14/24 16:40	2355-31-9	
Perfluorobutanesulfonic acid	<0.45	ng/L	1.7	0.45	1	02/12/24 09:05	02/14/24 16:40	375-73-5	
Perfluorodecanoic acid	<0.57	ng/L	1.9	0.57	1	02/12/24 09:05	02/14/24 16:40	335-76-2	
Perfluorohexanoic acid	<0.85	ng/L	1.9	0.85	1	02/12/24 09:05	02/14/24 16:40	307-24-4	
PFBA	<0.47	ng/L	1.9	0.47	1	02/12/24 09:05	02/14/24 16:40	375-22-4	
PFDS	<0.60	ng/L	1.8	0.60	1	02/12/24 09:05	02/14/24 16:40	335-77-3	
PFHpS	<0.63	ng/L	1.8	0.63	1	02/12/24 09:05	02/14/24 16:40	375-92-8	
PFNS	<0.55	ng/L	1.8	0.55	1	02/12/24 09:05	02/14/24 16:40	68259-12-1	
PFOSA	<0.67	ng/L	1.9	0.67	1	02/12/24 09:05	02/14/24 16:40	754-91-6	
PFPeA	<0.77	ng/L	1.9	0.77	1	02/12/24 09:05	02/14/24 16:40	2706-90-3	
PFPeS	<0.56	ng/L	1.8	0.56	1	02/12/24 09:05	02/14/24 16:40	2706-91-4	
Perfluorododecanoic acid	<0.45	ng/L	1.9	0.45	1	02/12/24 09:05	02/14/24 16:40	307-55-1	
Perfluoroheptanoic acid	<0.65	ng/L	1.9	0.65	1	02/12/24 09:05	02/14/24 16:40	375-85-9	
Perfluorohexanesulfonic acid	<0.50	ng/L	1.7	0.50	1	02/12/24 09:05	02/14/24 16:40	355-46-4	
Perfluorononanoic acid	<0.74	ng/L	1.9	0.74	1	02/12/24 09:05	02/14/24 16:40	375-95-1	
Perfluorooctanesulfonic acid	<0.62	ng/L	1.7	0.62	1	02/12/24 09:05	02/14/24 16:40	1763-23-1	
Perfluorooctanoic acid	<0.81	ng/L	1.9	0.81	1	02/12/24 09:05	02/14/24 16:40	335-67-1	
Perfluorotetradecanoic acid	<0.56	ng/L	1.9	0.56	1	02/12/24 09:05	02/14/24 16:40	376-06-7	
Perfluorotridecanoic acid	<0.58	ng/L	1.9	0.58	1	02/12/24 09:05	02/14/24 16:40	72629-94-8	
Perfluoroundecanoic acid	<0.46	ng/L	1.9	0.46	1	02/12/24 09:05	02/14/24 16:40	2058-94-8	
Surrogates									
13C26:2FTS (S)	95	%	50-150		1	02/12/24 09:05	02/14/24 16:40		
13C28:2FTS (S)	94	%	50-150		1	02/12/24 09:05	02/14/24 16:40		
13C24:2FTS (S)	83	%	50-150		1	02/12/24 09:05	02/14/24 16:40		
13C2-PFDoA (S)	90	%	50-150		1	02/12/24 09:05	02/14/24 16:40		
13C2PFHxDA (S)	74	%	50-150		1	02/12/24 09:05	02/14/24 16:40		
13C2-PFTA (S)	83	%	50-150		1	02/12/24 09:05	02/14/24 16:40		
13C3HFPO-DA (S)	85	%	50-150		1	02/12/24 09:05	02/14/24 16:40		
13C3-PFBS (S)	94	%	50-150		1	02/12/24 09:05	02/14/24 16:40	375-73-5	
13C3-PFHxS (S)	94	%	50-150		1	02/12/24 09:05	02/14/24 16:40	355-46-4	
13C4-PFBA (S)	87	%	50-150		1	02/12/24 09:05	02/14/24 16:40	375-22-4	
13C4-PFHpA (S)	96	%	50-150		1	02/12/24 09:05	02/14/24 16:40	375-85-9	
13C5-PFHxA (S)	94	%	50-150		1	02/12/24 09:05	02/14/24 16:40	307-24-4	
13C5-PFPeA (S)	91	%	50-150		1	02/12/24 09:05	02/14/24 16:40	2706-90-3	
13C6-PFDA (S)	86	%	50-150		1	02/12/24 09:05	02/14/24 16:40	335-76-2	
13C7-PFUdA (S)	85	%	50-150		1	02/12/24 09:05	02/14/24 16:40	2058-94-8	
13C8-PFOA (S)	101	%	50-150		1	02/12/24 09:05	02/14/24 16:40	335-67-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



ANALYTICAL RESULTS

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

Sample: Field Blank Lab ID: 50364106003 Collected: 01/23/24 13:02 Received: 01/24/24 11:15 Matrix: Water

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
------------	---------	-------	-----	-----	----	----------	----------	---------	------

PFAS ID NPW

Analytical Method: ENV-SOP-MIN4-0178 Preparation Method: ENV-SOP-MIN4-0178

Pace Analytical Services - Minneapolis

Surrogates

13C8-PFOS (S)	93	%.	50-150		1	02/12/24 09:05	02/14/24 16:40	1763-23-1	
13C8-PFOA (S)	77	%.	50-150		1	02/12/24 09:05	02/14/24 16:40	754-91-6	
13C9-PFNA (S)	96	%.	50-150		1	02/12/24 09:05	02/14/24 16:40	375-95-1	
d3-MeFOSAA (S)	74	%.	50-150		1	02/12/24 09:05	02/14/24 16:40	2355-31-9	
d3-NMeFOSA (S)	55	%.	10-150		1	02/12/24 09:05	02/14/24 16:40	31506-32-8	
d5-EtFOSAA (S)	77	%.	50-150		1	02/12/24 09:05	02/14/24 16:40	2991-50-6	
d5-NEtFOSA (S)	52	%.	10-150		1	02/12/24 09:05	02/14/24 16:40	4151-50-2	
d7-NMeFOSE (S)	78	%.	10-150		1	02/12/24 09:05	02/14/24 16:40	24448-09-7	
d9-NEtFOSE (S)	73	%.	10-150		1	02/12/24 09:05	02/14/24 16:40	1691-99-2	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

QC Batch: 930861 Analysis Method: ENV-SOP-MIN4-0178
QC Batch Method: ENV-SOP-MIN4-0178 Analysis Description: PFAS Compounds, Water
Laboratory: Pace Analytical Services - Minneapolis
Associated Lab Samples: 50364106001, 50364106002, 50364106003

METHOD BLANK: 4882870 Matrix: Water

Associated Lab Samples: 50364106001, 50364106002, 50364106003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
11CI-PF3OUdS	ng/L	<0.53	1.8	0.53	02/14/24 16:04	
4:2 FTS	ng/L	<0.44	1.8	0.44	02/14/24 16:04	
6:2 FTS	ng/L	<0.64	1.8	0.64	02/14/24 16:04	
8:2 FTS	ng/L	<0.48	1.8	0.48	02/14/24 16:04	
9CI-PF3ONS	ng/L	<0.45	1.8	0.45	02/14/24 16:04	
ADONA	ng/L	<0.87	1.8	0.87	02/14/24 16:04	
HFPO-DA	ng/L	<0.47	1.9	0.47	02/14/24 16:04	
NETFOSAA	ng/L	<0.78	1.9	0.78	02/14/24 16:04	
NMeFOSAA	ng/L	<0.66	1.9	0.66	02/14/24 16:04	
Perfluorobutanesulfonic acid	ng/L	<0.46	1.7	0.46	02/14/24 16:04	
Perfluorodecanoic acid	ng/L	<0.58	1.9	0.58	02/14/24 16:04	
Perfluorododecanoic acid	ng/L	<0.46	1.9	0.46	02/14/24 16:04	
Perfluoroheptanoic acid	ng/L	<0.65	1.9	0.65	02/14/24 16:04	
Perfluorohexanesulfonic acid	ng/L	<0.50	1.7	0.50	02/14/24 16:04	
Perfluorohexanoic acid	ng/L	<0.86	1.9	0.86	02/14/24 16:04	
Perfluorononanoic acid	ng/L	<0.75	1.9	0.75	02/14/24 16:04	
Perfluorooctanesulfonic acid	ng/L	<0.63	1.8	0.63	02/14/24 16:04	
Perfluorooctanoic acid	ng/L	<0.82	1.9	0.82	02/14/24 16:04	
Perfluorotetradecanoic acid	ng/L	<0.57	1.9	0.57	02/14/24 16:04	
Perfluorotridecanoic acid	ng/L	<0.59	1.9	0.59	02/14/24 16:04	
Perfluoroundecanoic acid	ng/L	<0.46	1.9	0.46	02/14/24 16:04	
PFBA	ng/L	<0.47	1.9	0.47	02/14/24 16:04	
PFDS	ng/L	<0.61	1.8	0.61	02/14/24 16:04	
PFHpS	ng/L	<0.63	1.8	0.63	02/14/24 16:04	
PFNS	ng/L	<0.56	1.8	0.56	02/14/24 16:04	
PFOSA	ng/L	<0.68	1.9	0.68	02/14/24 16:04	
PFPeA	ng/L	<0.78	1.9	0.78	02/14/24 16:04	
PFPeS	ng/L	<0.57	1.8	0.57	02/14/24 16:04	
13C2-PFDoA (S)	%	103	50-150		02/14/24 16:04	
13C2-PFTA (S)	%	97	50-150		02/14/24 16:04	
13C24:2FTS (S)	%	101	50-150		02/14/24 16:04	
13C26:2FTS (S)	%	121	50-150		02/14/24 16:04	
13C28:2FTS (S)	%	108	50-150		02/14/24 16:04	
13C2PFHxDA (S)	%	70	50-150		02/14/24 16:04	
13C3-PFBS (S)	%	101	50-150		02/14/24 16:04	
13C3-PFHxS (S)	%	103	50-150		02/14/24 16:04	
13C3HFPO-DA (S)	%	95	50-150		02/14/24 16:04	
13C4-PFBA (S)	%	95	50-150		02/14/24 16:04	
13C4-PFHpA (S)	%	103	50-150		02/14/24 16:04	
13C5-PFHxA (S)	%	102	50-150		02/14/24 16:04	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Effluent PFAS-Revised Report
Pace Project No.: 50364106

METHOD BLANK: 4882870

Matrix: Water

Associated Lab Samples: 50364106001, 50364106002, 50364106003

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
13C5-PFPeA (S)	%.	99	50-150		02/14/24 16:04	
13C6-PFDA (S)	%.	103	50-150		02/14/24 16:04	
13C7-PFUDa (S)	%.	98	50-150		02/14/24 16:04	
13C8-PFOA (S)	%.	103	50-150		02/14/24 16:04	
13C8-PFOS (S)	%.	99	50-150		02/14/24 16:04	
13C8-PFOSA (S)	%.	93	50-150		02/14/24 16:04	
13C9-PFNA (S)	%.	107	50-150		02/14/24 16:04	
d3-MeFOSAA (S)	%.	94	50-150		02/14/24 16:04	
d3-NMeFOSA (S)	%.	23	10-150		02/14/24 16:04	
d5-EtFOSAA (S)	%.	87	50-150		02/14/24 16:04	
d5-NEtFOSA (S)	%.	17	10-150		02/14/24 16:04	
d7-NMeFOSE (S)	%.	74	10-150		02/14/24 16:04	
d9-NEtFOSE (S)	%.	78	10-150		02/14/24 16:04	

LABORATORY CONTROL SAMPLE & LCSD: 4882871

4882872

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
11CI-PF3OUdS	ng/L	3.7	2.9	3.1	79	84	70-140	5	30	
4:2 FTS	ng/L	3.6	3.4	3.5	93	96	63-143	4	30	
6:2 FTS	ng/L	3.7	3.6	3.1	98	85	64-140	15	30	
8:2 FTS	ng/L	3.7	3.0	3.1	81	83	67-138	3	30	
9CI-PF3ONS	ng/L	3.6	3.3	3.3	91	91	70-140	0	30	
ADONA	ng/L	3.7	3.1	3.3	85	88	70-140	4	30	
HFPO-DA	ng/L	3.9	3.6	3.5	92	90	70-140	2	30	
NEtFOSAA	ng/L	3.9	3.5	3.7	90	95	61-135	6	30	
NMeFOSAA	ng/L	3.9	3.7	3.6	95	92	65-136	2	30	
Perfluorobutanesulfonic acid	ng/L	3.4	3.1	3.2	91	93	72-130	3	30	
Perfluorodecanoic acid	ng/L	3.9	3.9	3.3	100	84	71-129	17	30	
Perfluorododecanoic acid	ng/L	3.9	3.5	3.7	90	94	72-134	5	30	
Perfluoroheptanoic acid	ng/L	3.9	3.5	3.5	89	91	72-130	2	30	
Perfluorohexanesulfonic acid	ng/L	3.6	3.2	3.2	89	89	68-131	0	30	
Perfluorohexanoic acid	ng/L	3.9	3.5	3.5	89	90	72-129	0	30	
Perfluorononanoic acid	ng/L	3.9	3.6	3.6	93	92	69-130	2	30	
Perfluorooctanesulfonic acid	ng/L	3.6	3.4	3.1	94	86	65-140	9	30	
Perfluorooctanoic acid	ng/L	3.9	3.5	3.7	90	95	71-133	6	30	
Perfluorotetradecanoic acid	ng/L	3.9	3.6	3.5	92	89	71-132	2	30	
Perfluorotridecanoic acid	ng/L	3.9	3.4	3.4	86	88	65-144	2	30	
Perfluoroundecanoic acid	ng/L	3.9	3.6	3.4	92	86	69-133	6	30	
PFBA	ng/L	3.9	3.6	3.6	92	91	73-129	1	30	
PFDS	ng/L	3.8	3.2	2.9	85	76	53-142	10	30	
PFHpS	ng/L	3.7	3.4	3.4	91	92	69-134	1	30	
PFNS	ng/L	3.7	2.9	3.8	77	102	69-127	29	30	
PFOSA	ng/L	3.9	3.4	3.5	87	89	67-137	2	30	
PFPeA	ng/L	3.9	3.5	3.6	91	92	72-129	2	30	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA

Project: Effluent PFAS-Revised Report

Pace Project No.: 50364106

LABORATORY CONTROL SAMPLE & LCSD: 4882871			4882872				% Rec Limits	RPD	Max RPD	Qualifiers
Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec				
PFPeS	ng/L	3.7	3.3	3.3	90	89	71-127	1	30	
13C2-PFD _o A (S)	%.				101	96	50-150			
13C2-PFTA (S)	%.				87	88	50-150			
13C24:2FTS (S)	%.				90	88	50-150			
13C26:2FTS (S)	%.				100	105	50-150			
13C28:2FTS (S)	%.				88	90	50-150			
13C2PFHxDA (S)	%.				68	69	50-150			
13C3-PFBS (S)	%.				96	94	50-150			
13C3-PFHxS (S)	%.				96	95	50-150			
13C3HFPO-DA (S)	%.				93	91	50-150			
13C4-PFBA (S)	%.				90	90	50-150			
13C4-PFH _p A (S)	%.				98	97	50-150			
13C5-PFHxA (S)	%.				97	96	50-150			
13C5-PFPeA (S)	%.				95	94	50-150			
13C6-PFDA (S)	%.				91	98	50-150			
13C7-PFUdA (S)	%.				88	94	50-150			
13C8-PFOA (S)	%.				103	102	50-150			
13C8-PFOS (S)	%.				96	97	50-150			
13C8-PFOSA (S)	%.				89	89	50-150			
13C9-PFNA (S)	%.				97	97	50-150			
d3-MeFOSAA (S)	%.				81	85	50-150			
d3-NMeFOSA (S)	%.				36	38	10-150			
d5-EtFOSAA (S)	%.				84	79	50-150			
d5-NEtFOSA (S)	%.				34	32	10-150			
d7-NMeFOSE (S)	%.				76	79	10-150			
d9-NEtFOSE (S)	%.				76	77	10-150			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALIFIERS

Project: Effluent PFAS-Revised Report
Pace Project No.: 50364106

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.
ND - Not Detected at or above adjusted reporting limit.
TNTC - Too Numerous To Count
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.
MDL - Adjusted Method Detection Limit.
PQL - Practical Quantitation Limit.
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.
S - Surrogate
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.
LCS(D) - Laboratory Control Sample (Duplicate)
MS(D) - Matrix Spike (Duplicate)
DUP - Sample Duplicate
RPD - Relative Percent Difference
NC - Not Calculable.
SG - Silica Gel - Clean-Up
U - Indicates the compound was analyzed for, but not detected.
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.
Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.
TNI - The NELAC Institute.

ANALYTE QUALIFIERS

S0 Surrogate recovery outside laboratory control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Effluent PFAS-Revised Report
Pace Project No.: 50364106

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50364106001	Effluent Duplic.	ENV-SOP-MIN4-0178	930861	ENV-SOP-MIN4-0178	932116
50364106002	Effluent	ENV-SOP-MIN4-0178	930861	ENV-SOP-MIN4-0178	932116
50364106003	Field Blank	ENV-SOP-MIN4-0178	930861	ENV-SOP-MIN4-0178	932116

REPORT OF LABORATORY ANALYSIS

CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-Custody is a LEGAL DOCUMENT - Complete all relevant fields

LAB USE ONLY - Affix Workorder/Login Label Here

WO#: 50364106



50364106

Project Name: Effluent PFAS						Invoice To: Cindy Tomaszewski Invoice E-Mail: ctomaszewski@cadillac-mi.net Purchase Order # (if applicable): Quote #:											
Site Collection Info/Facility ID (as applicable):						County / State origin of sample(s): Michigan Reportable [] Yes [] No											
Time Zone Collected: [] AK [] PT [] MT [] CT [X] ET						Regulatory Program (DW, RCRA, etc.) as applicable: NPDES											
Data Deliverables: [] Level II [] Level III [] Level IV [] EQUIS						Rush (Pre-approval required): [] Same Day [] 1 Day [] 2 Day [] 3 Day [] Other _____											
Requested: [] Other _____						Field Filtered (if applicable): [] Yes [X] No											
* Matrix Codes (Insert in Matrix box below): Drinking Water (GW), Waste Water (WW), Product (P), Soil/Solid (SS), Oil (OL), Wipe (WP), Tissue (TS), Bioassay (B), Vapor (V), Surface Water (SW), Sediment (SED), Sludge (SL), Cask (CK), Leachate (LL), Biosolid (BS), Other (OT)																	
Customer Sample ID						Matrix *		Comp / Grab		Composite Start		Collected or Composite End		# Cont.		Res. Chlorine Results Units	
Effluent Duplic.						WT 9		1-23-24 1307						2			
Effluent						WT 9		1-23-24 1305						2			
Field Blank						WT 9		1-23-24 1302						1			
Additional Instructions from Pace*:																	
Collected By: TAYSHA LUCZKO Signature: T. Luczko																	
Relinquished by Company: Signature) T. Luczko / City of Cadillac						Date/Time: 1-23-24 / 1320						Received by/Company: Signature) Ship via UPS Ground D. Sh / Pace					
Relinquished by Company: Signature)						Date/Time:						Received by/Company: Signature)					
Relinquished by Company: Signature)						Date/Time:						Received by/Company: Signature)					
Relinquished by Company: Signature)						Date/Time:						Received by/Company: Signature)					



Sample Conditions Upon Receipt Form (SCUR)

Date/Time: <u>1/24 1128</u>		Evaluated By: <u>DAS</u>		WO#: 50364106 PM: BJH Due Date: 02/22/24 CLIENT: GR-Cadillac	
Client: <u>City of Cadillac</u>		PM: <u>BJH</u>			
Lab Notified of Rush or Short Holds: YES NO <u>NA</u>					
Project Received Via: FedEx <u>UPS</u> Client Pace Courier Other: _____				Comments:	
Custody Seal Present and Intact:		YES	NO	<u>NA</u>	
Received Sample Information Form (SIF): Drinking Waters Only		YES	NO	<u>NA</u>	
Short Hold Present (≤ 48 Hours):		YES	<u>NO</u>		
Sample Received in Hold:		<u>YES</u>	NO		
Custody Signature Present:		<u>YES</u>	NO		
Collector Signature Present:		<u>YES</u>	NO		
Sample Collected Today and On Ice:		YES	NO	<u>N/A</u>	
IR Gun #: <u>350</u> 351 Therm #: 282 283		Temp. should be 0°C - 6°C (Initial/Corrected)			
Ice Type: WET Bagged / WET <u>Loose</u> BLUE NONE		1. Cooler Temp. Upon Receipt: <u>1.9/1.5</u> °C			
Ice Location: TOP <u>BOTTOM</u> MIDDLE DISPERSED		2. Cooler Temp. Upon Receipt: _____ °C			
Temp Blank Received:		<u>YES</u>	NO		
Sample Label Matches COC (ID/Date/Time):		<u>YES</u>	NO		
Container Intact:		<u>YES</u>	NO		
Correct Container:		<u>YES</u>	NO		
Sufficient Volume:		<u>YES</u>	NO		
Sample pH Acceptable: All containers needing preservation are found to be in compliance with EPA recommendation. Denote with red dot on container lid if unacceptable. pH Strip Lot #: _____ Exceptions are VOA, coliform, LLHg, O&G/TPH, or any container with a septum cap or preserved with HCl		YES	NO	<u>N/A</u>	
Residual Chlorine Absent: Cl ₂ Strip Lot #: _____ Applies to SVOC 625, PCB/Pest. 608, Total/Amenable/Available/Free Cyanide		YES	NO	<u>N/A</u>	
VOA Headspace Acceptable (<6mm): Denote with silver x on rim of container cap if unacceptable.		YES	NO	<u>N/A</u>	
Trip Blank Received: HCl MeOH Other: _____		YES	<u>NO</u>	ON HOLD	
Comments:		3. Cooler Temp. Upon Receipt: _____ °C			
		4. Cooler Temp. Upon Receipt: _____ °C			
		Non-Conformance Form Required: YES <u>NO</u>			