

SAFETY DATA SHEET



Date Prepared : 11/10/2015
SDS No : AFM-07-030-A

FOAM RID 30

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: FOAM RID 30

PRODUCT DESCRIPTION: Proprietary Water-based Defoaming Formulation

SUPPLIER

Broadmoor Products, Inc.
4201 Brockton Drive, S.E.
Grand Rapids, MI 49512
Customer Service: (616) 285-6440

24 HR. EMERGENCY TELEPHONE NUMBER

P.E.R.S. (US Transportation/ Spill): (800) 633-8253

For after-hours transportation and spill emergencies only.
Direct all other calls to the Customer Service number at left.

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

No Classifiable Hazards according to OSHA 2012 Hazard Communication Standard

While this material is not considered hazardous according to the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information essential to the safe handling and proper use of the product. This SDS should be retained and made available for employees and other users of this product.

GHS LABEL

NON HAZARDOUS

NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDATIONS FOR USE ARE FOLLOWED.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Milky white liquid

IMMEDIATE CONCERNS:

OSHA HAZARDS

Prolonged or repeated eye contact may cause mild eye irritation.

COMMENTS: See Section 11: TOXICOLOGICAL INFORMATION.

Hazards Not Otherwise Classified: None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Contains no hazardous ingredients as defined by the OSHA Hazardous Communication Standard (29 CFR 1910.1200)	---	proprietary

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and eyelid tissues. Remove contact lenses, if present, after the first minute of flushing. "Roll" eyes to fully expose eye surfaces to

irrigation. SEEK PROMPT MEDICAL ADVICE / ATTENTION IF CONTACT WAS PROLONGED OR IF IRRITATION DEVELOPS AND PERSISTS.

SKIN: Promptly and thoroughly wash contaminated areas with plenty of water, followed by washing with soap and water. Remove all contaminated clothing, jewelry, and shoes. Thoroughly wash and dry contaminated clothing before re-use. Unlikely to cause any serious skin effects, but if irritation or other adverse symptoms develop, PROMPTLY SEEK MEDICAL ADVICE / ATTENTION.

INGESTION: If swallowed, DO NOT induce vomiting. Never give anything by mouth to an unconscious or convulsing person. If victim is conscious and able to swallow, immediately rinse out mouth with water, and then give a glass of water to drink. If vomiting occurs spontaneously, keep airway clear. OBTAIN MEDICAL ADVICE/ EVALUATION TO DETERMINE IF FURTHER MEDICAL ATTENTION IS NEEDED.

INHALATION: If adverse effects from inhalation of misted material or vapors occur, remove to fresh air. Call a physician or seek medical attention if symptoms are severe or persist. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer basic life support (cardiopulmonary resuscitation with rescuer protection and/or Automatic External Defibrillator) as soon as possible, and CALL FOR EMERGENCY MEDICAL SERVICES IMMEDIATELY.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: May include slight discomfort, possibly with tearing and irritation.

SKIN: Not expected to cause any significant skin irritation.

INGESTION: May be irritating to the mucous membranes of the mouth, throat, and stomach. May cause gastrointestinal symptoms such as nausea, vomiting, and diarrhea.

INHALATION: Inhalation of mists and sprays of concentrated product solutions may cause slight irritation of the upper respiratory tract, with symptoms such as runny nose and coughing.

NOTES TO PHYSICIAN: Treatment of overexposure should be directed toward the control of symptoms and the clinical condition of the patient. Treat symptomatically and supportively.

COMMENTS: Refer to Section 2 (Hazards) and Section 11 (Toxicological Information) for full description of symptoms of overexposure.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: Not combustible unless evaporated to dryness.

GENERAL HAZARD: Spilled material may produce slippery surfaces.

EXTINGUISHING MEDIA: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide as appropriate to extinguish surrounding fire. Use water spray to cool fire-exposed containers.

HAZARDOUS COMBUSTION PRODUCTS: Ignition of evaporated residues produces fumes and smoke containing carbon monoxide, carbon dioxide, and oxides of silicon.

EXPLOSION HAZARDS: Not applicable

FIRE FIGHTING PROCEDURES: Attempt to minimize entry of fire run-off into drains, storm sewers, and natural waterways.

FIRE FIGHTING EQUIPMENT: Wear full turn-out gear and SCBA with full face protection when fighting fires involving industrial chemicals.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wear appropriate Personal Protective Equipment (as described in Section 8 of the SDS) to prevent any contact with eyes, skin, and clothing. Avoid stepping in material, which may produce slippery surfaces and cause a slip-and-fall hazard. Absorb spill with suitable absorbent (e.g., sand, pet litter, universal absorbent, diatomaceous earth, etc.) Collect in suitable and properly labeled containers for proper disposal. Use of detergents with scrubbing may be necessary to remove final residues, which should be mopped up or flushed to sanitary sewer with plenty of water.

LARGE SPILL: Wear appropriate Personal Protective Equipment (as described in Section 8 of the SDS) to prevent any contact with eyes, skin, and clothing. Ensure adequate ventilation. Caution! Spilled material may produce slippery surfaces. Completely contain spilled material with absorbent socks, dikes of sand or earth, etc., to prevent entry into drains, storm sewers, and natural waterways. Consider use of a suitable vacuum or pump to collect as much material as possible in a suitable clean container for use as intended. Absorb remainder of spill with suitable absorbent (e.g., sand, pet litter, universal absorbent, diatomaceous earth, etc.). Collect in suitable and properly labeled containers for proper disposal. Use of detergents with scrubbing may be necessary to remove final residues, which should be mopped up or flushed to sanitary sewer with plenty of water.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Always wear the recommended Personal Protective Equipment when handling this material to avoid any contact with eyes, skin, and clothing. (See Section 8). Avoid breathing spray mists or vapors from the product. Wash thoroughly with soap and water after handling.

HANDLING: Handle and open container with care. Follow all SDS/label precautions even after container is emptied because of retained product residues.

STORAGE: Store at temperatures above 32°F (0°C) to prevent freezing. Protect from exposure to heat sources and high temperatures (greater than 120°F / 50°C). Store away from concentrated strong acids, strong oxidizers, and other incompatible materials.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: General ventilation should be sufficient for most operations unless mists and aerosols are formed by spray applications.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Wear safety glasses with side shields or chemical goggles.

SKIN: Wearing appropriate impervious gloves is recommended.

RESPIRATORY: Use of respiratory protection is usually not required. However, if use conditions generate heavy mists from the material, and when ventilation is inadequate or where symptoms of overexposure are occurring, wear properly fitted NIOSH-approved respiratory equipment for protection against mists / dusts.

PROTECTIVE CLOTHING: Consider wearing an impervious poly or rubber apron or other protective outerwear when contact with the product is likely. Contaminated clothing should be immediately removed and laundered before re-use.

WORK HYGIENIC PRACTICES: Always use the recommended personal protective equipment to prevent any contact with eyes and skin. Wash skin and contaminated clothing thoroughly after handling. Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practices.

OTHER USE PRECAUTIONS: A safety shower and eye wash fountain or adequate source of water should be located nearby.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Mild odor

ODOR THRESHOLD: Not Established

APPEARANCE: Milky white liquid

pH: 5.0 to 9.0 (neat liquid)

FLASH POINT AND METHOD: >200°F

FLAMMABLE LIMITS: Not available.

Notes: Evaporated material will burn and produce hazardous vapors and fumes in a fire.

AUTOIGNITION TEMPERATURE: Not determined

VAPOR PRESSURE: Not determined

VAPOR DENSITY: 1 (air = 1)

BOILING POINT: ≥ 212°F / 100°C

FREEZING POINT: approx. 32°F / 0°C

THERMAL DECOMPOSITION TEMPERATURE: Not determined

SOLUBILITY IN WATER: Dispersible in water

PARTITION COEFFICIENT: N-OCTANOL/WATER: Not Established

EVAPORATION RATE: Not determined

DENSITY: Approximately the same density as water

SPECIFIC GRAVITY: 0.99-1.02

10. STABILITY AND REACTIVITY

REACTIVITY: No

HAZARDOUS POLYMERIZATION: No

STABILITY: Stable

CONDITIONS TO AVOID: Avoid heating to temperatures above 250°F / 120°C, or application where material will contact extremely hot surfaces (>300°F / 150°C). Protect from freezing. Avoid prolonged storage at extremes of temperature (below

40°F / 4°C and above 110°F / 44°C).

POSSIBILITY OF HAZARDOUS REACTIONS: Can react with strong oxidizing agents.

HAZARDOUS DECOMPOSITION PRODUCTS: Ignition of evaporated residues produces fumes and smoke containing carbon monoxide, carbon dioxide, and oxides of silicon.

INCOMPATIBLE MATERIALS: Strong oxidizers. Concentrated strong acids. Water reactive materials.

11. TOXICOLOGICAL INFORMATION

ACUTE

DERMAL LD₅₀: No quantitative testing data are available for the product as a whole. Not classified as a dermal toxicant based on available information.

SKIN ABSORPTION: No harmful skin absorption effects recorded.

ORAL LD₅₀: No quantitative testing data are available for the product. Not classified as a oral toxicant based on available information.

INHALATION LC₅₀: No inhalation toxicity data are available for the product as a whole. Not classified as an inhalation toxicant based on available information.

EYE EFFECTS: Not considered a primary eye irritant. Prolonged contact with concentrated product may cause mild eye irritation and discomfort.

SKIN EFFECTS: No skin irritation effects reported for any of the components present at ≥0.1%, or for similar products.

CARCINOGENICITY

IARC: No component of this product present at levels greater than or equal to 0.1% is listed as a probable or confirmed human carcinogen by the International Agency for Research on Cancer.

NTP: No component of this product present at levels greater than or equal to 0.1% is listed as a probable or confirmed human carcinogen by the National Toxicology Program.

OSHA: No component of this product present at levels greater than or equal to 0.1% is listed as a probable or confirmed human carcinogen by OSHA.

SENSITIZATION: No reports of sensitization have been found in the health and safety literature for any of the individual components present at ≥ 0.1%.

REPRODUCTIVE EFFECTS: Not classified based on available information.

TARGET ORGANS: Not classified as a specific organ toxicant for single exposure or repeated exposure.

MUTAGENICITY: Not classified based on available information.

GENERAL COMMENTS: No data for other effects are available.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: This material is not expected to exhibit significant acute and chronic toxicity to aquatic organisms. Do not contaminate natural waters by spills or discharges.

BIOACCUMULATION/ACCUMULATION: No data available

DISTRIBUTION: No information available

AQUATIC TOXICITY (ACUTE): No test data are available.

CHEMICAL FATE INFORMATION: No information available

GENERAL COMMENTS: Protect the environment from contamination. Do not dump or discharge onto the ground, into storm sewers and drains to natural waters, or into any body of water. Do not dump the concentrated product into any drain or sewer. Dispose of unused material properly.

13. DISPOSAL CONSIDERATIONS

PRODUCT DISPOSAL: Dispose of only in conformity with all applicable federal, state, and local regulations. If at all possible, use for its intended purpose. If that is not possible, consult a professional waste disposal service or solidify using an inert absorbent material before disposal.


EMPTY CONTAINER: Follow all SDS and label precautions even after container is emptied because it may retain product residues.

RCRA/EPA WASTE INFORMATION: Protect the environment by proper disposal practices. Do not dump into storm sewers, on the ground, or into any body of water. As sold, product is classified by RCRA regulations as non-hazardous for purposes of disposal.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)**PROPER SHIPPING NAME:** Compound, Defoaming Liquid (Not Regulated for Transport)**MARINE POLLUTANTS:** None**15. REGULATORY INFORMATION****UNITED STATES****SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)****FIRE:** No **PRESSURE GENERATING:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No**313 REPORTABLE INGREDIENTS:** Not Applicable. (No listed chemicals are present at or above the *de minimis* levels that require reporting under Section 313.)**302/304 EMERGENCY PLANNING****THRESHOLD PLANNING QUANTITY / REPORTABLE QUANTITIES:** Not applicable**CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)****CERCLA RQ:** Not applicable**TSCA (TOXIC SUBSTANCE CONTROL ACT)****TSCA STATUS:** All components of this product are listed on the Toxic Substance Control Act (TSCA) inventory, or are exempt.**16. OTHER INFORMATION****REASON FOR ISSUE:** New SDS format (GHS compliant). This version replaces all previous versions.**APPROVED BY:** Technical Director**PREPARED BY:** Technical Services - Broadmoor Products **Date Prepared:** 11/10/2015**INFORMATION CONTACT:** Technical Services - Broadmoor Products, Inc.: (616) 285-6440**HMIS RATING**

HEALTH		0
FLAMMABILITY		1
PHYSICAL HAZARD		0
PERSONAL PROTECTION		A

NFPA CODES**GENERAL STATEMENTS:** Each user of this product is expected and urged to read and understand the entire SDS (consulting appropriate expertise as necessary) in order to comprehend the information contained in this SDS and any hazards associated with the product, with the expectation that the precautions identified in this document will be followed unless your use conditions would necessitate other appropriate methods or actions.**MANUFACTURER DISCLAIMER:** The information presented herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no representation, warranty or guarantee, express or implied, is given. Since conditions for handling, storage, and use of the product are not under our control, it is the buyer's/user's duty to determine the conditions necessary for the safe and effective use of this product. The information provided relates to the specific product designated and may not be valid for such material combined with other materials outside the scope of intended usage. We further disclaim any liability for consequential or incidental damages of any kind, including lost profits.