

October 17, 2022

Cindy Tomaszewski
City of Cadillac
1121 Plett Rd
Cadillac, MI 49601

RE: Project: Fall Biosolids
Pace Project No.: 50326696

Dear Cindy Tomaszewski:

Enclosed are the analytical results for sample(s) received by the laboratory on September 23, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Indianapolis

Revised Report. This report replaces the original dated 100722, it has been revised to add 7471 Mercury testing.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Brian Hall
brian.hall@pacelabs.com
(616)975-4500
Project Manager

Enclosures



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: Fall Biosolids

Pace Project No.: 50326696

Pace Analytical Services Indianapolis

7726 Moller Road, Indianapolis, IN 46268

Illinois Accreditation #: 200074

Indiana Drinking Water Laboratory #: C-49-06

Kansas/TNI Certification #: E-10177

Kentucky UST Agency Interest #: 80226

Kentucky WW Laboratory ID #: 98019

Michigan Drinking Water Laboratory #9050

Ohio VAP Certified Laboratory #: CL0065

Oklahoma Laboratory #: 9204

Texas Certification #: T104704355

Wisconsin Laboratory #: 999788130

USDA Soil Permit #: P330-19-00257

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: Fall Biosolids

Pace Project No.: 50326696

Lab ID	Sample ID	Matrix	Date Collected	Date Received
50326696001	DIGESTOR #4	Solid	09/22/22 14:15	09/23/22 10:04

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: Fall Biosolids

Pace Project No.: 50326696

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
50326696001	DIGESTOR #4	EPA 8081	KAV	8	PASI-I
		EPA 6010	MTM	6	PASI-I
		EPA 6020	DMT	10	PASI-I
		EPA 7471	EAE	1	PASI-I
		SM 2540G	IRH	1	PASI-I
		SM 4500-NH3 G	STS	1	PASI-I

PASI-I = Pace Analytical Services - Indianapolis

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: Fall Biosolids
Pace Project No.: 50326696

Sample: DIGESTOR #4 **Lab ID: 50326696001** Collected: 09/22/22 14:15 Received: 09/23/22 10:04 Matrix: Solid

Results reported on a "dry weight" basis and are adjusted for percent moisture, sample size and any dilutions.

Parameters	Results	Units	PQL	MDL	DF	Prepared	Analyzed	CAS No.	Qual
8081 GCS Pest RV, TCLP									
Analytical Method: EPA 8081 Preparation Method: EPA 3510									
Leachate Method/Date: EPA 1311; 09/27/22 20:10 Initial pH: 8.14; Final pH: 5.02									
Pace Analytical Services - Indianapolis									
gamma-BHC (Lindane)	<0.00025	mg/L	0.00025	0.00025	1	09/29/22 16:35	09/29/22 21:57	58-89-9	
Chlordane (Technical)	<0.0050	mg/L	0.0050	0.0050	1	09/29/22 16:35	09/29/22 21:45	57-74-9	
Endrin	<0.00050	mg/L	0.00050	0.00050	1	09/29/22 16:35	09/29/22 21:57	72-20-8	
Heptachlor	<0.00025	mg/L	0.00025	0.00025	1	09/29/22 16:35	09/29/22 21:57	76-44-8	
Heptachlor epoxide	<0.00025	mg/L	0.00025	0.00025	1	09/29/22 16:35	09/29/22 21:57	1024-57-3	
Methoxychlor	<0.0025	mg/L	0.0025	0.0025	1	09/29/22 16:35	09/29/22 21:57	72-43-5	
Toxaphene	<0.0050	mg/L	0.0050	0.0050	1	09/29/22 16:35	09/29/22 21:57	8001-35-2	
Surrogates									
Decachlorobiphenyl (S)	36	%	10-135		1	09/29/22 16:35	09/29/22 21:57	2051-24-3	
6010 MET ICP									
Analytical Method: EPA 6010 Preparation Method: EPA 3050									
Pace Analytical Services - Indianapolis									
Aluminum	5020	mg/kg	1670	119	1	09/29/22 07:56	10/04/22 11:55	7429-90-5	
Calcium	24600	mg/kg	1670	586	1	09/29/22 07:56	10/04/22 11:55	7440-70-2	
Magnesium	4410	mg/kg	1670	210	1	09/29/22 07:56	10/04/22 11:55	7439-95-4	
Phosphorus	30700	mg/kg	1670	502	1	09/29/22 07:56	10/04/22 11:55	7723-14-0	N2
Potassium	2860	mg/kg	1670	271	1	09/29/22 07:56	10/04/22 11:55	7440-09-7	
Sodium	3380	mg/kg	1670	486	1	09/29/22 07:56	10/04/22 11:55	7440-23-5	
6020 MET ICPMS									
Analytical Method: EPA 6020 Preparation Method: EPA 3050B									
Pace Analytical Services - Indianapolis									
Arsenic	15.5	mg/kg	0.67	0.11	1	09/26/22 11:56	09/28/22 16:41	7440-38-2	
Cadmium	4.5	mg/kg	0.34	0.16	1	09/26/22 11:56	09/28/22 16:41	7440-43-9	
Chromium	110	mg/kg	1.3	0.15	1	09/26/22 11:56	09/28/22 16:41	7440-47-3	
Copper	802	mg/kg	6.7	4.5	10	09/26/22 11:56	09/28/22 19:54	7440-50-8	
Lead	36.6	mg/kg	6.7	0.62	10	09/26/22 11:56	09/28/22 19:54	7439-92-1	
Molybdenum	16.2	mg/kg	0.67	0.15	1	09/26/22 11:56	09/28/22 16:41	7439-98-7	N2
Nickel	25.5	mg/kg	0.34	0.17	1	09/26/22 11:56	09/28/22 16:41	7440-02-0	
Selenium	4.1	mg/kg	0.67	0.20	1	09/26/22 11:56	09/28/22 16:41	7782-49-2	
Silver	3.7	mg/kg	0.34	0.034	1	09/26/22 11:56	09/28/22 16:41	7440-22-4	
Zinc	1910	mg/kg	84.3	48.9	25	09/26/22 11:56	09/28/22 19:25	7440-66-6	
7471 Mercury									
Analytical Method: EPA 7471 Preparation Method: EPA 7471									
Pace Analytical Services - Indianapolis									
Mercury	<0.66	mg/kg	7.0	0.66	1	10/14/22 11:56	10/16/22 17:29	7439-97-6	
Percent Moisture									
Analytical Method: SM 2540G									
Pace Analytical Services - Indianapolis									
Percent Moisture	97.0	%	0.10	0.10	1		10/05/22 17:37		N2
4500 Ammonia Soil, Distilled									
Analytical Method: SM 4500-NH3 G Preparation Method: SM 4500-NH3 B									
Pace Analytical Services - Indianapolis									
Nitrogen, Ammonia	31300	mg/kg	1690	773	10	09/28/22 10:15	09/28/22 13:35	7664-41-7	N2

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Fall Biosolids

Pace Project No.: 50326696

QC Batch: 700777

Analysis Method: EPA 7471

QC Batch Method: EPA 7471

Analysis Description: 7471 Mercury

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50326696001

METHOD BLANK: 3221959

Matrix: Solid

Associated Lab Samples: 50326696001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Mercury	mg/kg	<0.019	0.20	0.019	10/16/22 17:24	

LABORATORY CONTROL SAMPLE: 3221960

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	mg/kg	0.5	0.53	106	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3221961 3221962

Parameter	Units	50328146001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	mg/kg	ND	0.51	0.47	0.55	0.51	105	104	75-125	8	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Fall Biosolids
Pace Project No.: 50326696

QC Batch:	697676	Analysis Method:	EPA 6010
QC Batch Method:	EPA 3050	Analysis Description:	6010 MET
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50326696001

METHOD BLANK: 3207934 Matrix: Solid

Associated Lab Samples: 50326696001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Aluminum	mg/kg	<3.6	50.0	3.6	10/04/22 11:22	
Calcium	mg/kg	<17.5	50.0	17.5	10/04/22 11:22	
Magnesium	mg/kg	<6.3	50.0	6.3	10/04/22 11:22	
Phosphorus	mg/kg	<15.0	50.0	15.0	10/04/22 11:22	N2
Potassium	mg/kg	<8.1	50.0	8.1	10/04/22 11:22	
Sodium	mg/kg	<14.5	50.0	14.5	10/04/22 11:22	

LABORATORY CONTROL SAMPLE: 3207935

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	mg/kg	500	468	94	80-120	
Calcium	mg/kg	500	492	98	80-120	
Magnesium	mg/kg	500	462	92	80-120	
Phosphorus	mg/kg	50	49.8J	100	80-120	N2
Potassium	mg/kg	500	484	97	80-120	
Sodium	mg/kg	500	492	98	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3207936 3207937

Parameter	Units	50326625001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Aluminum	mg/kg	3060	614	647	7620	10400	743	1130	75-125	30	20	P6,R1
Calcium	mg/kg	5640	614	647	36400	2330	5010	-513	75-125	176	20	E,P6,R1
Magnesium	mg/kg	2750	614	647	24200	1960	3500	-123	75-125	170	20	P6,R1
Phosphorus	mg/kg	257	61.4	64.7	148	113	-178	-223	75-125	27	20	M3,N2,R1
Potassium	mg/kg	289	614	647	1320	1400	168	172	75-125	6	20	M3
Sodium	mg/kg	ND	614	647	567	474	85	66	75-125	18	20	M0

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Fall Biosolids
Pace Project No.: 50326696

QC Batch:	697564	Analysis Method:	EPA 6020
QC Batch Method:	EPA 3050B	Analysis Description:	6020 MET
		Laboratory:	Pace Analytical Services - Indianapolis

Associated Lab Samples: 50326696001

METHOD BLANK: 3207536 Matrix: Solid

Associated Lab Samples: 50326696001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Arsenic	mg/kg	<0.016	0.10	0.016	09/28/22 15:00	
Cadmium	mg/kg	<0.023	0.050	0.023	09/28/22 15:00	
Chromium	mg/kg	<0.022	0.20	0.022	09/28/22 15:00	
Copper	mg/kg	<0.067	0.10	0.067	09/28/22 15:00	
Lead	mg/kg	<0.0092	0.10	0.0092	09/28/22 15:00	
Molybdenum	mg/kg	<0.022	0.10	0.022	09/28/22 15:00	N2
Nickel	mg/kg	<0.026	0.050	0.026	09/28/22 15:00	
Selenium	mg/kg	<0.029	0.10	0.029	09/28/22 15:00	
Silver	mg/kg	<0.0050	0.050	0.0050	09/28/22 15:00	
Zinc	mg/kg	<0.29	0.50	0.29	09/28/22 15:00	

LABORATORY CONTROL SAMPLE: 3207537

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Arsenic	mg/kg	4	3.8	95	80-120	
Cadmium	mg/kg	4	3.9	96	80-120	
Chromium	mg/kg	4	3.9	97	80-120	
Copper	mg/kg	4	4.0	99	80-120	
Lead	mg/kg	4	3.9	97	80-120	
Molybdenum	mg/kg	4	3.9	97	80-120	N2
Nickel	mg/kg	4	3.9	97	80-120	
Selenium	mg/kg	4	3.9	97	80-120	
Silver	mg/kg	4	4.0	101	80-120	
Zinc	mg/kg	4	3.9	96	80-120	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3207538 3207539

Parameter	Units	50326194005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Arsenic	mg/kg	<9480 ug/kg	4	4.1	6.7	6.6	84	81	75-125	2	20	
Cadmium	mg/kg	<190 ug/kg	4	4.1	3.9	3.9	92	92	75-125	1	20	
Chromium	mg/kg	4930 ug/kg	4	4.1	8.8	9.4	95	109	75-125	7	20	
Copper	mg/kg	6420 ug/kg	4	4.1	10.1	9.2	93	68	75-125	10	20	M0
Lead	mg/kg	<9480 ug/kg	4	4.1	8.3	7.9	111	100	75-125	5	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Fall Biosolids

Pace Project No.: 50326696

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3207538 3207539												
Parameter	Units	50326194005 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Molybdenum	mg/kg	<4740 ug/kg	4	4.1	4.8	4.8	87	86	75-125	0	20	N2
Nickel	mg/kg	6590 ug/kg	4	4.1	9.5	9.6	72	75	75-125	2	20	M0
Selenium	mg/kg	<948 ug/kg	4	4.1	3.9	3.9	89	87	75-125	1	20	
Silver	mg/kg	<94.8 ug/kg	4	4.1	3.9	3.9	96	95	75-125	1	20	
Zinc	mg/kg	28500 ug/kg	4	4.1	31.0	29.9	63	36	75-125	4	20	P6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Fall Biosolids

Pace Project No.: 50326696

QC Batch: 698365

QC Batch Method: EPA 3510

Analysis Method: EPA 8081

Analysis Description: 8081 GCS TCLP Pesticides

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50326696001

METHOD BLANK: 3210877

Matrix: Water

Associated Lab Samples: 50326696001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Chlordane (Technical)	mg/L	<0.0010	0.0010	0.0010	09/29/22 21:20	
Endrin	mg/L	<0.00010	0.00010	0.00010	09/29/22 21:32	
gamma-BHC (Lindane)	mg/L	<0.000050	0.000050	0.000050	09/29/22 21:32	
Heptachlor	mg/L	<0.000050	0.000050	0.000050	09/29/22 21:32	
Heptachlor epoxide	mg/L	<0.000050	0.000050	0.000050	09/29/22 21:32	
Methoxychlor	mg/L	<0.00050	0.00050	0.00050	09/29/22 21:32	
Toxaphene	mg/L	<0.0010	0.0010	0.0010	09/29/22 21:32	
Decachlorobiphenyl (S)	%	38	10-135		09/29/22 21:32	1d

LABORATORY CONTROL SAMPLE: 3210878

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Endrin	mg/L	0.002	0.0017	84	44-159	
gamma-BHC (Lindane)	mg/L	0.001	0.00079	79	40-153	
Heptachlor	mg/L	0.001	0.00078	78	29-152	
Heptachlor epoxide	mg/L	0.001	0.00078	78	43-146	
Methoxychlor	mg/L	0.01	0.0080	80	40-170	
Decachlorobiphenyl (S)	%			47	10-135	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Fall Biosolids

Pace Project No.: 50326696

QC Batch: 699310

QC Batch Method: SM 2540G

Analysis Method: SM 2540G

Analysis Description: Dry Weight/Percent Moisture

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50326696001

SAMPLE DUPLICATE: 3215243

Parameter	Units	50326671003 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	92.9	94.2	1	5	N2

SAMPLE DUPLICATE: 3215244

Parameter	Units	50326701001 Result	Dup Result	RPD	Max RPD	Qualifiers
Percent Moisture	%	ND	<0.10		5	N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: Fall Biosolids

Pace Project No.: 50326696

QC Batch: 698024

Analysis Method: SM 4500-NH3 G

QC Batch Method: SM 4500-NH3 B

Analysis Description: 4500 Ammonia, Distilled

Laboratory: Pace Analytical Services - Indianapolis

Associated Lab Samples: 50326696001

METHOD BLANK: 3209137

Matrix: Solid

Associated Lab Samples: 50326696001

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Nitrogen, Ammonia	mg/kg	<2.3	5.0	2.3	09/28/22 13:33	N2

LABORATORY CONTROL SAMPLE: 3209138

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/kg	19.9	21.9	110	90-110	N2

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 3209139 3209140

Parameter	Units	50326696001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Nitrogen, Ammonia	mg/kg	31300	673	673	33000	32700	245	206	90-110	1	20	M3, N2

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: Fall Biosolids
Pace Project No.: 50326696

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

1d	A matrix spike/matrix spike duplicate was not performed for this batch due to insufficient sample volume.
E	Analyte concentration exceeded the calibration range. The reported result is estimated.
M0	Matrix spike recovery and/or matrix spike duplicate recovery was outside laboratory control limits.
M3	Matrix spike recovery was outside laboratory control limits due to matrix interferences.
N2	The lab does not hold NELAC/TNI accreditation for this parameter but other accreditations/certifications may apply. A complete list of accreditations/certifications is available upon request.
P6	Matrix spike recovery was outside laboratory control limits due to a parent sample concentration notably higher than the spike level.
R1	RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Fall Biosolids

Pace Project No.: 50326696

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
50326696001	DIGESTOR #4	EPA 3510	698365	EPA 8081	698396
50326696001	DIGESTOR #4	EPA 3050	697676	EPA 6010	698914
50326696001	DIGESTOR #4	EPA 3050B	697564	EPA 6020	697932
50326696001	DIGESTOR #4	EPA 7471	700777	EPA 7471	701026
50326696001	DIGESTOR #4	SM 2540G	699310		
50326696001	DIGESTOR #4	SM 4500-NH3 B	698024	SM 4500-NH3 G	698110

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Conditions Upon Receipt Form (SCUR)

Date/Time: 09/23 1304		Evaluated By: DAS		WO#: 50326696 PM: BJH Due Date: 10/07/22 CLIENT: GR-Cadillac	
Client: City of Cadillac		PM: BJH			
Lab Notified of Rush or Short Holds: YES ☒ NO ☒					
Project Received Via: FedEx ☒ UPS ☒ Client ☐ Pace Courier ☐ Other: _____				Comments:	
Custody Seal Present and Intact:		YES	NO	N/A	
Received Sample Information Form (SIF): Drinking Waters Only		YES	NO	N/A	
Short Hold Present (≤ 48 Hours):		YES	NO		
Sample Received in Hold:		YES	NO		
Custody Signature Present:		YES	NO		
Collector Signature Present:		YES	NO		
Sample Collected Today and On Ice:		YES	NO	N/A	
IR Gun #: 280 281		Temp. should be 0°C - 6°C (Initial/Corrected)			
Ice Type: WET Bagged / WET Loose BLUE NONE		1. Cooler Temp. Upon Receipt: 6.1/5.7 °C			
Ice Location: TOP BOTTOM MIDDLE DISPERSED		2. Cooler Temp. Upon Receipt: _____ °C			
Temp Blank Received:		YES	NO		
Sample Label Matches COC (ID/Date/Time):		YES	NO		
Container Intact:		YES	NO		
Correct Container:		YES	NO		
Sufficient Volume:		YES	NO		
Sample pH Acceptable: All containers needing preservation are found to be in compliance with EPA recommendation pH Strip Lot #: _____ Exceptions are VOA, coliform, LLHg, O&G/TPH, or any container with a septum cap or preserved with HCl		YES	NO	N/A	
Residual Chlorine Absent: Cl ₂ Strip Lot #: _____ Applies to SVOC 625, PCB/Pest. 608, Total/Amenable Cyanide		YES	NO	N/A	
VOA Headspace Acceptable (<6mm):		YES	NO	N/A	
Trip Blank Received: HCl MeOH Other: _____		YES	NO	ON HOLD	
Comments:		3. Cooler Temp. Upon Receipt: _____ °C			
		4. Cooler Temp. Upon Receipt: _____ °C			
		Non-Conformance Form Required: YES NO			