

DEQ SITE IDENTIFICATION FORM

Complete the following information and provide the attachments listed below for each new site or existing site that has not had a Site Identification Form with attachments submitted to the DEQ since January 1, 1998. Please amend any previous Site Identification Forms when it becomes known that any of the information requested below has changed (i.e. new land owner).

FACILITY NAME City of Cadillac WWTP		NPDES or COC PERMIT NUMBER MI0020257	
---	--	--	--

SITE IDENTIFICATION FORM

A. Site ID	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Site ID # 20N09W06-DI01</td> <td style="padding: 2px;">Street or Route # South of 52 Mile Rd, West of 170th Ave.</td> </tr> </table>	Site ID # 20N09W06-DI01	Street or Route # South of 52 Mile Rd, West of 170th Ave.	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%; padding: 2px;">County Osceola</td> <td style="padding: 2px;">Township Sherman</td> </tr> </table>	County Osceola	Township Sherman	
Site ID # 20N09W06-DI01	Street or Route # South of 52 Mile Rd, West of 170th Ave.						
County Osceola	Township Sherman						
B. County/Township:							
C. State Planar Coordinates:	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 20%; padding: 2px;">NE 1/4 NE 1/4</td> <td style="width: 20%; padding: 2px;">NW 1/4 NW 1/4</td> <td style="width: 20%; padding: 2px;">Section 06</td> <td style="width: 20%; padding: 2px;">Town T21N</td> <td style="width: 20%; padding: 2px;">Range R9W</td> </tr> </table>		NE 1/4 NE 1/4	NW 1/4 NW 1/4	Section 06	Town T21N	Range R9W
NE 1/4 NE 1/4	NW 1/4 NW 1/4	Section 06	Town T21N	Range R9W			
D. Lat/Long (nearest second):	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 30%; padding: 2px;">Latitude 44° 09'49.86"N</td> <td style="width: 30%; padding: 2px;">Longitude 85° 25'53.57"W</td> <td style="padding: 2px;">Method Used (i.e. GPS, topo) Google Earth</td> </tr> </table>		Latitude 44° 09'49.86"N	Longitude 85° 25'53.57"W	Method Used (i.e. GPS, topo) Google Earth		
Latitude 44° 09'49.86"N	Longitude 85° 25'53.57"W	Method Used (i.e. GPS, topo) Google Earth					

E. Site Ownership	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%; padding: 2px;">Name of Owner Doug Ingleright</td> <td style="padding: 2px;">Phone </td> </tr> <tr> <td colspan="2" style="padding: 2px;">Street or P.O. Box 17321 52 Mile Rd.</td> </tr> <tr> <td style="padding: 2px;">City or Town Tustin</td> <td style="padding: 2px;">State MI</td> </tr> <tr> <td colspan="2" style="padding: 2px;">Zip 49688</td> </tr> <tr> <td style="padding: 2px;">Is there a written agreement from the owner to land apply? ☒ Yes ☐ No, written agreement is required</td> <td style="padding: 2px;">Previous landowners name Springberg</td> </tr> <tr> <td colspan="2" style="padding: 2px;">Property purchase date N/A</td> </tr> </table>	Name of Owner Doug Ingleright	Phone 	Street or P.O. Box 17321 52 Mile Rd.		City or Town Tustin	State MI	Zip 49688		Is there a written agreement from the owner to land apply? ☒ Yes ☐ No, written agreement is required	Previous landowners name Springberg	Property purchase date N/A	
Name of Owner Doug Ingleright	Phone 												
Street or P.O. Box 17321 52 Mile Rd.													
City or Town Tustin	State MI												
Zip 49688													
Is there a written agreement from the owner to land apply? ☒ Yes ☐ No, written agreement is required	Previous landowners name Springberg												
Property purchase date N/A													

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%; padding: 2px;">Name of Lessee (if different) John Rydquist</td> <td style="padding: 2px;">Phone 231-878-0719</td> </tr> <tr> <td colspan="2" style="padding: 2px;">Street or P.O. Box 9897 S 43 Rd.</td> </tr> <tr> <td style="padding: 2px;">City or Town Cadillac</td> <td style="padding: 2px;">State MI</td> </tr> <tr> <td colspan="2" style="padding: 2px;">Zip 49601</td> </tr> </table>	Name of Lessee (if different) John Rydquist	Phone 231-878-0719	Street or P.O. Box 9897 S 43 Rd.		City or Town Cadillac	State MI	Zip 49601		
Name of Lessee (if different) John Rydquist	Phone 231-878-0719								
Street or P.O. Box 9897 S 43 Rd.									
City or Town Cadillac	State MI								
Zip 49601									

F. Site Characteristics	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 60%; padding: 5px;"> Site Type ☒ Agricultural ☐ * Reclamation Site ☐ Forest ☐ ** Lawn/Home Garden *Separate approval is required **Requires EQ Biosolids </td> <td style="width: 40%; padding: 5px;"> Soils Information Date of last soils analysis 11-15-2019 *Phosphorous 49 units PPM Potassium 121 units PPM pH 6.3 Soil type(s) Sandy *300 lb/ac Bray P1 maximum </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Expected crops/vegetation to be grown <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%; border-bottom: 1px solid black;">Crop/Vegetation Corn</td> <td style="width: 60%; border-bottom: 1px solid black;">Nitrogen Requirement 135 lbs. N/acre</td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;">lbs. N/acre</td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;">lbs. N/acre</td> </tr> </table> </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Public Exposure Is this land with a high potential for public exposure? (See Definitions section on Page 19) ☐ Yes ☒ No </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> Percent slope Highest percent slope of the site? ☐ 0-6% ☐ 6-12% ☒ *Higher (Requires an approved site reclamation plan) </td> </tr> <tr> <td colspan="2" style="padding: 5px;"> If agricultural, is the site tilled? ☐ Yes ☒ No ☐ NA </td> </tr> </table>	Site Type ☒ Agricultural ☐ * Reclamation Site ☐ Forest ☐ ** Lawn/Home Garden *Separate approval is required **Requires EQ Biosolids	Soils Information Date of last soils analysis 11-15-2019 *Phosphorous 49 units PPM Potassium 121 units PPM pH 6.3 Soil type(s) Sandy *300 lb/ac Bray P1 maximum	Expected crops/vegetation to be grown <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%; border-bottom: 1px solid black;">Crop/Vegetation Corn</td> <td style="width: 60%; border-bottom: 1px solid black;">Nitrogen Requirement 135 lbs. N/acre</td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;">lbs. N/acre</td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;">lbs. N/acre</td> </tr> </table>		Crop/Vegetation Corn	Nitrogen Requirement 135 lbs. N/acre		lbs. N/acre		lbs. N/acre	Public Exposure Is this land with a high potential for public exposure? (See Definitions section on Page 19) ☐ Yes ☒ No		Percent slope Highest percent slope of the site? ☐ 0-6% ☐ 6-12% ☒ *Higher (Requires an approved site reclamation plan)		If agricultural, is the site tilled? ☐ Yes ☒ No ☐ NA	
Site Type ☒ Agricultural ☐ * Reclamation Site ☐ Forest ☐ ** Lawn/Home Garden *Separate approval is required **Requires EQ Biosolids	Soils Information Date of last soils analysis 11-15-2019 *Phosphorous 49 units PPM Potassium 121 units PPM pH 6.3 Soil type(s) Sandy *300 lb/ac Bray P1 maximum																
Expected crops/vegetation to be grown <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 40%; border-bottom: 1px solid black;">Crop/Vegetation Corn</td> <td style="width: 60%; border-bottom: 1px solid black;">Nitrogen Requirement 135 lbs. N/acre</td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;">lbs. N/acre</td> </tr> <tr> <td style="border-bottom: 1px solid black;"></td> <td style="border-bottom: 1px solid black;">lbs. N/acre</td> </tr> </table>		Crop/Vegetation Corn	Nitrogen Requirement 135 lbs. N/acre		lbs. N/acre		lbs. N/acre										
Crop/Vegetation Corn	Nitrogen Requirement 135 lbs. N/acre																
	lbs. N/acre																
	lbs. N/acre																
Public Exposure Is this land with a high potential for public exposure? (See Definitions section on Page 19) ☐ Yes ☒ No																	
Percent slope Highest percent slope of the site? ☐ 0-6% ☐ 6-12% ☒ *Higher (Requires an approved site reclamation plan)																	
If agricultural, is the site tilled? ☐ Yes ☒ No ☐ NA																	

On an attached sheet provide a copy of the following:

- A Farm Services Agency map (formerly ASCS) of the proposed application site with property boundaries, surface waters, and discharge location of field tiles when present.
- A copy of the soil test analysis that is no older than 2 years old at the time of land application.
- A copy of the plat map (or other map showing property dimensions) with the proposed land application site highlighted.
- A soil survey map with the land application site identified.

EQP 5852 (Rev. 3/06)

CITY OF CADILLAC WASTEWATER TREATMENT PLANT


BIOSOLIDS RECYCLING PROGRAM PARTICIPATION

I hereby agree to participate in the City of Cadillac WWTP biosolids recycling program. I understand that biosolids will be applied to my land in accordance with federal EPA regulations and guidelines of the Michigan Department of Environmental Quality.

I understand that biosolids have been analyzed to be sure they can be applied to agricultural land in accordance with federal regulations and MDEQ guidelines. I understand that biosolids contain some heavy metals and that they must be below the EPA allowable limits for land application. I understand that the nutrients and/or the metal concentration may limit the frequency of biosolids application to my land.

My land is used for the production of agricultural crops. Information concerning crop and site restrictions has been explained to me. I agree to allow representatives of the MDEQ, Cadillac Waste Water Treatment Plant and the City's Injection contractor to have access to my land to obtain soil samples and for application of biosolids.

If I decide to cancel this agreement, I will give 60 days advance notice to the City of Cadillac WWTP.


Landowner: Douglas Inglesight Signed: 
Address: 17321 County line Date: 8/22/18
Township: SILERMAN Section: 6 Acres: 55
City WWTP Field Number: 20N09W06-DI01
If Rented, Farmer: John Rydquist Six Corner farm
Address: _____

14. Sherman

©2008 CLOUD Cartographics, Inc. St. Cloud, MN 56301

Wexford County

52 mile Rd



[illegible]

85° 26' 8" W

A vertical scale bar labeled "Meters" with markings at 0, 40, 80, 160, and 240.

MAP LEGEND

	Area of Interest (AOI)		Spill Area
	Area of Interest (AOI)		Stony Spot
	Soils		Very Stony Spot
	Soil Map Unit Polygons		Wet Spot
	Soil Map Unit Lines		Other
	Soil Map Unit Points		Special Line Features
	Special Point Features		Water Features
	Blowout		Streams and Canals
	Borrow Pit		Transportation
	Clay Spot		+++ Rails
	Closed Depression		Interstate Highways
	Gravel Pit		US Routes
	Gravelly Spot		Major Roads
	Landfill		Local Roads
	Lava Flow		Background
	Marsh or swamp		Aerial Photography
	Mine or Quarry		
	Miscellaneous Water		
	Perennial Water		
	Rock Outcrop		
	Saline Spot		
	Sandy Spot		
	Severely Eroded Spot		
	Sinkhole		
	Slide or Slip		
	Sodic Spot		

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:15,800.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Osceola County, Michigan
Survey Area Data: Version 12, Oct 6, 2017

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 9, 2014—Sep 19, 2016

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
CbA	Carbondale muck, 0 to 2 percent slopes	0.3	1.4%
MmC	McBride sandy loam, 6 to 12 percent slopes	7.1	28.8%
MmD	McBride sandy loam, 12 to 18 percent slopes	10.7	43.6%
MmD2	McBride sandy loam, 12 to 18 percent slopes, moderately eroded	5.7	23.2%
MmE3	McBride sandy loam, 18 to 25 percent slopes, severely eroded	0.4	1.6%
MsC	Montcalm loamy sand, 6 to 12 percent slopes	0.3	1.4%
RI	Rifle peat	0.0	0.0%
Totals for Area of Interest		24.7	100.0%

MICHIGAN STATE UNIVERSITY

MICHIGAN STATE UNIVERSITY
SOIL AND PLANT NUTRIENT LABORATORY
EAST LANSING, MICHIGAN 48824-1325
(517) 355-0218

SOIL TEST REPORT FOR:				CONSULTANT			
CITY OF CADILLAC 200 N. LAKE ST. CADILLAC MI 49601				WEXFORD COUNTY MSUE 401 N. LAKE STREET83 CADILLAC MI 49601 231-779-9480			
DATE	LAB #	COUNTY	Previous Crop	ACRES	FIELD ID	SOIL	TEXTURE
11/15/2019	240362	Wexford	Corn silage	25	20n09w06-di01	Mineral	

SOIL NUTRIENT LEVELS		Below Optimum	Optimum	Above Optimum
¹ Soil pH	6.3			
	Lime Index 69.0			
² Phosphorus (P)	49	ppm		
³ Potassium (K)	121	ppm		
³ Magnesium (Mg)	99	ppm		

ADDITIONAL RESULTS:					Optional Tests:						
Calcium (Ca) (ppm)	CEC (meq/100 g)	% of Exchangeable Bases			Micronutrients (ppm)					Organic Matter %	Nitrate-N ppm
		K	Mg	Ca	B	Cu	Mn	Zn	Fe		
1028	7.5	4.9	13.1	81.9							

RECOMMENDATIONS:

Limestone: .6 ton/A

Tillage Depth: 9 inches

Target pH = 6.5

% Stand:

Plant Nutrients:					Micronutrient: (Optional)				
Year	Crop	Expected Yield	Nitrogen (lb N/A)	Phosphate (lb P ₂ O ₅ /A)	Potassium (lb K ₂ O/A)	Boron (lb B/A)	Manganese (lb Mn/A)	Zinc (lb Zn/A)	Copper (lb Cu/A)
1	Corn silage	18 ton	135	0	145	0.0			

Use a starter fertilizer high in nitrogen (30-40 lb N/A) when planting into heavy residue.

Use a phosphate containing starter fertilizer (25 to 40 lb P₂O₅) when planting into heavy residue.

Although phosphorus is not required to obtain the projected yield, a phosphorus starter (25 lb P₂O₅/A) may improve early plant growth.

For questions about interpreting your soil results go to the following website: <http://msue.anr.msu.edu/experts> and contact the MSUE field crops agent in your area.