

CLIENT INFORMATION

Client: Casey Danford
Requested On: Mar 31, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapscore.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: 1,4 Dioxane Water Test
Matrix: Drinking Water
Testing / Report ID: VVCLVH
Testing Facility: Alliance Technical Group
Facility Location: 3310 Win St
Cuyahoga Falls, Ohio 44223

SAMPLE INFORMATION

Collection Date: Apr 6, 2026
Collected By: Casey Danford
Received Date: Apr 8, 2026
Reported On: Apr 10, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapscore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
1,4 Dioxane	PPM	0.00284	0.00034	0.001	EPA 8260D	No benchmark available

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).
This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.
RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

app.mytapscore.com/signin

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 3, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapcore.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Extended: Advanced Well
Matrix: Drinking Water
Testing / Report ID: QWE6BQ
Testing Facility: Microbac Laboratories
Facility Location: 600 E 17th St. S.
 Newton, Iowa 50208

SAMPLE INFORMATION

Collection Date: Apr 9, 2026
Collected By: Casey Danford
Received Date: Apr 10, 2026
Reported On: Apr 17, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
 United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapcore.com

SUMMARY ANALYSIS

ANALYTE	UNIT	RESULT	METHOD	EPA REG
pH	pH	7.7	EPA 150.1	OK
Total Dissolved Solids	PPM	348	SM 2510 B	No benchmark available
Turbidity	NTU	Below Reporting Limit		No evaluation possible
Hardness	PPM	170	SM 2340 B	No benchmark available
Expanded Hardness	PPM	171	Calculation	No benchmark available
Grains per gallon	Grains	9.94	Calculation	No benchmark available
Alkalinity (as CaCO ₃)	PPM	182	SM 2320 B	No benchmark available
Langelier Saturation Index		0.0503	Calculation	No benchmark available
Sodium Adsorption Ratio		1.33	Calculation	No benchmark available
Total THMs	PPB	NOT DETECTED	Calculation	No evaluation possible

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
1,1,1,2 Tetrachloroethane	PPB	Below Reporting Limit	0.5	2	EPA 524.2	No evaluation possible
1,1,1 Trichloroethane	PPB	Below Reporting Limit	0.5	2	EPA 524.2	No evaluation possible
1,1,2,2 Tetrachloroethane	PPB	Below Reporting Limit	0.55	2	EPA 524.2	No evaluation possible
1,1,2 Trichloroethane	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

1,1 Dichloroethane	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible
1,1 Dichloroethylene	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible
1,1 Dichloropropene	PPB	Below Reporting Limit	0.46	2	EPA 524.2	No evaluation possible
1,2,3 Trichlorobenzene	PPB	Below Reporting Limit	0.4	2	EPA 524.2	No evaluation possible
1,2,3 Trichloropropane	PPB	Below Reporting Limit	0.59	2	EPA 524.2	No evaluation possible
1,2,4 Trichlorobenzene	PPB	Below Reporting Limit	0.54	2	EPA 524.2	No evaluation possible
1,2,4 Trimethylbenzene	PPB	Below Reporting Limit	0.41	2	EPA 524.2	No evaluation possible
1,2 Dichlorobenzene	PPB	Below Reporting Limit	0.47	2	EPA 524.2	No evaluation possible
1,2 Dichloroethane	PPB	Below Reporting Limit	0.68	2	EPA 524.2	No evaluation possible
1,2 Dichloropropane	PPB	Below Reporting Limit	0.55	2	EPA 524.2	No evaluation possible
1,3,5 Trimethylbenzene	PPB	Below Reporting Limit	0.42	2	EPA 524.2	No evaluation possible
1,3 Dichlorobenzene	PPB	Below Reporting Limit	0.46	2	EPA 524.2	No evaluation possible
1,3 Dichloropropane	PPB	Below Reporting Limit	0.51	2	EPA 524.2	No evaluation possible
1,4 Dichlorobenzene	PPB	Below Reporting Limit	0.45	2	EPA 524.2	No evaluation possible
2,2 Dichloropropane	PPB	Below Reporting Limit	0.5	2	EPA 524.2	No evaluation possible
Aluminum	PPM	Below Reporting Limit	0.0384	0.05	EPA 200.7	No evaluation possible
Antimony	PPM	0.00059	4.0E-5	0.0005	EPA 200.8	< MCL (0.006)
Arsenic	PPM	0.000637	0.00014	0.0005	EPA 200.8	< MCL (0.01)
Barium	PPM	0.0452	5.0E-5	0.0005	EPA 200.8	< MCL (2)
Benzene	PPB	Below Reporting Limit	0.46	2	EPA 524.2	No evaluation possible
Beryllium	PPM	Below Reporting Limit	9.0E-5	0.0005	EPA 200.8	No evaluation possible
Bicarbonate	PPM	221			Calculation	No benchmark available
Boron	PPM	Below Reporting Limit	0.0558	0.1	EPA 200.7	No evaluation possible
Bromobenzene	PPB	Below Reporting Limit	0.57	2	EPA 524.2	No evaluation possible
Bromochloromethane	PPB	Below Reporting Limit	0.61	2	EPA 524.2	No evaluation possible
Bromodichloromethane	PPB	Below Reporting Limit	0.5	2	EPA 524.2	No evaluation possible
Bromoform	PPB	Below Reporting Limit	0.48	2	EPA 524.2	No evaluation possible
Bromomethane	PPB	Below Reporting Limit	2	2	EPA 524.2	No evaluation possible
Cadmium	PPM	Below Reporting Limit	3.0E-5	0.0002	EPA 200.8	No evaluation possible
Calcium	PPM	53.9	0.0918	0.1	EPA 200.7	No benchmark available
Carbonate	PPM	0.511			Calculation	No benchmark available
Carbon Tetrachloride	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible
Chloride	PPM	61.8	0.3	1	EPA 300.0	No benchmark available
Chloride-to-Sulfate Mass Ratio		4.87			Calculation	No benchmark available
Chlorobenzene	PPB	Below Reporting Limit	0.51	2	EPA 524.2	No evaluation possible
Chloroethane	PPB	Below Reporting Limit	0.6	2	EPA 524.2	No evaluation possible
Chloroform	PPB	Below Reporting Limit	0.56	2	EPA 524.2	No evaluation possible
Chloromethane	PPB	Below Reporting Limit	0.43	2	EPA 524.2	No evaluation possible
Chlorotoluene 2	PPB	Below Reporting Limit	0.41	2	EPA 524.2	No evaluation possible
Chlorotoluene 4	PPB	Below Reporting Limit	0.39	2	EPA 524.2	No evaluation possible
Chromium (Total)	PPM	0.00111	6.0E-5	0.0002	EPA 200.8	< MCL (0.1)
cis 1,2 Dichloroethylene	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible
cis 1,3 Dichloropropene	PPB	Below Reporting Limit	0.48	2	EPA 524.2	No evaluation possible
Cobalt	PPM	Below Reporting Limit	3.0E-5	0.0005	EPA 200.8	No evaluation possible
Copper	PPM	0.0871	0.00018	0.001	EPA 200.8	< AL (1.3)

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Dibromochloromethane	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible
Dibromochloropropane	PPB	Below Reporting Limit	0.58	2	EPA 524.2	No evaluation possible
Dibromomethane	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible
Dichlorodifluoromethane	PPB	Below Reporting Limit	0.46	2	EPA 524.2	No evaluation possible
Dichloromethane	PPB	Below Reporting Limit	0.95	2	EPA 524.2	No evaluation possible
E. coli	P/A	NOT DETECTED			SM 9223B	No evaluation possible
Ethylbenzene	PPB	Below Reporting Limit	0.44	2	EPA 524.2	No evaluation possible
Ethylene dibromide	PPB	Below Reporting Limit	0.48	2	EPA 524.2	No evaluation possible
Fluoride	PPM	0.3	0.02	0.1	EPA 300.0	< MCL (4)
Hexachlorobutadiene	PPB	Below Reporting Limit	0.44	2	EPA 524.2	No evaluation possible
Iron	PPM	Below Reporting Limit	0.0466	0.1	EPA 200.7	No evaluation possible
Isopropylbenzene	PPB	Below Reporting Limit	0.42	2	EPA 524.2	No evaluation possible
Lead	PPM	0.00166	4.0E-5	0.0005	EPA 200.8	< AL (0.015)
Lithium	PPM	Below Reporting Limit	0.011	0.05	EPA 200.7	No evaluation possible
Magnesium	PPM	8.62	0.0584	0.1	EPA 200.7	No benchmark available
Manganese	PPM	0.132	0.0001	0.001	EPA 200.8	No benchmark available
Mercury	PPM	Below Reporting Limit	0.00019	0.002	EPA 200.8	No evaluation possible
Methyl Tertiary Butyl Ether	PPB	Below Reporting Limit	1.12	2	EPA 524.2	No evaluation possible
Molybdenum	PPM	0.00403	3.0E-5	0.0005	EPA 200.8	No benchmark available
m,p Xylene	PPB	Below Reporting Limit	1.35	2	EPA 524.2	No evaluation possible
Naphthalene	PPB	Below Reporting Limit	0.52	2	EPA 524.2	No evaluation possible
n Butylbenzene	PPB	Below Reporting Limit	0.47	2	EPA 524.2	No evaluation possible
Nickel	PPM	0.00342	0.00023	0.001	EPA 200.8	No benchmark available
Nitrate (as N)	PPM	3.9	0.08	0.1	EPA 300.0	< MCL (10)
Nitrite (as N)	PPM	Below Reporting Limit	0.04	0.1	EPA 300.0	No evaluation possible
n Propylbenzene	PPB	Below Reporting Limit	0.36	2	EPA 524.2	No evaluation possible
o Xylene	PPB	Below Reporting Limit	1.35	2	EPA 524.2	No evaluation possible
Phosphorus	PPM	Below Reporting Limit	0.134	1	EPA 200.7	No evaluation possible
p Isopropyltoluene	PPB	Below Reporting Limit	0.41	2	EPA 524.2	No evaluation possible
Potassium	PPM	4.77	0.276	1	EPA 200.7	No benchmark available
sec Butylbenzene	PPB	Below Reporting Limit	0.39	2	EPA 524.2	No evaluation possible
Selenium	PPM	Below Reporting Limit	0.00097	0.001	EPA 200.8	No evaluation possible
Silica	PPM	6.18	1.07	1.07	EPA 200.7	No benchmark available
Silver	PPM	Below Reporting Limit	7.0E-5	0.0005	EPA 200.8	No evaluation possible
Sodium	PPM	39.9	0.903	1	EPA 200.7	No benchmark available
Specific Conductivity	umhos/cm	596	1.8	2	SM 2510 B	No benchmark available
Strontium	PPM	0.451	0.00645	0.01	EPA 200.7	No benchmark available
Styrene	PPB	Below Reporting Limit	0.47	2	EPA 524.2	No evaluation possible
Sulfate	PPM	12.7	0.4	1	EPA 300.0	No benchmark available
tert Butylbenzene	PPB	Below Reporting Limit	0.35	2	EPA 524.2	No evaluation possible
Tetrachloroethylene	PPB	Below Reporting Limit	0.47	2	EPA 524.2	No evaluation possible
Thallium	PPM	Below Reporting Limit	5.0E-5	0.0005	EPA 200.8	No evaluation possible
Tin	PPM	Below Reporting Limit	7.0E-5	0.005	EPA 200.8	No evaluation possible
Titanium	PPM	Below Reporting Limit	0.0011	0.05	EPA 200.7	No evaluation possible
Toluene	PPB	Below Reporting Limit	0.51	2	EPA 524.2	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Total Coliform	P/A	NOT DETECTED			SM 9223B	No evaluation possible
trans 1,3 Dichloropropene	PPB	Below Reporting Limit	0.44	2	EPA 524.2	No evaluation possible
Trichloroethylene	PPB	Below Reporting Limit	0.45	2	EPA 524.2	No evaluation possible
Trichlorofluoromethane	PPB	Below Reporting Limit	1.2	2	EPA 524.2	No evaluation possible
Uranium	PPM	Below Reporting Limit	5.0E-5	0.0005	EPA 200.8	No evaluation possible
Vanadium	PPM	0.00069	5.0E-5	0.0005	EPA 200.8	No benchmark available
Vinyl Chloride	PPB	Below Reporting Limit	0.3	2	EPA 524.2	No evaluation possible
Zinc	PPM	0.214	0.0178	0.02	EPA 200.7	No benchmark available

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).

This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 3, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapscore.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Extended: Full Radiation
Matrix: Drinking Water
Testing / Report ID: QWE6BQ
Testing Facility: EMSL Analytical Inc
Facility Location: 200 Route 130 North
Cinnaminson, New Jersey 08077

SAMPLE INFORMATION

Collection Date: Apr 9, 2026
Collected By: Casey Danford
Received Date: Apr 9, 2026
Reported On: Apr 22, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapscore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
Gross Alpha Activity	pCi/L	-0.645	2.985		EPA 900.0	No evaluation possible
Gross Beta Activity	pCi/L	3.91	1.554		EPA 900.0	< MCL (50)

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).

This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 3, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapcore.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Extended: GenX and PFAS
Matrix: Drinking Water
Testing / Report ID: QWE6BQ
Testing Facility: Alliance Technical Group
Facility Location: 3310 Win St
 Cuyahoga Falls, Ohio 44223

SAMPLE INFORMATION

Collection Date: Apr 9, 2026
Collected By: Casey Danford
Received Date: Apr 10, 2026
Reported On: Apr 16, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
 United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapcore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
11-Chloroeicosafluoro-3-oxaundecane-1-sulfonic acid	PPB	NOT DETECTED	0.00018	0.0019	EPA 533	No evaluation possible
4:2 Fluorotelomer sulfonic acid	PPB	NOT DETECTED	0.00038	0.0019	EPA 533	No evaluation possible
4,8-dioxa-3H-perfluorononanoic acid	PPB	NOT DETECTED	0.00014	0.0019	EPA 533	No evaluation possible
6:2 Fluorotelomer sulfonic acid	PPB	NOT DETECTED	0.00027	0.0019	EPA 533	No evaluation possible
8:2 Fluorotelomer sulfonic acid	PPB	NOT DETECTED	0.00029	0.0019	EPA 533	No evaluation possible
9-Chlorohexadecafluoro-3-oxanonane-1-sulfonic acid	PPB	NOT DETECTED	0.00042	0.0019	EPA 533	No evaluation possible
GenX	PPB	NOT DETECTED	0.00038	0.0019	EPA 533	No evaluation possible
Perfluoro(2-ethoxyethane)sulfonic acid	PPB	NOT DETECTED	0.00025	0.0019	EPA 533	No evaluation possible
Perfluoro-3,6-dioxaheptanoic acid	PPB	NOT DETECTED	0.00018	0.0019	EPA 533	No evaluation possible
Perfluoro-4-oxapentanoic acid	PPB	NOT DETECTED	0.00049	0.0019	EPA 533	No evaluation possible
Perfluoro-5-oxahexanoic acid	PPB	NOT DETECTED	0.00024	0.0019	EPA 533	No evaluation possible
Perfluorobutanesulfonic acid	PPB	0.0243	0.00026	0.0019	EPA 533	No benchmark available
Perfluorobutanoic acid	PPB	0.00565	0.00164	0.0019	EPA 533	No benchmark available
Perfluorodecanoic acid	PPB	NOT DETECTED	0.0002	0.0019	EPA 533	No evaluation possible
Perfluorododecanoic acid	PPB	NOT DETECTED	0.00026	0.0019	EPA 533	No evaluation possible
Perfluoroheptanesulfonic acid	PPB	0.00106*	0.00033	0.0019	EPA 533	No evaluation possible
Perfluoroheptanoic acid	PPB	0.00454	9.0E-5	0.0019	EPA 533	No benchmark available
Perfluorohexanesulfonic acid	PPB	0.0334	0.00019	0.0019	EPA 533	> MCL (0.01)
Perfluorohexanoic acid	PPB	0.00641	0.00034	0.0019	EPA 533	No benchmark available

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Perfluorononanoic acid	PPB	0.00111*	0.00041	0.0019	EPA 533	No evaluation possible
Perfluorooctanesulfonic acid	PPB	0.0106	0.00029	0.0019	EPA 533	> MCL (0.004)
Perfluorooctanoic acid	PPB	0.0346	0.0002	0.0019	EPA 533	> MCL (0.004)
Perfluoropentanesulfonic acid	PPB	0.0015*	0.00022	0.0019	EPA 533	No evaluation possible
Perfluoropentanoic acid	PPB	0.00348	0.00019	0.0019	EPA 533	No benchmark available
Perfluoroundecanoic acid	PPB	NOT DETECTED	0.0001	0.0019	EPA 533	No evaluation possible

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).

This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.

*Analyte was detected below the reporting limit. The value shown is an estimate.

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 3, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapcore.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Extended: Tannins
Matrix: Drinking Water
Testing / Report ID: QWE6BQ
Testing Facility: TG Analytical Labs
Facility Location: N1022 Quality Drive
Greenville, Wisconsin 54942

SAMPLE INFORMATION

Collection Date: Apr 9, 2026
Collected By: Casey Danford
Received Date: Apr 9, 2026
Reported On: Apr 13, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapcore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
Tannins	PPM	NOT DETECTED	0.3	0.3	Hach Co. 8193	No evaluation possible

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).
This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.
RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

app.mytapscore.com/signin

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 6, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapcore.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Aldehydes Water Test
Matrix: Drinking Water
Testing / Report ID: TNXZVE
Testing Facility: McCampbell Analytical Inc
Facility Location: 1534 Willow Pass Rd.
 Pittsburg, California 94565

SAMPLE INFORMATION

Collection Date: Apr 13, 2026
Collected By: Casey Danford
Received Date: Apr 15, 2026
Reported On: Apr 22, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
 United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapcore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
Acetaldehyde	PPM	NOT DETECTED	0.0057	0.02	SW8315A	No evaluation possible
Butanal	PPM	NOT DETECTED	0.0073	0.02	SW8315A	No evaluation possible
Crotonaldehyde	PPB	NOT DETECTED	7.1	20	SW8315A	No evaluation possible
Decanal	PPM	NOT DETECTED	0.007	0.02	SW8315A	No evaluation possible
Formaldehyde	PPB	NOT DETECTED	8.2	20	SW8315A	No evaluation possible
Heptanal	PPM	NOT DETECTED	0.0029	0.01	SW8315A	No evaluation possible
Hexanal	PPM	NOT DETECTED	0.0034	0.01	SW8315A	No evaluation possible
Nonanal	PPM	NOT DETECTED	0.0084	0.02	SW8315A	No evaluation possible
Octanal	PPM	NOT DETECTED	0.0054	0.01	SW8315A	No evaluation possible
Propanal	PPM	NOT DETECTED	0.0037	0.01	SW8315A	No evaluation possible

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).

This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

app.mytapscore.com/signin

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 3, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapcore.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Drugs and PPCP Water Test: 2
Matrix: Drinking Water
Testing / Report ID: 8FBWYA
Testing Facility: Eurofins Scientific
Facility Location: 110 S Hill St
 South Bend, Indiana 46617

SAMPLE INFORMATION

Collection Date: Apr 9, 2026
Collected By: Casey Danford
Received Date: Apr 10, 2026
Reported On: Apr 17, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
 United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapcore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
1,7-Dimethylxanthine	PPT	NOT DETECTED	17	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Acetaminophen	PPT	NOT DETECTED	15	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Amoxicillin	PPT	NOT DETECTED	530	1000	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Androstenedione	PPT	NOT DETECTED	3.9	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Atenolol	PPT	NOT DETECTED	1.7	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Azithromycin	PPT	NOT DETECTED	8.1	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Caffeine	PPT	NOT DETECTED	5.2	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Carbadox	PPT	NOT DETECTED	2.6	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Carbamazepine	PPT	16	1.9	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No benchmark available
Cimetidine	PPT	NOT DETECTED	1.3	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Codeine	PPT	NOT DETECTED	3.4	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Cotinine	PPT	NOT DETECTED	4.5	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
DEET	PPT	NOT DETECTED	3.4	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Dexamethasone	PPT	NOT DETECTED	4	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Diazepam	PPT	NOT DETECTED	1.6	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Diltiazem	PPT	NOT DETECTED	5.2	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Diphenhydramine	PPT	NOT DETECTED	2.7	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Epitestosterone	PPT	NOT DETECTED	2	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Erythromycin	PPT	NOT DETECTED	13	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Fluoxetine	PPT	NOT DETECTED	1.7	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Lincomycin	PPT	NOT DETECTED	2.7	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Meprobamate	PPT	6.1	4.1	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No benchmark available
Monensin	PPT	NOT DETECTED	3.4	5	Pharmaceuticals and Personal Care	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

					Products (LC/MS/MS) - Positive Ionization	
Narasin	PPT	NOT DETECTED	12	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Nicotine	PPT	NOT DETECTED	270	400	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Norethisterone	PPT	NOT DETECTED	5.3	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Oleandomycin	PPT	NOT DETECTED	1.5	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Phenazone	PPT	NOT DETECTED	1.4	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Primidone	PPT	16	3.2	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No benchmark available
Progesterone	PPT	NOT DETECTED	2.7	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Quinoline	PPT	NOT DETECTED	23	50	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Roxithromycin	PPT	NOT DETECTED	2.2	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Salinomycin	PPT	NOT DETECTED	8.5	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Sulfadimethoxine	PPT	4.7000*	2.5	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Sulfamerazine	PPT	NOT DETECTED	4.5	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Sulfamethazine	PPT	3*	2.4	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Sulfamethizole	PPT	NOT DETECTED	3	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Sulfamethoxazole	PPT	NOT DETECTED	7	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Sulfasalazine	PPT	NOT DETECTED	11	50	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Sulfathiazole	PPT	NOT DETECTED	2.9	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Sulphadiazine	PPT	8.1	2.5	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No benchmark available
TCPP	PPT	NOT DETECTED	240	400	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Testosterone	PPT	NOT DETECTED	4.2	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Theobromine	PPT	NOT DETECTED	250	400	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Tri(2-chloroethyl) phosphate	PPT	NOT DETECTED	3.4	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Tri(dichloroisopropyl) phosphate	PPT	NOT DETECTED	350	400	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Trimethoprim	PPT	NOT DETECTED	1	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Tylosin	PPT	NOT DETECTED	4.1	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible
Virginiamycin M1	PPT	NOT DETECTED	3.9	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Positive Ionization	No evaluation possible

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).

This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.

*Analyte was detected below the reporting limit. The value shown is an estimate.



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

app.mytapscore.com/signin

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 3, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapcore.com
Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: Drugs and PPCP Water Test: 1
Matrix: Drinking Water
Testing / Report ID: Z57SFG
Testing Facility: Eurofins Scientific
Facility Location: 110 S Hill St
South Bend, Indiana 46617

SAMPLE INFORMATION

Collection Date: Apr 9, 2026
Collected By: Casey Danford
Received Date: Apr 10, 2026
Reported On: Apr 16, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapcore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
17 alpha estradiol	PPT	NOT DETECTED	1.6	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
17 alpha ethynyl estradiol	PPT	NOT DETECTED	2.7	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
17 beta estradiol	PPT	NOT DETECTED	2.1	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
4-Phenylphenol	PPT	NOT DETECTED	7.7	50	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
4 tert Octylphenol	PPT	NOT DETECTED	12	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Acesulfame-K	PPT	54	2	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No benchmark available
Bezafibrate	PPT	NOT DETECTED	1.1	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

Bisphenol A	PPT	NOT DETECTED	7.4	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Chloramphenicol	PPT	NOT DETECTED	1.1	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Clofibric Acid	PPT	NOT DETECTED	1.5	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Diclofenac	PPT	NOT DETECTED	2.4	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Diethylstilbestrol	PPT	NOT DETECTED	1.7	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Equilin	PPT	NOT DETECTED	3	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Estriol	PPT	NOT DETECTED	2.9	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Estrone	PPT	NOT DETECTED	1.2	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Gemfibrozil	PPT	NOT DETECTED	0.57	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Ibuprofen	PPT	NOT DETECTED	3.5	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Iohexol	PPT	NOT DETECTED	8.7	50	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Iopromide	PPT	NOT DETECTED	5	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Levothyroxine	PPT	NOT DETECTED	7.9	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Naproxen	PPT	NOT DETECTED	8.4	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
para-Nonylphenol	PPT	NOT DETECTED	86	200	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Penicillin G	PPT	NOT DETECTED	1	10	Pharmaceuticals and Personal Care	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

					Products (LC/MS/MS) - Negative Ionization	
Penicillin V	PPT	NOT DETECTED	1.3	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Pentachlorophenol	PPT	NOT DETECTED	19	40	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Phenytoin	PPT	NOT DETECTED	2.5	10	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Prednisone	PPT	NOT DETECTED	1.4	5	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Salicylic Acid	PPT	NOT DETECTED	120	200	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Sucralose	PPT	1100	14	100	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No benchmark available
Tetrabromobisphenol A	PPT	NOT DETECTED	13	50	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Theophylline	PPT	NOT DETECTED	2	20	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Total Trichlorophenols	PPT	NOT DETECTED	27	100	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Triclocarban	PPT	NOT DETECTED	19	50	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible
Triclosan	PPT	NOT DETECTED	20	50	Pharmaceuticals and Personal Care Products (LC/MS/MS) - Negative Ionization	No evaluation possible

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).

This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

app.mytapscore.com/signin

CLIENT INFORMATION

Client: Casey Danford
Requested On: Apr 6, 2026
Phone: +12318460874
Email: casey@caseydanford.com

Kitting, Logistics, and Support provided by: SimpleLab, Inc.

Questions? For fastest assistance:
support@mytapcore.com
 Do not contact facility technicians directly.

TESTING PERFORMED

Testing Requested: SVOC Water Test
Matrix: Drinking Water
Testing / Report ID: Y7QQ4Z
Testing Facility: Alliance Technical Group
Facility Location: 3310 Win St
 Cuyahoga Falls, Ohio 44223

SAMPLE INFORMATION

Collection Date: Apr 13, 2026
Collected By: Casey Danford
Received Date: Apr 15, 2026
Reported On: Apr 22, 2026
Sample Location: Break Room Sink
Sample Address: 1140 Plett Rd, Cadillac, MI 49601,
 United States

TESTING NOTES FROM TAP SCORE

There were no problems with analytical events associated with this report unless noted. Quality control data is within laboratory defined or method specified acceptance limits except where noted. If you have any questions regarding these test results, please contact support@mytapcore.com

TEST RESULTS

ANALYTE	UNIT	RESULT	MDL	RL	METHOD	EPA REG
1,2,4 Trichlorobenzene	PPB	NOT DETECTED	0.977	4.76	EPA SW8270 E	No evaluation possible
1,2 Dichlorobenzene	PPB	NOT DETECTED	0.923	0.952	EPA SW8270 E	No evaluation possible
1,3 Dichlorobenzene	PPB	NOT DETECTED	0.829	0.952	EPA SW8270 E	No evaluation possible
1,4 Dichlorobenzene	PPB	NOT DETECTED	0.862	0.952	EPA SW8270 E	No evaluation possible
2,4,5-Trichlorophenol	PPB	NOT DETECTED	0.452	0.952	EPA SW8270 E	No evaluation possible
2,4,6-Trichlorophenol	PPB	NOT DETECTED	0.489	0.952	EPA SW8270 E	No evaluation possible
2,4-Dichlorophenol	PPB	NOT DETECTED	0.471	0.952	EPA SW8270 E	No evaluation possible
2,4-Dimethylphenol	PPB	NOT DETECTED	1.48	4.76	EPA SW8270 E	No evaluation possible
2,4-Dinitrophenol	PPB	NOT DETECTED	0.181	9.52	EPA SW8270 E	No evaluation possible
2,4-Dinitrotoluene	PPB	NOT DETECTED	0.355	0.952	EPA SW8270 E	No evaluation possible
2,6-Dinitrotoluene	PPB	NOT DETECTED	0.332	0.952	EPA SW8270 E	No evaluation possible
2-Chloronaphthalene	PPB	NOT DETECTED	0.914	0.952	EPA SW8270 E	No evaluation possible
2-Chlorophenol	PPB	NOT DETECTED	0.518	0.952	EPA SW8270 E	No evaluation possible
2-Methyl-4,6-dinitrophenol	PPB	NOT DETECTED	0.264	9.52	EPA SW8270 E	No evaluation possible
2-Methylnaphthalene	PPB	NOT DETECTED	1.1	4.76	EPA SW8270 E	No evaluation possible
2-Nitroaniline	PPB	NOT DETECTED	0.349	4.76	EPA SW8270 E	No evaluation possible
2-Nitrophenol	PPB	NOT DETECTED	0.621	0.952	EPA SW8270 E	No evaluation possible
3,3 Dichlorobenzidine	PPB	NOT DETECTED	5.05	9.52	EPA SW8270 E	No evaluation possible
3,4-Methylphenol	PPB	NOT DETECTED	0.498	0.952	EPA SW8270 E	No evaluation possible
3-Nitroaniline	PPB	NOT DETECTED	0.298	4.76	EPA SW8270 E	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

4-Bromophenyl phenyl ether	PPB	NOT DETECTED	0.5	0.952	EPA SW8270 E	No evaluation possible
4-Chloro-3-methylphenol	PPB	NOT DETECTED	0.312	0.952	EPA SW8270 E	No evaluation possible
4-Chlorophenylphenyl ether	PPB	NOT DETECTED	0.685	0.952	EPA SW8270 E	No evaluation possible
4-Nitrophenol	PPB	NOT DETECTED	0.365	4.76	EPA SW8270 E	No evaluation possible
Acenaphthene	PPB	NOT DETECTED	0.883	0.952	EPA SW8270 E	No evaluation possible
Acenaphthylene	PPB	NOT DETECTED	0.716	0.952	EPA SW8270 E	No evaluation possible
Aniline	PPB	NOT DETECTED	2.35	4.76	EPA SW8270 E	No evaluation possible
Anthracene	PPB	NOT DETECTED	0.19	0.952	EPA SW8270 E	No evaluation possible
Benzidine	PPB	NOT DETECTED	1.92	9.52	EPA SW8270 E	No evaluation possible
Benzo(a)anthracene	PPB	NOT DETECTED	0.24	0.952	EPA SW8270 E	No evaluation possible
Benzo(a)pyrene	PPB	NOT DETECTED	0.244	0.952	EPA SW8270 E	No evaluation possible
Benzo(b)fluoranthene	PPB	NOT DETECTED	0.224	4.76	EPA SW8270 E	No evaluation possible
Benzo(g,h,i)perylene	PPB	NOT DETECTED	0.233	4.76	EPA SW8270 E	No evaluation possible
Benzo(k)fluoranthene	PPB	NOT DETECTED	0.356	0.952	EPA SW8270 E	No evaluation possible
Benzyl alcohol	PPB	NOT DETECTED	0.935	0.952	EPA SW8270 E	No evaluation possible
Benzyl butyl phthalate	PPB	NOT DETECTED	0.545	4.76	EPA SW8270 E	No evaluation possible
bis(2-Chloroethoxy)methane	PPB	NOT DETECTED	0.645	0.952	EPA SW8270 E	No evaluation possible
bis(2-Chloroethyl) ether	PPB	NOT DETECTED	0.776	0.952	EPA SW8270 E	No evaluation possible
Bis(2-ethylhexyl) phthalate	PPB	1.36*	0.429	9.52	EPA SW8270 E	No evaluation possible
Chrysene	PPB	NOT DETECTED	0.171	3.81	EPA SW8270 E	No evaluation possible
Dibenzo(a,h)anthracene	PPB	NOT DETECTED	0.136	9.52	EPA SW8270 E	No evaluation possible
Dibenzofuran	PPB	NOT DETECTED	0.657	0.952	EPA SW8270 E	No evaluation possible
Diethyl phthalate	PPB	NOT DETECTED	0.333	0.952	EPA SW8270 E	No evaluation possible
Dimethyl phthalate	PPB	NOT DETECTED	0.347	0.952	EPA SW8270 E	No evaluation possible
Di-n-butyl phthalate	PPB	NOT DETECTED	0.276	0.952	EPA SW8270 E	No evaluation possible
Di-n-octyl phthalate	PPB	NOT DETECTED	0.515	4.76	EPA SW8270 E	No evaluation possible
Fluoranthene	PPB	NOT DETECTED	0.273	0.952	EPA SW8270 E	No evaluation possible
Fluorene	PPB	NOT DETECTED	0.537	0.952	EPA SW8270 E	No evaluation possible
Hexachlorobenzene	PPB	NOT DETECTED	0.448	0.952	EPA SW8270 E	No evaluation possible
Hexachlorobutadiene	PPB	NOT DETECTED	0.819	0.952	EPA SW8270 E	No evaluation possible
Hexachlorocyclopentadiene	PPB	NOT DETECTED	1.27	9.52	EPA SW8270 E	No evaluation possible
Hexachloroethane	PPB	NOT DETECTED	1.5	1.9	EPA SW8270 E	No evaluation possible
Indeno(1,2,3-cd)pyrene	PPB	NOT DETECTED	0.176	4.76	EPA SW8270 E	No evaluation possible
Isophorone	PPB	NOT DETECTED	0.63	0.952	EPA SW8270 E	No evaluation possible
Naphthalene	PPB	NOT DETECTED	1.1	4.76	EPA SW8270 E	No evaluation possible
Nitrobenzene	PPB	NOT DETECTED	0.819	0.952	EPA SW8270 E	No evaluation possible
n Nitrosodimethylamine	PPB	NOT DETECTED	0.397	0.952	EPA SW8270 E	No evaluation possible
N-Nitrosodi-n-Propylamine	PPB	NOT DETECTED	0.72	0.952	EPA SW8270 E	No evaluation possible
N-Nitrosodiphenylamine	PPB	NOT DETECTED	0.575	0.952	EPA SW8270 E	No evaluation possible
o-Cresol	PPB	NOT DETECTED	0.698	0.952	EPA SW8270 E	No evaluation possible
p-Chloroaniline	PPB	NOT DETECTED	0.772	0.952	EPA SW8270 E	No evaluation possible
Pentachlorophenol	PPB	NOT DETECTED	0.217	4.76	EPA SW8270 E	No evaluation possible
Phenanthrene	PPB	NOT DETECTED	0.224	0.952	EPA SW8270 E	No evaluation possible
Phenol	PPB	NOT DETECTED	0.206	0.952	EPA SW8270 E	No evaluation possible
p-Nitroaniline	PPB	NOT DETECTED	0.369	4.76	EPA SW8270 E	No evaluation possible

Use of this report can only be done in full, with no alterations or additions. Tap Score maintains the right to enforce this and by accepting this report you agree to abide by this policy.

How To Read Your Tap Score PDF Report

Your results are being evaluated against the Federal Maximum Contaminant Level (MCL).

This is an enforceable primary drinking water standard set by the U.S. EPA. MCLs are the highest concentration of a contaminant permitted in drinking water from public water systems. MCLs are set as close as possible to health protective levels, while also taking into account the cost and availability of treatment technologies.

MDL: The Method Detection Limit is the lowest concentration which the analysis team and instrumentation is configured to measure.

RL: The Method Reporting Limit is the lowest level at which the laboratory can confidently and accurately quantify the concentration.

**Analyte was detected below the reporting limit. The value shown is an estimate.*



Did you know?

This Tap Score report is easier to understand when viewed online. Access in-depth information about every detection, including health risks and treatment solutions.

app.mytapscore.com/signin