

From: Barbieri, Charles <CBarbieri@fosterswift.com>
Sent: 8/29/2023 4:21:58 PM
To: "Staron, Matthew (EGLE)" <STARONM@michigan.gov>; "Braum, Thomas (EGLE)" <BraumT2@michigan.gov>; "Brady, Donal (EGLE)" <BradyD6@michigan.gov>; "Schmitt, Glen (EGLE)" <SCHMITTG1@michigan.gov>; "Lowe, Claire (EGLE)" <LoweC9@michigan.gov>; "Cindy Tomaszewski" <ctomaszewski@Cadillac-MI.net>; "Jeff Dietlin" <utilities@cadillac-mi.net>; "Quinn, Patrick" <pquinn@fosterswift0.onmicrosoft.com>
Subject: FW: Preliminary City of Cadillac Comments on New Draft NPDES permit
Attachments: email string re benzidine.pdf, 21.08.31.Eff.AddlMonit.MeritConfirm.pdf, 21.08.31.Eff.AddlMonit.ParagonRepeat.pdf

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

This message was sent securely using Zix®

8-29-23

Folks, thanks again for the dialogue this afternoon. While the matter is still fresh, Cindy Tomaszewski of Cadillac has forwarded the email chain that she had with the laboratory on the anomalous benzidine result and follow-up analyses that occurred. See first attachment with highlighting. She also provided the follow-up lab analyses for the additional sampling collected and split on 8-31-21. See second and third attachments. This should validate the additional follow-up that occurred and the City's concern about the anomalous result of benzidine. We look forward to your additional evaluation of the items discussed. Advise if you have any questions. Chuck

Charles E. Barbieri

Attorney
Foster Swift Collins & Smith PC
313 South Washington Square
Lansing, MI 48933-2193
Phone: 517.371.8155
Fax: 517.367.7155
cbarbieri@fosterswift.com
www.fosterswift.com

FOSTER SWIFT
FOSTER SWIFT COLLINS & SMITH PC & ATTORNEYS

From: Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>
Sent: Tuesday, August 29, 2023 4:12 PM
To: Jeff Dietlin <utilities@cadillac-mi.net>; Barbieri, Charles <CBarbieri@fosterswift.com>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Preliminary City of Cadillac Comments on New Draft NPDES permit

[CAUTION - EXTERNAL EMAIL] DO NOT reply, click links, or open attachments unless you have verified the sender and know the content is safe.
Email string and sample data from 8/31/21

Cindy A. Tomaszewski
Lab Supervisor

From: Jeff Dietlin <utilities@cadillac-mi.net>
Sent: Tuesday, August 29, 2023 3:29 PM
To: Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>; 'Barbieri, Charles' <CBarbieri@fosterswift.com>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Preliminary City of Cadillac Comments on New Draft NPDES permit

I can't open this.

Jeffrey M. Dietlin
City of Cadillac
Director of Utilities
(231) 779-7346(Direct)
(231)775-0906 (Fax)

From: Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>
Sent: Tuesday, August 29, 2023 3:25 PM
To: 'Barbieri, Charles' <CBarbieri@fosterswift.com>; Jeff Dietlin <utilities@cadillac-mi.net>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: RE: Preliminary City of Cadillac Comments on New Draft NPDES permit
Importance: High

FYI regarding benzidine. You have to drill through a few layers to get to the email string.

Cindy A. Tomaszewski
Lab Supervisor

From: Barbieri, Charles <CBarbieri@fosterswift.com>
Sent: Friday, August 25, 2023 2:03 PM
To: Jeff Dietlin <utilities@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>; Patrick Miller <pmiller@cadillac-mi.net>
Subject: Fwd: Preliminary City of Cadillac Comments on New Draft NPDES permit

Folks, what date or dates do you prefer for follow-up call? Chuck
Get [Outlook for iOS](#)

From: Braum, Thomas (EGLE) <BraumT2@michigan.gov>
Sent: Friday, August 25, 2023 11:06:53 AM
To: Barbieri, Charles <CBarbieri@fosterswift.com>

Cc: Brady, Donal (EGLE) <BradyD6@michigan.gov>; Alexander, Christine (EGLE) <ALEXANDERC2@michigan.gov>; Jeff Dietlin <utilities@cadillac-mi.net>; Patrick Miller <pmiller@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>; Staron, Matthew (EGLE) <STARONM@michigan.gov>; Schmitt, Glen (EGLE) <SCHMITTG1@michigan.gov>; Lowe, Claire (EGLE) <LoweC9@michigan.gov>

Subject: RE: Preliminary City of Cadillac Comments on New Draft NPDES permit

[CAUTION - EXTERNAL EMAIL] DO NOT reply, click links, or open attachments unless you have verified the sender and know the content is safe.

Good morning Chuck,

Our responses to the preliminary comments provided from the City regarding the Cadillac WWTP NPDES Permit No. MI0020257 are attached. Also attached is a revised draft of the NPDES permit based on our response to the Industrial Pretreatment Program item provided.

We would like to set up a time to meet next week to discuss additional questions or comments the City may have. Please let me know if any of the following times would work for a meeting:

- Tuesday August 29th at 9:00 AM
- Tuesday August 29th at 2:00 PM
- Tuesday September 5th at 8:30 AM
- Friday September 8th at 11:00 AM

Thank you and we look forward to hearing back from you.

Sincerely,

Tom Braum

Environmental Quality Analyst

Municipal Permits Unit

Water Resources Division

Michigan Department of Environment, Great Lakes, and Energy

BraumT2@michigan.gov | 517-331-7377

From: Barbieri, Charles <CBarbieri@fosterswift.com>

Sent: Tuesday, August 22, 2023 11:37 AM

To: Staron, Matthew (EGLE) <STARONM@michigan.gov>

Cc: Braum, Thomas (EGLE) <BraumT2@michigan.gov>; Brady, Donal (EGLE) <BradyD6@michigan.gov>; Alexander, Christine (EGLE) <ALEXANDERC2@michigan.gov>; Jeff Dietlin <utilities@cadillac-mi.net>; Patrick Miller <pmiller@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>

Subject: RE: Preliminary City of Cadillac Comments on New Draft NPDES permit

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

This message was sent securely using Zix®

Thank you for the update.

Charles E. Barbieri

Attorney

Foster Swift Collins & Smith PC

313 South Washington Square

Lansing, MI 48933-2193

Phone: 517.371.8155

Fax: 517.367.7155

cbarbieri@fosterswift.com

www.fosterswift.com



From: Staron, Matthew (EGLE) <STARONM@michigan.gov>

Sent: Tuesday, August 22, 2023 11:32 AM

To: Barbieri, Charles <CBarbieri@fosterswift.com>

Cc: Braum, Thomas (EGLE) <BraumT2@michigan.gov>; Brady, Donal (EGLE) <BradyD6@michigan.gov>;

Alexander, Christine (EGLE) <ALEXANDERC2@michigan.gov>; Jeff Dietlin <utilities@cadillac-mi.net>;

Patrick Miller <pmiller@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>

Subject: RE: Preliminary City of Cadillac Comments on New Draft NPDES permit

[CAUTION - EXTERNAL EMAIL] DO NOT reply, click links, or open attachments unless you have verified the sender and know the content is safe.

Hi Chuck.

We are preparing responses to your written comments. Once we send those out and give you and your client a chance to review them, we can set up a time to meet. I appreciate your understanding in our goal to issue the permit by Oct. 1.

Matt.

From: Barbieri, Charles <CBarbieri@fosterswift.com>

Sent: Tuesday, August 22, 2023 11:24 AM

To: Staron, Matthew (EGLE) <STARONM@michigan.gov>

Cc: Braum, Thomas (EGLE) <BraumT2@michigan.gov>; Brady, Donal (EGLE) <BradyD6@michigan.gov>;

Alexander, Christine (EGLE) <ALEXANDERC2@michigan.gov>; Jeff Dietlin <utilities@cadillac-mi.net>;

Patrick Miller <pmiller@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>

Subject: RE: Preliminary City of Cadillac Comments on New Draft NPDES permit

CAUTION: This is an External email. Please send suspicious emails to abuse@michigan.gov

This message was sent securely using Zix®

8-22-23

Matt, I wanted to see if we can set up a time this week to have the follow-up call on this, given the schedule the Department has set. Do you have some possible dates and times we can shoot for? Thanks. Chuck

Charles E. Barbieri

Attorney

Foster Swift Collins & Smith PC

313 South Washington Square

Lansing, MI 48933-2193

Phone: 517.371.8155

Fax: 517.367.7155

cbarbieri@fosterswift.com

www.fosterswift.com

FOSTER SWIFT
FOSTER SWIFT COLLINS & SMITH PC ATTORNEYS

From: Barbieri, Charles

Sent: Friday, August 18, 2023 3:31 PM

To: Staron, Matthew (EGLE) <STARONM@michigan.gov>

Cc: Braum, Thomas (EGLE) <BraumT2@michigan.gov>; Brady, Donal (EGLE) <BradyD6@michigan.gov>;

Alexander, Christine (EGLE) <ALEXANDERC2@michigan.gov>; Jeff Dietlin <utilities@cadillac-mi.net>;

Patrick Miller <pmiller@cadillac-mi.net>; Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>

Subject: Preliminary City of Cadillac Comments on New Draft NPDES permit

8-18-23

Matt, at the risk of being unable to understand some of the comments that were discussed internally and with the expectation that we can have a follow-up remote meeting that includes my client representatives, let me offer this preliminary description of issues that the City has about some of the permit items. We would like to see if some of these concerns could be eliminated now so that additional comments on the permit are not needed. Please let us know when we can discuss next week. Thanks. Chuck

Charles E. Barbieri

Attorney

Foster Swift Collins & Smith PC

313 South Washington Square

Lansing, MI 48933-2193

Phone: 517.371.8155

Fax: 517.367.7155

cbarbieri@fosterswift.com

www.fosterswift.com

DISCLAIMER/CONFIDENTIALITY: This communication, along with any documents, files or attachments, is intended only for the use of the addressee and may contain legally privileged and confidential information. Any document attached is a legal document and should not be changed or altered without the knowledge and approval of legal counsel. The sender takes no responsibility for any alterations, additions, revisions or deletions to any such document. Due to software and printer variations, documents printed at the recipient's location may vary from the original printed document.

This message was secured by **Zix**[®].

This message was secured by **Zix**[®].

This message was secured by **Zix**[®].

ATTACHMENT NAME:

email string re benzydine.pdf

ATTACHMENT TYPE:

Adobe Portable Document Format (PDF) compound image

From: [Kelsey Katynski](#)
To: [Cindy Tomaszewski](#)
Cc: [Elizabeth Pangborn](#)
Subject: Re: Final Report and Invoice for Paragon WO 371828
Date: Wednesday, September 8, 2021 7:16:15 AM

Everything captured on this chain pertains to the sample collected 8/16/21. I sent you a separate report for the resampling. The non-detect sample was a re-extraction of the original sampling set.

On Tue, Sep 7, 2021 at 4:48 PM Cindy Tomaszewski <ctomaszewski@cadillac-mi.net> wrote:

Kelsey –

Is this information (below) for the reanalysis of the sample originally collected on 8/16/21? Did you re-extract (a second portion of) the original sample; or rerun the original extract?

Thank you,

Cindy A. Tomaszewski

Lab Supervisor

From: Kelsey Katynski <kelseyk@paragonlaboratories.com>
Sent: Friday, September 3, 2021 3:29 PM
To: Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>; Elizabeth Pangborn <elizabethp@paragonlaboratories.com>
Subject: Re: Final Report and Invoice for Paragon WO 371828

Good Evening Cindy

Your reanalysis of the sample came back as non-detect or <0.10 micrograms/ Liter. The lab's original findings are yet defendable. We suspect interference of something else reading as Benzidine. There will be no charge for the reanalysis not the resampling.

Please let me know if you have any further questions; otherwise, enjoy your holiday!

On Thu, Sep 2, 2021 at 10:40 AM Kelsey Katynski <kelseyk@paragonlaboratories.com> wrote:

Hey Cindy,

Confirming your samples have arrived and your cooler is ready to be shipped back with replacement bottles later today.

I will advise as soon as I have results to report.

Best,

Kelsey

On Wed, Sep 1, 2021 at 11:25 AM Kelsey Katynski <kelseyk@paragonlaboratories.com> wrote:

Received, thank you!

On Wed, Sep 1, 2021 at 11:24 AM Cindy Tomaszewski <ctomaszewski@cadillac-mi.net> wrote:

Sending 3 L sample your way (UPS Next Day), today. The cooler and bottles did not come from Paragon - please replace bottles and return cooler to our address.

Any questions, just send a reply or give us a call. Thanks,

Cindy A. Tomaszewski

Lab Supervisor

From: Kelsey Katynski <kelseyk@paragonlaboratories.com>
Sent: Tuesday, August 31, 2021 8:51 AM
To: Cindy Tomaszewski <ctomaszewski@Cadillac-ML.net>
Cc: Elizabeth Pangborn <elizabethp@paragonlaboratories.com>
Subject: Re: Final Report and Invoice for Paragon WO 371828

Understood, we will re-analyze tomorrow and, due to the run time, extract the data Thursday for reporting. We utilize 1L in analysis, but typically ask for 3L as some shatter in shipment so having another for quality control and or reanalysis such as this it is worthwhile to receive at least 2L.

On Tue, Aug 31, 2021 at 8:35 AM Cindy Tomaszewski <ctomaszewski@cadillac-mi.net> wrote:

Please rerun what you have. You only need to run Method 605.

We will also resample (for method 605) – how much sample do you need? Glass amber 1-L, no preservative?

Thanks,

Cindy A. Tomaszewski

Lab Supervisor

From: Kelsey Katynski <kelseyk@paragonlaboratories.com>
Sent: Tuesday, August 31, 2021 7:47 AM
To: Cindy Tomaszewski <ctomaszewski@Cadillac-ML.net>; Elizabeth Pangborn <elizabethp@paragonlaboratories.com>
Subject: Re: Final Report and Invoice for Paragon WO 371828

Good Morning,

I have located the sample and we have sufficient quantity to re-run the analysis. As the analysis falls out of hold time for compliance please confirm if you wish to proceed with a re-run or resample?

Thank you!

On Mon, Aug 30, 2021 at 5:15 PM Kelsey Katynski
<kelseyk@paragonlaboratories.com> wrote:

Hi Cindy,

Our analyst was surprised by the return of 1.8 micrograms/ Liter; however he did determine it was defensible relative to the fellow samples that were batched with it. I will look at the remaining sample tomorrow and determine if there is sufficient quantity to proceed with reanalysis. Please be advised that the reanalysis will fall outside of hold time for compliance purposes.

Talk to you soon,

Kelsey

On Mon, Aug 30, 2021 at 3:53 PM Cindy Tomaszewski
<ctomaszewski@cadillac-mi.net> wrote:

Kelsey –

I am really surprised by the hit on benzidine.

Is it possible for you to rerun the sample you have? Do you have enough sample volume and is it “not expired”?

Please reply or call my cell (231-878-6230) as soon as you can. Thank you,

Cindy A. Tomaszewski

Lab Supervisor

From: Kelsey Katynski <kelseyk@paragonlaboratories.com>
Sent: Monday, August 30, 2021 11:19 AM
To: Cindy Tomaszewski <ctomaszewski@Cadillac-MI.net>
Cc: Elizabeth Pangborn <elizabethp@paragonlaboratories.com>; Margaret Snyder <margarets@paragonlaboratories.com>
Subject: Final Report and Invoice for Paragon WO 371828

Hello,

Attached are the final reports and invoices for samples received. Please review your reports carefully to ensure it matches your expectations, and complies with your state or city issued permits. Hello,

To ensure prompt processing, please include the Invoice Number and Account ID on your payment and/or remittance.

Please don't hesitate to reach out to me if you have any questions.

Thank you for your business and have a great day.

--

Please be advised, Paragon Laboratories will be closed Monday, September 6th in observance of Labor Day, re-opening for start of business Tuesday. Kindly consider how this may affect your short term samples and schedule accordingly. Do not hesitate should you have any questions or concerns.

Sincerely,
Kelsey Katynski
Accounts Coordinator

PARAGON Laboratories, Inc.

[12649 Richfield Ct.](#)
[Livonia, MI 48150](#)

ATTACHMENT NAME:

21.08.31.Eff.AddlMonit.MeritConfirm.pdf

ATTACHMENT TYPE:

Adobe Portable Document Format (PDF) compound image



Analytical Laboratory Report

Report ID: S27760.01(01)
Generated on 09/03/2021

Report to

Attention: Cindy Tomaszewski
City of Cadillac - WWTP
200 N Lake St.
Cadillac, MI 49601

Phone: 231-775-2368 FAX:
Email: lab@cadillac-mi.net

Report produced by

Merit Laboratories, Inc.
2680 East Lansing Drive
East Lansing, MI 48823

Phone: (517) 332-0167 FAX: (517) 332-6333

Contacts for report questions:
John Lavery (johnlavery@meritlabs.com)
Barbara Ball (bball@meritlabs.com)

Report Summary

Lab Sample ID(s): S27760.01
Project: NPDES Add'l Monitoring
Collected Date(s): 08/31/2021
Submitted Date/Time: 09/02/2021 10:15
Sampled by: C. Marquardt
P.O. #:

Table of Contents

Cover Page (Page 1)
General Report Notes (Page 2)
Report Narrative (Page 2)
Laboratory Certifications (Page 3)
Qualifier Descriptions (Page 3)
Glossary of Abbreviations (Page 3)
Method Summary (Page 4)
Sample Summary (Page 5)

Maya Murshak
Technical Director



Analytical Laboratory Report

General Report Notes

Analytical results relate only to the samples tested, in the condition received by the laboratory.

Methods may be modified for improved performance.

Results reported on a dry weight basis where applicable.

'Not detected' indicates that parameter was not found at a level equal to or greater than the reporting limit (RL).

40 CFR Part 136 Table II Required Containers, Preservation Techniques and Holding Times for the Clean Water Act specify that samples for acrolein and acrylonitrile need to be preserved at a pH in the range of 4 to 5 or if not preserved, analyzed within 3 days of sampling.

QA/QC corresponding to this analytical report is a separate document with the same Merit ID reference and is available upon request.

Full accreditation certificates are available upon request. Starred (*) analytes are not NELAP accredited.

Samples are held by the lab for 30 days from the final report date unless a written request to hold longer is provided by the client.

Report shall not be reproduced except in full, without the written approval of Merit Laboratories, Inc.

Limits for drinking water samples, are listed as the MCL Limits (Maximum Contaminant Level Concentrations)

PFAS requirement: Section 9.3.8 of U.S. EPA Method 537.1 states "If the method analyte(s) found in the Field Sample is present in the FRB at a concentration greater than 1/3 the MRL, then all samples collected with that FRB are invalid and must be recollected and reanalyzed."

Samples submitted without an accompanying FRB may not be acceptable for compliance purposes.

Report Narrative

There is no additional narrative for this analytical report

Laboratory Certifications

Authority	Certification ID
Michigan DEQ	#9956
DOD ELAP/ISO 17025	#69699
WBENC	#2005110032
Ohio VAP	#CL0002
Indiana DOH	#C-MI-07
New York NELAC	#11814
North Carolina DENR	#680
North Carolina DOH	#26702
Alaska CSLAP	#17-001
Pennsylvania DEP	#68-05884

Qualifier Descriptions

Qualifier	Description
!	Result is outside of stated limit criteria
B	Compound also found in associated method blank
E	Concentration exceeds calibration range
F	Analysis run outside of holding time
G	Estimated result due to extraction run outside of holding time
H	Sample submitted and run outside of holding time
I	Matrix interference with internal standard
J	Estimated value less than reporting limit, but greater than MDL
L	Elevated reporting limit due to low sample amount
M	Result reported to MDL not RDL
O	Analysis performed by outside laboratory. See attached report.
R	Preliminary result
S	Surrogate recovery outside of control limits
T	No correction for total solids
X	Elevated reporting limit due to matrix interference
Y	Elevated reporting limit due to high target concentration
b	Value detected less than reporting limit, but greater than MDL
e	Reported value estimated due to interference
j	Analyte also found in associated method blank
p	Benzo(b)Fluoranthene and Benzo(k)Fluoranthene integrated as one peak.
x	Preserved from bulk sample

Glossary of Abbreviations

Abbreviation	Description
RL/RDL	Reporting Limit
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
SW	EPA SW 846 (Soil and Wastewater) Methods
E	EPA Methods
SM	Standard Methods
LN	Linear
BR	Branched



Analytical Laboratory Report

Method Summary

Method	Version
E625.1	EPA Method 625.1 December 2016



Analytical Laboratory Report

Sample Summary (1 samples)

Sample ID	Sample Tag	Matrix	Collected Date/Time
S27760.01	Effluent Composite	Wastewater	08/31/21 07:00



Analytical Laboratory Report

Lab Sample ID: S27760.01
Sample Tag: Effluent Composite
Collected Date/Time: 08/31/2021 07:00
Matrix: Wastewater
COC Reference:

Sample Containers

#	Type	Preservative(s)	Refrigerated?	Arrival Temp. (C)	Thermometer #
2	1L Amber	None	Yes	4.1	IR

Extraction / Prep.

Parameter	Result	Method	Run Date	Analyst	Flags
BNA Extraction*	Completed	E625.1	09/02/21 11:11	PTW	

Organics - Semi-Volatiles

Method: E625.1, Run Date: 09/02/21 19:26, Analyst: PL

Parameter	Result	RL	MDL	Units	Dilution	CAS#	Flags
Benzidine	Not detected	0.1		ug/L	1	92-87-5	

Merit Laboratories Login Checklist

Lab Set ID:S27760

Client:MISC01 (City of Cadillac - WWTP)

Project: NPDES Add'l Monitoring

Submitted:09/02/2021 10:15 Login User: SRS

Attention: Cindy Tomaszewski

Address: City of Cadillac - WWTP
200 N Lake St.
Cadillac, MI 49601

Phone: 231-775-2368

FAX:

Email: lab@cadillac-mi.net

Selection	Description	Note
Sample Receiving		
01. ☒ Yes ☐ No ☐ N/A	Samples are received at 4C +/- 2C Thermometer #	IR 4.1
02. ☒ Yes ☐ No ☐ N/A	Received on ice/ cooling process begun	
03. ☒ Yes ☐ No ☐ N/A	Samples shipped	UPS
04. ☐ Yes ☒ No ☐ N/A	Samples left in 24 hr. drop box	
05. ☒ Yes ☐ No ☐ N/A	Are there custody seals/tape or is the drop box locked	
Chain of Custody		
06. ☒ Yes ☐ No ☐ N/A	COC adequately filled out	
07. ☒ Yes ☐ No ☐ N/A	COC signed and relinquished to the lab	
08. ☒ Yes ☐ No ☐ N/A	Sample tag on bottles match COC	
09. ☐ Yes ☒ No ☐ N/A	Subcontracting needed? Subcontacted to:	
Preservation		
10. ☐ Yes ☐ No ☒ N/A	Do sample have correct chemical preservation	
11. ☐ Yes ☐ No ☒ N/A	Completed pH checks on preserved samples? (no VOAs)	
12. ☐ Yes ☒ No ☐ N/A	Did any samples need to be preserved in the lab?	
Bottle Conditions		
13. ☒ Yes ☐ No ☐ N/A	All bottles intact	
14. ☒ Yes ☐ No ☐ N/A	Appropriate analytical bottles are used	
15. ☐ Yes ☒ No ☐ N/A	Merit bottles used	
16. ☒ Yes ☐ No ☐ N/A	Sufficient sample volume received	
17. ☐ Yes ☒ No ☐ N/A	Samples require laboratory filtration	
18. ☒ Yes ☐ No ☐ N/A	Samples submitted within holding time	
19. ☐ Yes ☐ No ☒ N/A	Do water VOC or TOX bottles contain headspace	

Corrective action for all exceptions is to call the client and to notify the project manager.

Client Review By: _____ Date: _____

ATTACHMENT NAME:

21.08.31.Eff.AddlMonit.ParagonRepeat.pdf

ATTACHMENT TYPE:

Adobe Portable Document Format (PDF) compound image

Friday, September 3, 2021

Cindy Tomaszewski
Cadillac WWTP
200 N. Lake St.
Cadillac, MI 49601

Workorder: 372249
Project Name: NPDES Additional Monitoring WWTP, 1121 PLETT RD, CADILLAC

Cindy Tomaszewski,
Paragon Laboratories, Inc. received the samples associated with the workorder listed above for the analyses presented in the following report. The analyses pertain only to the aliquot of sample received.

This material is confidential and is intended solely for the person to whom it is addressed. If this is received in error, please contact the number below.

Please note that any unused portion of the sample(s) will be discarded 40 days after sample receipt, unless requested otherwise.

We appreciate the opportunity to assist you. If you have any questions concerning this report, please contact me at 734.469.5622.

Sincerely,



Kelsey Q Katynski
Account Coordinator

GLOSSARY

Abbreviation	Meaning	Explanation
ID	Identification	Preceded by "Lab", it describes the unique 10-digit sample number assigned by the laboratory. Preceded by "Sample", it describes the client-specified sample identifier.
Qual	Qualifier	Column that populates with an asterisk (*) when a related narrative comment appears in the Workorder Summary.
RL	Reporting Limit	The value at or above which a result is routinely reported.
MDL	Method Detection Limit	The minimum measured concentration that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results.
DF	Dilution Factor	The dilution applied to the sample during analysis to arrive at the final reported analyte result.
Min	Minimum	The minimum value that a result can be to meet the applicable specification, regulatory, permit, or client-specified limit.
Max	Maximum	The maximum value that a result can be to meet the applicable specification, regulatory, permit, or client-specified limit.
(S)	Surrogate	A compound that is added to the sample to mimic one or more compounds of interest. Its recovery is used to evaluate the efficiency of recovering the compound(s) of interest.
<	Less Than	Symbol that indicates that a result is less than the value following it.
>	Greater Than	Symbol that indicates that a result is greater than the value following it.

SAMPLE SUMMARY

Lab ID	Sample ID	Sample Description	Matrix	Date Collected	Date Received	Collector
3722490001	EFFLUENT	Composite	WW	08/31/2021 07:00	09/02/2021 10:03	CM

This report shall not be reproduced, except in full, without the written consent of Paragon Laboratories, Inc.

WORKORDER SUMMARY

Accreditations

Paragon Laboratories, Inc. is certified by the Michigan Department of Environment, Great Lakes, and Energy to analyze Drinking Water. (EGLE Lab No. 9901 Expires 2/25/2023)

This report shall not be reproduced, except in full, without the written consent of Paragon Laboratories, Inc.

ANALYTICAL RESULTS

Lab ID: 3722490001
Sample ID: EFFLUENT
Description: Composite

Date Collected: 08/31/2021 07:00
Date Received: 09/02/2021 10:03

Matrix: Wastewater (WW)
Collector: CM

Parameter	Result	Qual	Unit	RL	MDL	DF	Min	Max	Analyzed	By
Individual Parameters by EPA 605										
Benzidine	<0.10		µg/L	0.10		1			09/03/2021 10:54	DTM
3,3'-Dichlorobenzidine	<1.5		µg/L	1.5		1			09/03/2021 10:54	DTM
Sample Preparation by EPA 605										
Sep. Funnel Extraction EPA 605	Complete					1			09/02/2021 08:00	DTM

This report shall not be reproduced, except in full, without the written consent of Paragon Laboratories, Inc.

Client Name: CITY OF CADILLAC-WWTP	
Contact Person: CINDY TOMASZEWSKI	
Mailing Address: 200 N LAKE ST	
City, State, Zip: CADILLAC, MI, 49601	
Phone and Fax: 231-775-2368	
Email: lab@cadillac-mi.net	
Client Job Name / No.: NPDES Additional Monitoring	
Job Location: WWTP, 1121 PLETT RD, CADILLAC	
WSSN #: —	PIN #: —
Sampled By: CM	PO No.: TBD

Remarks: **Repeat parameter from project # 371828. Need QL=0.10**
Any Questions-Please Call. Thx.
Avg temp - 3.3°C
Samples received on natural Ice.
SEN 9/2/21

372249
CADILLACWWTP
Cadillac WWTP

Regulatory Requirements	Turnaround Requirements	Matrix Key
RCRA ☐	1 Day (RUSH) ☐	DW = Drinking Water WW = Wastewater
NPDES ☒	2 Day (RUSH) ☐	W = Water D = Diesel BD = Biodiesel
Drinking Water ☐	3 Day (RUSH) ☐	G = Gasoline E8 = E85 O = Oil
Other: _____	5 Day (STANDARD) ☒	SL = Sludge S = Soil X = Other
Other: _____		

Item No.	Date Taken	Time Taken	Grab	Comp	Client Sample ID	Matrix	No. of containers	ANALYSIS REQUESTED																PARAGON SAMPLE NO.
	8-31-21	0700		X	EFFLUENT	WW	3	Benzidine (MH.605)																372249-0001
Tran. #	Released By		Received By		Date	Time	Tran. #	Released By		Received By		Date	Time											
1.	CTomaszewska		UPS Next Day		9-1-2021	1430	3.																	
2.	UPS		SEN		9/2/21	10:03	4.																	