

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Avon Automotives - Permit # 590-06		
Facility Address 603 W. Seventh		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	254,000	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards.

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Cadillac Castings Inc. - Permit # 590-11		
Facility Address 1500 Fourth Ave.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	202,700	PContinuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☒ Categorical Pretreatment Standards. Category Part 464 Foundry Subcategory c 464.34(f)(i)

Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION
SECTION II – Sanitary Wastewater
D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company AAR Cadillac Manufacturing - Permit # 590-01		
Facility Address 201 Haynes St.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	147,400	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☒ Categorical Pretreatment Standards. Category Metal Finisher 3499 Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
---------------------------------------	---

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for **each** SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Wexford County Landfill LLC - Permit # 590 -13		
Facility Address 990 U.S. 131 N.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	33,600	Intermittent
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards. Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Mercy Hospital - Permit # 590-16		
Facility Address 400 Hobart St.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	30,900	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards.

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
---------------------------------------	---

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Borg Warner - Permit # 590-02		
Facility Address 100 Wright St.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	30,449	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards.

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION
SECTION II – Sanitary Wastewater
D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Michigan Rubber - Permit # 590-05		
Facility Address 1200 8 th Ave.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	23,700	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards. Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Piranha Hose Inc. - Permit # 590 - 19		
Facility Address 2500 Raymond Rte. Weigle St.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	22,200	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards.

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Rec Boat Holdings Trailer Plant (formerly, Four Winns) - Permit # 590 - 09		
Facility Address 1500 Ron Wilson		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	8,100	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☒ Categorical Pretreatment Standards. Category Metal Finisher Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

Category _____ Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

Michigan Department of Environmental Quality – Water Resources Division
WASTEWATER DISCHARGE PERMIT APPLICATION

SECTION II – Sanitary Wastewater

D. Nondomestic Wastewater Information

PLEASE TYPE OR PRINT

FACILITY NAME Cadillac WWTP	NPDES PERMIT NUMBER MI0020257
--------------------------------	----------------------------------

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

Supply the following information for each SIU that discharges to the treatment plant. Make additional copies of this page when necessary.

A. SIU location information

Company Paulstra CRC - Permit # 590 - 03		
Facility Address 2500 Raymond Rte. Weigle St.		
City Cadillac	State MI	ZIP Code 49601

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

C. Describe all of the principal processes and raw materials that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

Type of Wastewater	Volume of Discharge (GPD)	Continuous or Intermittent
Process Wastewater	6,200	Continuous
Non-Process Wastewater		

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards.

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

F. Describe any problems at the treatment plant or in the collection system (e.g., upsets, pass through, interference, blockages) attributed to waste or wastewater discharged by this SIU during the last three years.

SECTION II – Sanitary Wastewater

PLEASE TYPE OR PRINT

5. SIGNIFICANT INDUSTRIAL USER (SIU) INFORMATION

A. SIU location information

B. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

D. Flow Rate. What are the average daily volume(s) of wastewater discharged to the collection system? Are the discharge(s) continuous or intermittent?

E. Pretreatment Standards. Indicate whether the SIU is subject to one or both of the following:

☒ Local Limits

☐ Categorical Pretreatment Standards.

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

Category _____

Subcategory _____

EQP 4659-C (Rev. 3/2011)