

## Compliance Monitoring Field Sheet

|                               |                                              |                             |                                                                                             |
|-------------------------------|----------------------------------------------|-----------------------------|---------------------------------------------------------------------------------------------|
| <b>Facility Name</b>          | Cadillac WWTP                                | <b>Facility Contact(s)</b>  | Patrick Miller<br>City of Cadillac<br>Water Resources Supervisor<br>pmiller@cadillac-mi.net |
| <b>Address &amp; County</b>   | 1121 Plett Road, Cadillac<br>Wexford Co C083 | <b>Phone #</b>              | O: (231)306-8084<br>C: (231)912-1962                                                        |
| <b>Permit #</b>               | MI0020257 v6.0                               | <b>Outfall #</b>            | 001                                                                                         |
| <b>DEQ Staff Name</b>         | Don Brady                                    | <b>Receiving Water Body</b> | Clam River                                                                                  |
| <b>Staff Cell &amp; Email</b> | 231-429-5686<br>BradyD6@michigan.gov         |                             |                                                                                             |

--District Staff—Please delete all unwanted parameters for COMPOSITES and GRABS. **\*\*Please do not delete columns\*\***  
 For complete instruction see manual here

| COMPOSITE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | General Chemistry                                                                            | Organic                                                                        | Inorganic                                                                                         |                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|------------------------|
| <i>(PSM only in this box)</i><br><div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">1.5/2/2.5?</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">UV vs. TRC?</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Normal op?</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">Gate time:</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">FC Time:</div> <div style="border: 1px solid black; padding: 2px; margin-bottom: 2px;">DMR:</div> | <b>GN</b><br>SS, O-P, NO <sub>2</sub><br>CBOD-5<br>BOD-5,                                    | <b>ON</b><br>Bis(2-ethylhexyl)phthalate<br><br><b>BNA</b>                      | <b>MA</b><br>As, Cd, Cu, Pb, Hg, Ni, Se, Zn, K<br>Hardness                                        |                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>GA</b><br>NH <sub>3</sub> , Tot Phos, COD,<br>TOC, TKN, NO <sub>3</sub> + NO <sub>2</sub> |                                                                                | <b>Upstream</b>                                                                                   | Hardness<br>Alkalinity |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>MN</b><br>Alkalinity, Cl, SO <sub>4</sub>                                                 |                                                                                | <b>Upstream Location:</b> Path along river<br>upstream of discharge and/or Smith<br>Street bridge |                        |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Parameters to "Split"</b>                                                                 | SS, CBOD, NH <sub>3</sub> , Total Phos, Bis(2-ethylhexyl)phthalate, Cu, Ni, Se |                                                                                                   |                        |

| GRABS            | Grab Parameters<br>-1 | -2 | -3 |  | Upstream |
|------------------|-----------------------|----|----|--|----------|
| Date             |                       |    |    |  |          |
| Time             |                       |    |    |  |          |
| Temperature      |                       |    |    |  |          |
| pH               |                       |    |    |  |          |
| Dissolved Oxygen |                       |    |    |  |          |
|                  |                       |    |    |  |          |
| Fecal Coliform   |                       |    |    |  |          |
| PFAS             |                       |    |    |  |          |

PSM Use only below:

|                           |  |
|---------------------------|--|
| Grab Sample Location      |  |
| Composite Sample Location |  |
| Composite Start Time      |  |