

From: Stacy Carter
Sent: 2/13/2024 1:49:01 PM
To: "Patrick Miller" <pmiller@cadillac-mi.net>
Subject: FW: Box advertisement
Attachments: Public Notice of IPP Violation 2023.docx

FYI

*Stacy Carter
Utilities Office Manager
City of Cadillac
200 N Lake St
Cadillac, MI 49601
Ph: (231) 779-7372
Fax: (231) 306-5969
scarter@cadillac-mi.net*

From: Customer Service <customerservice@cadillacnews.com>
Sent: Tuesday, February 13, 2024 1:45 PM
To: Stacy Carter <SCarter@Cadillac-MI.net>
Subject: FW: Box advertisement

Good afternoon,
This notice has been received and is scheduled to publish 1 time in the Cadillac News on 2/16/24.
Invoice will be sent to address on file.
Thank you,

Jackie Bommarito
Customer Service & Promotional Sales Specialist
Cadillac News
Trusted. Local. Connected.
jbommarito@cadillacnews.com
[\(231\) 775-6565](tel:2317756565)

From: "news cadillacnews.com" <news@cadillacnews.com>
Date: Tuesday, February 13, 2024 at 1:10 PM
To: Customer Service <customerservice@cadillacnews.com>
Subject: FW: Box advertisement

Looks like a legal

--

William Ragsdale
News Clerk
Cadillac News
Phone: 231-775-6564
Fax: 231-775-8790

news@cadillacnews.com

From: Stacy Carter <SCarter@Cadillac-MI.net>
Date: Tuesday, February 13, 2024 at 1:07 PM
To: "news cadillacnews.com" <news@cadillacnews.com>
Subject: Box advertisement

Please publish this as soon as possible.

Thanks,

Stacy

*Stacy Carter
Utilities Office Manager
City of Cadillac
200 N Lake St
Cadillac, MI 49601
Ph: (231) 779-7372
Fax: (231) 306-5969
scarter@cadillac-mi.net*

ATTACHMENT NAME:

Public Notice of IPP Violation 2023.docx

ATTACHMENT TYPE:

Microsoft Office 12+, Office Open XML (OOXML/OpenXML): document (DOCX)



Public Notice of Industrial significant non-compliance exceedances

The following Categorical Industries exceeded their local Industrial Pretreatment Permit (IPP):

Rec Boats Holding Inc. Trailer Division, 1500 Ron Wilson St. Cadillac, MI 49601 was in exceedance of the Copper and Zinc limits in all four quarters of 2023. They also were in exceedance of the Cyanide limit for quarters three and four of 2023.

AAR Mobility Systems, 6th St. Cadillac, MI 49601 was in exceedance of the Cyanide limit for the first and second quarters of 2023. They also exceeded the limit for Cadmium in quarter four of 2023.

AAR Mobility Systems, Haynes St. Cadillac, MI 49601 was in exceedance of the Cyanide limit for the third and fourth quarters of 2023.

ARVCO Container Corp., 1355 Marty Paul St. Cadillac, MI 49601 was in exceedance of the Copper limit for all four quarters in 2023.

Cadillac Castings Inc., 1500 Fourth Ave. Cadillac, MI 49601 exceeded the limit for Zinc in the third and fourth quarters; Cadmium the first and fourth quarters; Silver the second and third quarters; and Molybdenum in all four quarters of 2023.

FIAMM Technologies, 1550 Leeson Ave. Cadillac, MI 49601 was in exceedance of the Copper limit for all four quarters of 2023.

MI Rubber Products, 1200 8th St. Cadillac, MI 49601 was in exceedance of the Copper limit for all four quarters of 2023.

Although the local IPP limits were exceeded by these Categorical industries there were no known violations by the Cadillac Wastewater Treatment plant due to these permit exceedances. There was also no known environmental impact to the Clam River or the Muskegon River watershed.