

# Biosolids PFAS Monitoring Report

version 1.5

(Submission #: HPG-CXVZ-DDE1A, version 1)

Digitally signed by:  
nCORE  
test.windsor.com  
Date: 2022.03.23 13:25:01 -04:00  
Reason: Submission Data  
Location: State of Michigan

## Details

---

Submission ID HPG-CXVZ-DDE1A

## Form Input

---

### General Information and Attachments

---

**Site Name:**

Cadillac WWTP

**Permit Number:**

MI0020257

**Was a biosolids sample collected and tested for PFAS with the intent to land apply those biosolids?**

YES

**Please include complete laboratory report(s), including QA/QC portions, chain of custody, and laboratory excel spreadsheets for all results received since the last report was submitted. We request that all parameters in the MPART Minimum Laboratory Analyte List be included.**

The MPART Analyte List can be found at:

[https://www.michigan.gov/pfasresponse/0,9038,7-365-88059\\_95747---,00.html](https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html)

**Laboratory Reports - results in ug/kg**

220308.PFAS.biosolids.Eurofins.pdf - 03/23/2022 01:04 PM

**Comment**

NONE PROVIDED

### PFAS Biosolids Monitoring (1 of 1)

---

Biosolids grab results from 03/08/2022

**Please hit "Add new Section" at the bottom of this page to repeat the section for each sample date and monitoring point.**

**Biosolids Sample Date (MM/DD/YYYY)**

03/08/2022

**Was the sample a composite or a grab?**

grab

**Was the sample collected representative of biosolids?**

YES

**For results that are non-detect, please enter a "<" symbol followed by the reporting limit. For all WWTPs with an RMP, PFOS, PFOA, PFNA, PFHxS, HFPO-DA (GenX), PFBS, and PFHxA sampling results are required to be reported in the table. Additionally, results for remaining PFAS analytes sampled are requested.**

The table lists the Acronym and CAS number for each analyte. Full parameter names and additional information can be found at:

[https://www.michigan.gov/pfasresponse/0,9038,7-365-88059\\_95747---,00.html](https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html)

| Parameter    | CAS Number  | Results (ug/kg) | Comments (As needed) |
|--------------|-------------|-----------------|----------------------|
| PFOS         | 1763-23-1   | <6.3            | NONE PROVIDED        |
| PFOA         | 335-67-1    | <6.3            | NONE PROVIDED        |
| PFNA         | 375-95-1    | <6.3            | NONE PROVIDED        |
| PFHxS        | 355-46-4    | <6.3            | NONE PROVIDED        |
| HFPO-DA      | 13252-13-6  | <6.3            | NONE PROVIDED        |
| PFBS         | 375-73-5    | <6.3            | NONE PROVIDED        |
| PFHxA        | 307-24-4    | <6.3            | NONE PROVIDED        |
| PFTeA        | 376-06-7    | <6.3            | NONE PROVIDED        |
| PFTriA       | 72629-94-8  | <6.3            | NONE PROVIDED        |
| PFDaA        | 307-55-1    | <6.3            | NONE PROVIDED        |
| PFUnA        | 2058-94-8   | <6.3            | NONE PROVIDED        |
| PFDA         | 335-76-2    | <6.3            | NONE PROVIDED        |
| PFHpA        | 375-85-9    | <6.3            | NONE PROVIDED        |
| PFPeA        | 2706-90-3   | <6.3            | NONE PROVIDED        |
| PFBA         | 375-22-4    | <6.3            | NONE PROVIDED        |
| PFDS         | 335-77-3    | <6.3            | NONE PROVIDED        |
| PFNS         | 68259-12-1  | <6.3            | NONE PROVIDED        |
| PFHpS        | 375-92-8    | <6.3            | NONE PROVIDED        |
| PFPeS        | 2706-91-4   | <6.3            | NONE PROVIDED        |
| PFOSA        | 754-91-6    | <6.3            | NONE PROVIDED        |
| FtS 8:2      | 39108-34-4  | <6.3            | NONE PROVIDED        |
| FtS 6:2      | 27619-97-2  | <6.3            | NONE PROVIDED        |
| FtS 4:2      | 757124-72-4 | <6.3            | NONE PROVIDED        |
| N-EtFOSAA    | 2991-50-6   | <6.3            | NONE PROVIDED        |
| N-MeFOSAA    | 2355-31-9   | 9.4             | NONE PROVIDED        |
| 11CI-PF3OUdS | 763051-92-9 | <6.3            | NONE PROVIDED        |
| 9CI-PF3ONS   | 756426-58-1 | <6.3            | NONE PROVIDED        |
| ADONA        | 919005-14-4 | <6.3            | NONE PROVIDED        |

## **PFAS Mitigation and Notifications**

### **Additional Information**

**If you have any additional information available, please indicate the type**

None

**Staff:** \_\_\_\_\_

[EGLE, WRD Biosolids Staff Map and contact information](#)

[EGLE, WRD IPP PFAS Staff Map and contact information](#)

**Additional Resources:** \_\_\_\_\_

[EGLE Biosolids Webpage](#)

[EGLE Biosolids PFAS Webpage](#)

[EGLE IPP Webpage](#)

[EGLE IPP PFAS Initiative Webpage](#)

[MPART Webpage](#)

[MPART Land Application Workgroup Webpage](#)