

PFAS POTW Effluent Monitoring Report v2

version 1.5

(Submission #: HPJ-N5BJ-2CYH5, version 1)

Digitally signed by:
nCORE
test.windsor.com
Date: 2022.06.23 15:20:02 -04:00
Reason: Submission Data
Location: State of Michigan

Details

Submission Alias PFAS POTW Effluent Monitoring Report

Submission ID HPJ-N5BJ-2CYH5

Form Input

General Information and Attachments

Site Name:

Cadillac WWTP

Permit Number:

MI0020257

Did you take effluent samples for PFAS?

YES

Did you take POTW influent samples for PFAS?

NO

Please include complete laboratory report(s), including QA/QC portions and laboratory excel spreadsheets for all results received since the last report was submitted. We request that all parameters in the MPART Minimum Laboratory Analyte List be included.

The MPART Analyte List can be found at:

https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html

Laboratory Reports

[19.10.Eff.PFAS.TestAm.pdf - 06/23/2022 11:32 AM](#)

[20.04.Eff.PFAS.TestAm.pdf - 06/23/2022 11:32 AM](#)

[20.10.Eff.PFAS.TestAm.pdf - 06/23/2022 11:33 AM](#)

[21.04.Eff.PFAS.Eurofins.pdf - 06/23/2022 11:33 AM](#)

[21.10.Eff.PFAS.Eurofins.pdf - 06/23/2022 11:33 AM](#)

[22.04.Eff.PFAS.Fibertec.pdf - 06/23/2022 11:34 AM](#)

Comment

NONE PROVIDED

PFAS Effluent Monitoring (1 of 6)

Effluent Monitoring results from 001 on 10/22/2019

Please hit "Add new Section" at the bottom of this page to repeat the section for each sample date and monitoring point.

Effluent Sample Date (MM/DD/YYYY)

10/22/2019

Effluent Monitoring Point (e.g. 001 for NPDES or EQ-1 for Groundwater)

001

Effluent Flow (MGD)

1.821

For results that are non-detect, please enter a "<" symbol followed by the reporting limit. For NPDES permitted facilities, PFOS and PFOA sampling results are required to be reported in the table. For Groundwater permitted facilities, PFOS, PFOA, PFNA, PFHxS, HFPO-DA (GenX), PFBS, PFHxA sampling results are required to be reported in the table. Additionally, results for remaining PFAS analytes sampled are requested.

The table lists the Acronym and CAS number for each analyte. Full parameter names and additional information can be found at: https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFOS	1763-23-1	2.0	NONE PROVIDED
PFOA	335-67-1	3.4	NONE PROVIDED
PFNA	375-95-1	<1.6	NONE PROVIDED
PFHxS	355-46-4	2.1	NONE PROVIDED
HFPO-DA	13252-13-6	NONE PROVIDED	NONE PROVIDED
PFBS	375-73-5	18	NONE PROVIDED
PFHxA	307-24-4	17	NONE PROVIDED
PFTeA	376-06-7	6.3	NONE PROVIDED
PFTriA	72629-94-8	<1.6	NONE PROVIDED
PFDoA	307-55-1	<1.6	NONE PROVIDED
PFUnA	2058-94-8	<1.6	NONE PROVIDED
PFDA	335-76-2	<1.6	NONE PROVIDED
PFHpA	375-85-9	<1.6	NONE PROVIDED
PFPeA	2706-90-3	6.3	NONE PROVIDED
PFBA	375-22-4	3.5	NONE PROVIDED
PFDS	335-77-3	<1.6	NONE PROVIDED
PFNS	68259-12-1	<1.6	NONE PROVIDED
PFHpS	375-92-8	<1.6	NONE PROVIDED
PFPeS	2706-91-4	<1.6	NONE PROVIDED
PFOSA	754-91-6	<8.2	NONE PROVIDED
FtS 8:2	39108-34-4	<16	NONE PROVIDED
FtS 6:2	27619-97-2	<16	NONE PROVIDED
FtS 4:2	757124-72-4	<16	NONE PROVIDED
N-EtFOSAA	2991-50-6	<16	NONE PROVIDED
N-MeFOSAA	2355-31-9	<16	NONE PROVIDED
11CI-PF3OUdS	763051-92-9	NONE PROVIDED	NONE PROVIDED
9CI-PF3ONS	756426-58-1	NONE PROVIDED	NONE PROVIDED
ADONA	919005-14-4	NONE PROVIDED	NONE PROVIDED
PFDoS	79780-39-5	NONE PROVIDED	NONE PROVIDED
NMeFOSA	31506-32-8	NONE PROVIDED	NONE PROVIDED
NEtFOSA	4151-50-2	NONE PROVIDED	NONE PROVIDED
NMeFOSE	24448-09-7	NONE PROVIDED	NONE PROVIDED
NEtFOSE	1691-99-2	NONE PROVIDED	NONE PROVIDED
NFDHA	151772-58-6	NONE PROVIDED	NONE PROVIDED
PFEESA	113507-82-7	NONE PROVIDED	NONE PROVIDED
PFMPA	377-73-1	NONE PROVIDED	NONE PROVIDED
PFMBA	863090-89-5	NONE PROVIDED	NONE PROVIDED
3:3 FTCA	356-02-5	NONE PROVIDED	NONE PROVIDED

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
5:3 FTCA	914637-49-3	NONE PROVIDED	NONE PROVIDED
7:3 FTCA	812-70-4	NONE PROVIDED	NONE PROVIDED

PFAS Effluent Monitoring (2 of 6)

Effluent Monitoring results from 001 on 04/22/2020

Please hit "Add new Section" at the bottom of this page to repeat the section for each sample date and monitoring point.

Effluent Sample Date (MM/DD/YYYY)

04/22/2020

Effluent Monitoring Point (e.g. 001 for NPDES or EQ-1 for Groundwater)

001

Effluent Flow (MGD)

1.258

For results that are non-detect, please enter a "<" symbol followed by the reporting limit. For NPDES permitted facilities, PFOS and PFOA sampling results are required to be reported in the table. For Groundwater permitted facilities, PFOS, PFOA, PFNA, PFHxS, HFPO-DA (GenX), PFBS, PFHxA sampling results are required to be reported in the table. Additionally, results for remaining PFAS analytes sampled are requested.

The table lists the Acronym and CAS number for each analyte. Full parameter names and additional information can be found at: https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFOS	1763-23-1	2.6	NONE PROVIDED
PFOA	335-67-1	4.4	NONE PROVIDED
PFNA	375-95-1	NONE PROVIDED	NONE PROVIDED
PFHxS	355-46-4	1.6	NONE PROVIDED
HFPO-DA	13252-13-6	NONE PROVIDED	NONE PROVIDED
PFBS	375-73-5	3.1	NONE PROVIDED
PFHxA	307-24-4	13	NONE PROVIDED
PFTeA	376-06-7	NONE PROVIDED	NONE PROVIDED
PFTriA	72629-94-8	NONE PROVIDED	NONE PROVIDED
PFDoA	307-55-1	NONE PROVIDED	NONE PROVIDED
PFUnA	2058-94-8	NONE PROVIDED	NONE PROVIDED
PFDA	335-76-2	NONE PROVIDED	NONE PROVIDED
PFHpA	375-85-9	1.7	NONE PROVIDED
PFPeA	2706-90-3	4.2	NONE PROVIDED
PFBA	375-22-4	2.7	NONE PROVIDED
PFDS	335-77-3	NONE PROVIDED	NONE PROVIDED
PFNS	68259-12-1	NONE PROVIDED	NONE PROVIDED
PFHpS	375-92-8	NONE PROVIDED	NONE PROVIDED
PFPeS	2706-91-4	NONE PROVIDED	NONE PROVIDED
PFOSA	754-91-6	NONE PROVIDED	NONE PROVIDED
FtS 8:2	39108-34-4	NONE PROVIDED	NONE PROVIDED
FtS 6:2	27619-97-2	NONE PROVIDED	NONE PROVIDED
FtS 4:2	757124-72-4	NONE PROVIDED	NONE PROVIDED

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
N-EtFOSAA	2991-50-6	NONE PROVIDED	NONE PROVIDED
N-MeFOSAA	2355-31-9	NONE PROVIDED	NONE PROVIDED
11Cl-PF3OUdS	763051-92-9	NONE PROVIDED	NONE PROVIDED
9Cl-PF3ONS	756426-58-1	NONE PROVIDED	NONE PROVIDED
ADONA	919005-14-4	NONE PROVIDED	NONE PROVIDED
PFDoS	79780-39-5	NONE PROVIDED	NONE PROVIDED
NMeFOSA	31506-32-8	NONE PROVIDED	NONE PROVIDED
NEtFOSA	4151-50-2	NONE PROVIDED	NONE PROVIDED
NMeFOSE	24448-09-7	NONE PROVIDED	NONE PROVIDED
NEtFOSE	1691-99-2	NONE PROVIDED	NONE PROVIDED
NFDHA	151772-58-6	NONE PROVIDED	NONE PROVIDED
PFEESA	113507-82-7	NONE PROVIDED	NONE PROVIDED
PFMPA	377-73-1	NONE PROVIDED	NONE PROVIDED
PFMBA	863090-89-5	NONE PROVIDED	NONE PROVIDED
3:3 FTCA	356-02-5	NONE PROVIDED	NONE PROVIDED
5:3 FTCA	914637-49-3	NONE PROVIDED	NONE PROVIDED
7:3 FTCA	812-70-4	NONE PROVIDED	NONE PROVIDED

PFAS Effluent Monitoring (3 of 6)

Effluent Monitoring results from 001 on 10/07/2020

Please hit "Add new Section" at the bottom of this page to repeat the section for each sample date and monitoring point.

Effluent Sample Date (MM/DD/YYYY)

10/07/2020

Effluent Monitoring Point (e.g. 001 for NPDES or EQ-1 for Groundwater)

001

Effluent Flow (MGD)

1.781

For results that are non-detect, please enter a "<" symbol followed by the reporting limit. For NPDES permitted facilities, PFOS and PFOA sampling results are required to be reported in the table. For Groundwater permitted facilities, PFOS, PFOA, PFNA, PFHxS, HFPO-DA (GenX), PFBS, PFHxA sampling results are required to be reported in the table. Additionally, results for remaining PFAS analytes sampled are requested.

The table lists the Acronym and CAS number for each analyte. Full parameter names and additional information can be found at: https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFOS	1763-23-1	1.8	NONE PROVIDED
PFOA	335-67-1	2.5	NONE PROVIDED
PFNA	375-95-1	NONE PROVIDED	NONE PROVIDED
PFHxS	355-46-4	NONE PROVIDED	NONE PROVIDED
HFPO-DA	13252-13-6	NONE PROVIDED	NONE PROVIDED
PFBS	375-73-5	25	NONE PROVIDED
PFHxA	307-24-4	9.6	NONE PROVIDED
PFTeA	376-06-7	NONE PROVIDED	NONE PROVIDED

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFTriA	72629-94-8	NONE PROVIDED	NONE PROVIDED
PFDaA	307-55-1	NONE PROVIDED	NONE PROVIDED
PFUnA	2058-94-8	NONE PROVIDED	NONE PROVIDED
PFDA	335-76-2	NONE PROVIDED	NONE PROVIDED
PFHpA	375-85-9	NONE PROVIDED	NONE PROVIDED
PFPeA	2706-90-3	3.4	NONE PROVIDED
PFBA	375-22-4	NONE PROVIDED	NONE PROVIDED
PFDS	335-77-3	NONE PROVIDED	NONE PROVIDED
PFNS	68259-12-1	NONE PROVIDED	NONE PROVIDED
PFHpS	375-92-8	NONE PROVIDED	NONE PROVIDED
PFPeS	2706-91-4	NONE PROVIDED	NONE PROVIDED
PFOSA	754-91-6	NONE PROVIDED	NONE PROVIDED
FtS 8:2	39108-34-4	NONE PROVIDED	NONE PROVIDED
FtS 6:2	27619-97-2	NONE PROVIDED	NONE PROVIDED
FtS 4:2	757124-72-4	NONE PROVIDED	NONE PROVIDED
N-EtFOSAA	2991-50-6	NONE PROVIDED	NONE PROVIDED
N-MeFOSAA	2355-31-9	NONE PROVIDED	NONE PROVIDED
11CI-PF3OUdS	763051-92-9	NONE PROVIDED	NONE PROVIDED
9CI-PF3ONS	756426-58-1	NONE PROVIDED	NONE PROVIDED
ADONA	919005-14-4	NONE PROVIDED	NONE PROVIDED
PFDoS	79780-39-5	NONE PROVIDED	NONE PROVIDED
NMeFOSA	31506-32-8	NONE PROVIDED	NONE PROVIDED
NEtFOSA	4151-50-2	NONE PROVIDED	NONE PROVIDED
NMeFOSE	24448-09-7	NONE PROVIDED	NONE PROVIDED
NEtFOSE	1691-99-2	NONE PROVIDED	NONE PROVIDED
NFDHA	151772-58-6	NONE PROVIDED	NONE PROVIDED
PFEESA	113507-82-7	NONE PROVIDED	NONE PROVIDED
PFMPA	377-73-1	NONE PROVIDED	NONE PROVIDED
PFMBA	863090-89-5	NONE PROVIDED	NONE PROVIDED
3:3 FTCA	356-02-5	NONE PROVIDED	NONE PROVIDED
5:3 FTCA	914637-49-3	NONE PROVIDED	NONE PROVIDED
7:3 FTCA	812-70-4	NONE PROVIDED	NONE PROVIDED

PFAS Effluent Monitoring (4 of 6)

Effluent Monitoring results from 001 on 04/13/2021

Please hit "Add new Section" at the bottom of this page to repeat the section for each sample date and monitoring point.

Effluent Sample Date (MM/DD/YYYY)

04/13/2021

Effluent Monitoring Point (e.g. 001 for NPDES or EQ-1 for Groundwater)

001

Effluent Flow (MGD)

1.874

For results that are non-detect, please enter a "<" symbol followed by the reporting limit. For NPDES permitted facilities, PFOS and PFOA sampling results are required to be reported in the table. For Groundwater permitted facilities, PFOS, PFOA, PFNA, PFHxS, HFPO-DA (GenX), PFBS, PFHxA sampling results are required to be reported in the table. Additionally, results for remaining PFAS analytes sampled are requested.

The table lists the Acronym and CAS number for each analyte. Full parameter names and additional information can be found at: https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFOS	1763-23-1	<1.6	NONE PROVIDED
PFOA	335-67-1	1.9	NONE PROVIDED
PFNA	375-95-1	NONE PROVIDED	NONE PROVIDED
PFHxS	355-46-4	NONE PROVIDED	NONE PROVIDED
HFPO-DA	13252-13-6	NONE PROVIDED	NONE PROVIDED
PFBS	375-73-5	19	NONE PROVIDED
PFHxA	307-24-4	11	NONE PROVIDED
PFTeA	376-06-7	NONE PROVIDED	NONE PROVIDED
PFTriA	72629-94-8	NONE PROVIDED	NONE PROVIDED
PFDaA	307-55-1	NONE PROVIDED	NONE PROVIDED
PFUnA	2058-94-8	NONE PROVIDED	NONE PROVIDED
PFDA	335-76-2	NONE PROVIDED	NONE PROVIDED
PFHpA	375-85-9	NONE PROVIDED	NONE PROVIDED
PFPeA	2706-90-3	2.6	NONE PROVIDED
PFBA	375-22-4	NONE PROVIDED	NONE PROVIDED
PFDS	335-77-3	NONE PROVIDED	NONE PROVIDED
PFNS	68259-12-1	NONE PROVIDED	NONE PROVIDED
PFHpS	375-92-8	NONE PROVIDED	NONE PROVIDED
PFPeS	2706-91-4	NONE PROVIDED	NONE PROVIDED
PFOSA	754-91-6	NONE PROVIDED	NONE PROVIDED
FtS 8:2	39108-34-4	NONE PROVIDED	NONE PROVIDED
FtS 6:2	27619-97-2	NONE PROVIDED	NONE PROVIDED
FtS 4:2	757124-72-4	NONE PROVIDED	NONE PROVIDED
N-EtFOSAA	2991-50-6	NONE PROVIDED	NONE PROVIDED
N-MeFOSAA	2355-31-9	NONE PROVIDED	NONE PROVIDED
11CI-PF3OUdS	763051-92-9	NONE PROVIDED	NONE PROVIDED
9CI-PF3ONS	756426-58-1	NONE PROVIDED	NONE PROVIDED
ADONA	919005-14-4	NONE PROVIDED	NONE PROVIDED
PFDoS	79780-39-5	NONE PROVIDED	NONE PROVIDED
NMeFOSA	31506-32-8	NONE PROVIDED	NONE PROVIDED
NEtFOSA	4151-50-2	NONE PROVIDED	NONE PROVIDED
NMeFOSE	24448-09-7	NONE PROVIDED	NONE PROVIDED
NEtFOSE	1691-99-2	NONE PROVIDED	NONE PROVIDED
NFDHA	151772-58-6	NONE PROVIDED	NONE PROVIDED
PFEESA	113507-82-7	NONE PROVIDED	NONE PROVIDED
PFMPA	377-73-1	NONE PROVIDED	NONE PROVIDED
PFMBA	863090-89-5	NONE PROVIDED	NONE PROVIDED
3:3 FTCA	356-02-5	NONE PROVIDED	NONE PROVIDED
5:3 FTCA	914637-49-3	NONE PROVIDED	NONE PROVIDED
7:3 FTCA	812-70-4	NONE PROVIDED	NONE PROVIDED

PFAS Effluent Monitoring (5 of 6)

Effluent Monitoring results from 001 on 10/13/2021

Please hit "Add new Section" at the bottom of this page to repeat the section for each sample date and monitoring point.

Effluent Sample Date (MM/DD/YYYY)

10/13/2021

Effluent Monitoring Point (e.g. 001 for NPDES or EQ-1 for Groundwater)

001

Effluent Flow (MGD)

1.939

For results that are non-detect, please enter a "<" symbol followed by the reporting limit. For NPDES permitted facilities, PFOS and PFOA sampling results are required to be reported in the table. For Groundwater permitted facilities, PFOS, PFOA, PFNA, PFHxS, HFPO-DA (GenX), PFBS, PFHxA sampling results are required to be reported in the table. Additionally, results for remaining PFAS analytes sampled are requested.

The table lists the Acronym and CAS number for each analyte. Full parameter names and additional information can be found at: https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFOS	1763-23-1	<1.9	NONE PROVIDED
PFOA	335-67-1	2.0	NONE PROVIDED
PFNA	375-95-1	NONE PROVIDED	NONE PROVIDED
PFHxS	355-46-4	NONE PROVIDED	NONE PROVIDED
HFPO-DA	13252-13-6	NONE PROVIDED	NONE PROVIDED
PFBS	375-73-5	19	NONE PROVIDED
PFHxA	307-24-4	NONE PROVIDED	NONE PROVIDED
PFTeA	376-06-7	NONE PROVIDED	NONE PROVIDED
PFTriA	72629-94-8	NONE PROVIDED	NONE PROVIDED
PFDoA	307-55-1	NONE PROVIDED	NONE PROVIDED
PFUnA	2058-94-8	NONE PROVIDED	NONE PROVIDED
PFDA	335-76-2	NONE PROVIDED	NONE PROVIDED
PFHpA	375-85-9	NONE PROVIDED	NONE PROVIDED
PFPeA	2706-90-3	3.3	NONE PROVIDED
PFBA	375-22-4	NONE PROVIDED	NONE PROVIDED
PFDS	335-77-3	NONE PROVIDED	NONE PROVIDED
PFNS	68259-12-1	NONE PROVIDED	NONE PROVIDED
PFHpS	375-92-8	NONE PROVIDED	NONE PROVIDED
PFPeS	2706-91-4	NONE PROVIDED	NONE PROVIDED
PFOSA	754-91-6	NONE PROVIDED	NONE PROVIDED
FtS 8:2	39108-34-4	NONE PROVIDED	NONE PROVIDED
FtS 6:2	27619-97-2	NONE PROVIDED	NONE PROVIDED
FtS 4:2	757124-72-4	NONE PROVIDED	NONE PROVIDED
N-EtFOSAA	2991-50-6	NONE PROVIDED	NONE PROVIDED
N-MeFOSAA	2355-31-9	NONE PROVIDED	NONE PROVIDED
11Cl-PF3OUdS	763051-92-9	NONE PROVIDED	NONE PROVIDED

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
9CI-PF3ONS	756426-58-1	NONE PROVIDED	NONE PROVIDED
ADONA	919005-14-4	NONE PROVIDED	NONE PROVIDED
PFDoS	79780-39-5	NONE PROVIDED	NONE PROVIDED
NMeFOSA	31506-32-8	NONE PROVIDED	NONE PROVIDED
NEtFOSA	4151-50-2	NONE PROVIDED	NONE PROVIDED
NMeFOSE	24448-09-7	NONE PROVIDED	NONE PROVIDED
NEtFOSE	1691-99-2	NONE PROVIDED	NONE PROVIDED
NFDHA	151772-58-6	NONE PROVIDED	NONE PROVIDED
PFEESA	113507-82-7	NONE PROVIDED	NONE PROVIDED
PFMPA	377-73-1	NONE PROVIDED	NONE PROVIDED
PFMBA	863090-89-5	NONE PROVIDED	NONE PROVIDED
3:3 FTCA	356-02-5	NONE PROVIDED	NONE PROVIDED
5:3 FTCA	914637-49-3	NONE PROVIDED	NONE PROVIDED
7:3 FTCA	812-70-4	NONE PROVIDED	NONE PROVIDED

PFAS Effluent Monitoring (6 of 6)

Effluent Monitoring results from 001 on 04/21/2022

Please hit "Add new Section" at the bottom of this page to repeat the section for each sample date and monitoring point.

Effluent Sample Date (MM/DD/YYYY)

04/21/2022

Effluent Monitoring Point (e.g. 001 for NPDES or EQ-1 for Groundwater)

001

Effluent Flow (MGD)

2.093

For results that are non-detect, please enter a "<" symbol followed by the reporting limit. For NPDES permitted facilities, PFOS and PFOA sampling results are required to be reported in the table. For Groundwater permitted facilities, PFOS, PFOA, PFNA, PFHxS, HFPO-DA (GenX), PFBS, PFHxA sampling results are required to be reported in the table. Additionally, results for remaining PFAS analytes sampled are requested.

The table lists the Acronym and CAS number for each analyte. Full parameter names and additional information can be found at: https://www.michigan.gov/pfasresponse/0,9038,7-365-88059_95747---,00.html

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFOS	1763-23-1	3.1	NONE PROVIDED
PFOA	335-67-1	2	NONE PROVIDED
PFNA	375-95-1	NONE PROVIDED	NONE PROVIDED
PFHxS	355-46-4	NONE PROVIDED	NONE PROVIDED
HFPO-DA	13252-13-6	NONE PROVIDED	NONE PROVIDED
PFBS	375-73-5	32	NONE PROVIDED
PFHxA	307-24-4	23	NONE PROVIDED
PFTeA	376-06-7	NONE PROVIDED	NONE PROVIDED
PFTriA	72629-94-8	NONE PROVIDED	NONE PROVIDED
PFDaA	307-55-1	NONE PROVIDED	NONE PROVIDED
PFUnA	2058-94-8	NONE PROVIDED	NONE PROVIDED

Parameter	CAS Number	Results (ng/L)	Comments (As needed)
PFDA	335-76-2	NONE PROVIDED	NONE PROVIDED
PFHpA	375-85-9	2	NONE PROVIDED
PFPeA	2706-90-3	4.5	NONE PROVIDED
PFBA	375-22-4	4.6	NONE PROVIDED
PFDS	335-77-3	NONE PROVIDED	NONE PROVIDED
PFNS	68259-12-1	NONE PROVIDED	NONE PROVIDED
PFHpS	375-92-8	NONE PROVIDED	NONE PROVIDED
PFPeS	2706-91-4	NONE PROVIDED	NONE PROVIDED
PFOSA	754-91-6	NONE PROVIDED	NONE PROVIDED
FtS 8:2	39108-34-4	NONE PROVIDED	NONE PROVIDED
FtS 6:2	27619-97-2	NONE PROVIDED	NONE PROVIDED
FtS 4:2	757124-72-4	NONE PROVIDED	NONE PROVIDED
N-EtFOSAA	2991-50-6	NONE PROVIDED	NONE PROVIDED
N-MeFOSAA	2355-31-9	NONE PROVIDED	NONE PROVIDED
11Cl-PF3OUdS	763051-92-9	NONE PROVIDED	NONE PROVIDED
9Cl-PF3ONS	756426-58-1	NONE PROVIDED	NONE PROVIDED
ADONA	919005-14-4	NONE PROVIDED	NONE PROVIDED
PFDoS	79780-39-5	NONE PROVIDED	NONE PROVIDED
NMeFOSA	31506-32-8	NONE PROVIDED	NONE PROVIDED
NEtFOSA	4151-50-2	NONE PROVIDED	NONE PROVIDED
NMeFOSE	24448-09-7	1	NONE PROVIDED
NEtFOSE	1691-99-2	NONE PROVIDED	NONE PROVIDED
NFDHA	151772-58-6	NONE PROVIDED	NONE PROVIDED
PFEESA	113507-82-7	NONE PROVIDED	NONE PROVIDED
PFMPA	377-73-1	NONE PROVIDED	NONE PROVIDED
PFMBA	863090-89-5	NONE PROVIDED	NONE PROVIDED
3:3 FTCA	356-02-5	NONE PROVIDED	NONE PROVIDED
5:3 FTCA	914637-49-3	NONE PROVIDED	NONE PROVIDED
7:3 FTCA	812-70-4	NONE PROVIDED	NONE PROVIDED

Additional Information

If you have any additional information available, please indicate the type

None