

Database Directory & Schema Guide

This directory contains a comprehensive mapping of the tables, fields, and entities utilized in the AgriPulse Employee Performance Tracking System. The database holds 18 tables grouped into transactional tracking datasets, administrator user accounts, and read-only catalogs.

Database Classification

Operational & Transactional (Core)	TASK_MASTER, TASK_LOCATION, TASK_FARMER_MAPPING, TASK_ACTIVITY_LOG, Tbl_TRN_Farmer_Meeting	Administrative
------------------------------------	--	----------------

Entity Relationship Mappings

Foreign Key Constraint	References Table	Relationship Purpose
TASK_LOCATION.task_id	TASK_MASTER.task_id	Many-to-One linking geographic boundaries to assigned work plans
TASK_FARMER_MAPPING.task_id	TASK_MASTER.task_id	Bridge mapping assigning target farmer checklists to a parent task
TASK_FARMER_MAPPING.farmer_id	TBL_MST_MASTER.code	Links transactional assignments to the read-only master farmer code
TASK_ACTIVITY_LOG.task_id	TASK_MASTER.task_id	Tracks revision history for tasks assigned by managers.
TASK_ACTIVITY_LOG.officer	auth_user.id	Maps updates to the employee/manager profile ID who performed the task
Tbl_TRN_Farmer_Meeting.work_plan_id	TASK_MASTER.task_id	Links completed field visit checklists to parent manager assignment
Tbl_TRN_Farmer_Meeting.farmer_code	TBL_MST_MASTER.code	Links the captured KCC/HNT checklist answers to the target farmer
Tbl_TRN_Farmer_Meeting.employee_id	auth_user.id	Identifies the field officer who conducted the meeting and verification
user_details.user_id	auth_user.id	Extends account permissions with HR, Manager, and Field Officer roles

Category: Operational & Transactional (Core)

Table: **dbo.TASK_MASTER**

Primary table tracking field operation tasks assigned by managers to field officers. Stores titles, priority levels, deadlines, and parent task statuses.

Column Name	Data Type	Nullability	Key Attributes
task_id	int	NOT NULL	PRIMARY KEY
task_name	varchar(255)	NOT NULL	-
work_type	varchar(100)	NOT NULL	-
assigned_officer	int	NOT NULL	-
priority	varchar(50)	NULL	-
start_date	date	NULL	-
end_date	date	NULL	-
status	varchar(50)	NULL	-
remarks	varchar	NULL	-
created_at	datetime	NULL	-
assigned_by	int	NULL	-
schedule_type	varchar(10)	NULL	-

Table: **dbo.TASK_LOCATION**

Stores location boundaries (Taluka, Village, Subvillage codes) linked to each task.

Column Name	Data Type	Nullability	Key Attributes
id	int	NOT NULL	PRIMARY KEY
task_id	int	NULL	FOREIGN KEY
taluka_code	varchar(100)	NULL	-
village_code	varchar(100)	NULL	-
subvillage_code	varchar(100)	NULL	-

Table: **dbo.TASK_FARMER_MAPPING**

Bridge table linking tasks to assigned farmers. Tracks officer visit progress and completion state on a per-farmer basis.

Column Name	Data Type	Nullability	Key Attributes
id	int	NOT NULL	PRIMARY KEY
task_id	int	NULL	FOREIGN KEY
farmer_id	bigint	NULL	FOREIGN KEY
status	varchar(50)	NULL	-

Table: **dbo.TASK_ACTIVITY_LOG**

Audit logging table that captures manager and employee actions (assignment, progress updates, state changes, status overrides).

Column Name	Data Type	Nullability	Key Attributes
log_id	int	NOT NULL	PRIMARY KEY
task_id	int	NULL	FOREIGN KEY
action	varchar(50)	NULL	-
remarks	varchar	NULL	-
timestamp	datetime	NULL	-
officer	int	NULL	-

Table: **dbo.TbL_TRN_Farmer_Meeting**

Primary transactional data-capture table storing field officer compliance checklists (KCC status, HNT loans, registration, expected tonnage, vehicle status, geolocation, and upload photo path) for a specific farmer visit.

Column Name	Data Type	Nullability	Key Attributes
meeting_id	bigint	NOT NULL	PRIMARY KEY
work_plan_id	bigint	NULL	FOREIGN KEY
farmer_code	bigint	NOT NULL	-
employee_id	bigint	NOT NULL	FOREIGN KEY
kcc	bit	NULL	-
kcc_reason	nvarchar	NULL	-
canara_hnt	bit	NULL	-
canara_reason	nvarchar	NULL	-
sangola_hnt	bit	NULL	-
sangola_reason	nvarchar	NULL	-
cane_registration	bit	NULL	-
cane_registration_remark	nvarchar	NULL	-
recovery	bit	NULL	-
recovery_reason	nvarchar	NULL	-
expected_tonnage	decimal	NULL	-
vehicle_agreement	bit	NULL	-
vehicle_reason	nvarchar	NULL	-
is_working_vehicle	bit	NULL	-
vehicle_working_reason	nvarchar	NULL	-
cane_development	nvarchar	NULL	-
feedback	nvarchar	NULL	-
photo_path	nvarchar(500)	NULL	-
remark	nvarchar	NULL	-
latitude	decimal	NULL	-
longitude	decimal	NULL	-
location	nvarchar(500)	NULL	-
otp_id	bigint	NULL	FOREIGN KEY
otp_verified	bit	NOT NULL	-
otp_verified_at	datetime	NULL	-
created_by	bigint	NOT NULL	-
created_at	datetime	NOT NULL	-
updated_at	datetime	NOT NULL	-

Category: Administration & Profiles

Table: `dbo.auth_user`

Core user accounts table (from `django auth` schema). Contains encrypted passwords, email addresses, staff tags, and active account flags.

Column Name	Data Type	Nullability	Key Attributes
<code>id</code>	<code>bigint</code>	NULL	FOREIGN KEY
<code>password</code>	<code>varchar</code>	NULL	-
<code>last_login</code>	<code>datetime</code>	NULL	-
<code>is_superuser</code>	<code>bigint</code>	NULL	-
<code>username</code>	<code>varchar</code>	NULL	-
<code>first_name</code>	<code>varchar</code>	NULL	-
<code>last_name</code>	<code>varchar</code>	NULL	-
<code>email</code>	<code>varchar</code>	NULL	-
<code>is_staff</code>	<code>bigint</code>	NULL	-
<code>is_active</code>	<code>bigint</code>	NULL	-
<code>date_joined</code>	<code>datetime</code>	NULL	-

Table: `dbo.user_details`

Application profile extensions for `auth_user`. Stores roles (HR, Manager, Officer), blocking status, and credentials back-ups.

Column Name	Data Type	Nullability	Key Attributes
<code>id</code>	<code>bigint</code>	NULL	FOREIGN KEY
<code>user_id</code>	<code>bigint</code>	NULL	FOREIGN KEY
<code>password</code>	<code>varchar</code>	NULL	-
<code>deleted</code>	<code>bigint</code>	NULL	-
<code>created_on</code>	<code>datetime</code>	NULL	-
<code>created_by</code>	<code>bigint</code>	NULL	-
<code>updated_on</code>	<code>datetime</code>	NULL	-
<code>updated_by</code>	<code>bigint</code>	NULL	-
<code>is_login</code>	<code>bigint</code>	NULL	-
<code>wrong_login</code>	<code>bigint</code>	NULL	-
<code>last_logged_in</code>	<code>datetime</code>	NULL	-
<code>is_published</code>	<code>bigint</code>	NULL	-
<code>is_superuser</code>	<code>float</code>	NULL	-
<code>is_boiler</code>	<code>float</code>	NULL	-
<code>is_sop_call</code>	<code>bigint</code>	NULL	-
<code>is_activity</code>	<code>bigint</code>	NULL	-
<code>is_cane_compost_form</code>	<code>bigint</code>	NULL	-
<code>is_leave_od_approval</code>	<code>float</code>	NULL	-
<code>is_survey_master</code>	<code>bigint</code>	NULL	-
<code>is_login_enabled</code>	<code>float</code>	NULL	-
<code>is_recovery</code>	<code>bigint</code>	NULL	-
<code>is_attendance</code>	<code>bigint</code>	NULL	-
<code>is_blocked</code>	<code>bigint</code>	NULL	-
<code>in_latitude</code>	<code>float</code>	NULL	-
<code>in_longitude</code>	<code>float</code>	NULL	-
<code>out_latitude</code>	<code>float</code>	NULL	-
<code>out_longitude</code>	<code>float</code>	NULL	-
<code>activity_latitude</code>	<code>float</code>	NULL	-
<code>activity_longitude</code>	<code>float</code>	NULL	-
<code>km_range</code>	<code>bigint</code>	NULL	-
<code>role</code>	<code>varchar(20)</code>	NULL	-

Table: **dbo.REPORT_MASTER**

Metadata catalog for generated PDF/CSV reports created by management and HR.

Column Name	Data Type	Nullability	Key Attributes
report_id	int	NOT NULL	PRIMARY KEY
task_id	int	NULL	FOREIGN KEY
report_type	varchar(100)	NOT NULL	-
generated_by	int	NOT NULL	-
generated_date	datetime	NULL	-
status	varchar(50)	NULL	-
file_path	varchar(255)	NULL	-

Table: **dbo.REPORT_DETAILS**

Detailed records of rows and counts included in each compiled report.

Column Name	Data Type	Nullability	Key Attributes
report_detail_id	int	NOT NULL	PRIMARY KEY
report_id	int	NULL	FOREIGN KEY
officer_id	int	NOT NULL	FOREIGN KEY
farmer_count	int	NULL	-
village_count	int	NULL	-
completion_rate	float	NULL	-
report_status	varchar(50)	NULL	-
task_status	varchar(50)	NULL	-
assigned_date	date	NULL	-
end_date	date	NULL	-
completed_farmers	int	NULL	-
pending_farmers	int	NULL	-
generated_snapshot_json	nvarchar	NULL	-
remarks	varchar	NULL	-
performance_grade	nvarchar(5)	NULL	-
calculated_score	decimal	NULL	-
officer_rank	int	NULL	-
total_officers	int	NULL	-
kcc_pct	decimal	NULL	-
canara_pct	decimal	NULL	-
sangola_pct	decimal	NULL	-
cane_reg_pct	decimal	NULL	-
recovery_pct	decimal	NULL	-
vehicle_pct	decimal	NULL	-
meetings_coverage_pct	decimal	NULL	-
prev_score	decimal	NULL	-
score_trend	decimal	NULL	-
missed_farmers_json	nvarchar	NULL	-

Category: Read-Only Master Lookup Catalogs

Table: dbo.TBL_MST_MASTER
Read-only master catalog of all registered farmers, including names, mobile numbers, unique codes, and village associations.

Column Name	Data Type	Nullability	Key Attributes
code	bigint	NULL	-
NameM	varchar	NULL	-
NameE	varchar	NULL	-
Village_code	bigint	NULL	-
Address	varchar	NULL	-
Phone_No	float	NULL	-
Remark	varchar	NULL	-
Member	bigint	NULL	-
Non_Member	bigint	NULL	-
TContractor	float	NULL	-
BContractor	float	NULL	-
Gadi	float	NULL	-
doki	float	NULL	-
Employee	float	NULL	-
Gadivan	float	NULL	-
Pan_Card_No	varchar	NULL	-
EmailID	float	NULL	FOREIGN KEY
MobileNumber	float	NULL	-
Correspondent_Address	varchar	NULL	-
Correspondent_AddressE	varchar	NULL	-
AddressE	varchar	NULL	-
Age	float	NULL	-
Talula_Code	bigint	NULL	-
District_Code	bigint	NULL	-
isBlock	bigint	NULL	-
State_Code	float	NULL	-
Aadhar_No	float	NULL	-
Name_UCode	varchar	NULL	-
Subvillage_code	int	NULL	-

Table: dbo.TBL_MST_DAILY_WORKTYPE
Lookup index defining the various daily operation types (e.g. Fertilizer Distribution, Cane Registration, Loan Recovery).

Column Name	Data Type	Nullability	Key Attributes
work_type_id	bigint	NULL	FOREIGN KEY
work_type_name	varchar	NULL	-

Table: **dbo.TBI_mst_taluka**

Read-only master catalog of regional Taluka zones.

Column Name	Data Type	Nullability	Key Attributes
Taluka_Code	bigint	NULL	-
Taluka_Name	varchar	NULL	-
Taluka_NameE	varchar	NULL	-
Dist_Code	bigint	NULL	-
Taluka_Name_UCode	varchar	NULL	-

Table: **dbo.TBI_mst_village**

Read-only master catalog of village zones mapped to Talukas.

Column Name	Data Type	Nullability	Key Attributes
Village_Code	bigint	NULL	-
Village_Name	varchar	NULL	-
Pin_Code	bigint	NULL	-
IsinArea	bigint	NULL	-
Created_By	bigint	NULL	-
Modified_By	bigint	NULL	-
OldVillageCode	bigint	NULL	-
Village_NameE	varchar	NULL	-
BulkCart_Distance	bigint	NULL	-
Truck_Distance	bigint	NULL	-
Village_Name_UCode	varchar	NULL	-
Taluka_Code	bigint	NULL	-

Table: **dbo.Tbl_mst_sub_village**

Read-only master catalog of sub-village sections mapped to Villages.

Column Name	Data Type	Nullability	Key Attributes
Subvillage_code	bigint	NULL	-
Subvillage_Name	varchar	NULL	-
Subvillage_NameE	varchar	NULL	-
Subvillage_Name_Ucode	varchar	NULL	-
Village_code	bigint	NULL	-
Taluka_code	bigint	NULL	-

Category: Legacy & Deprecated Reference

Table: `dbo.activities`
Legacy telemetry and basic activity logging table (prior to task-based workflows).

Column Name	Data Type	Nullability	Key Attributes
id	bigint	NULL	FOREIGN KEY
farmer_id	bigint	NULL	FOREIGN KEY
farmer_name	varchar	NULL	-
contractor_id	bigint	NULL	FOREIGN KEY
contractor_name	varchar	NULL	-
mobile_no	bigint	NULL	-
is_other	bigint	NULL	-
user_id	bigint	NULL	FOREIGN KEY
purpose_of_work_id	bigint	NULL	FOREIGN KEY
work_description	varchar	NULL	-
photo	float	NULL	-
latitude	float	NULL	-
longitude	float	NULL	-
address	varchar	NULL	-
city	varchar	NULL	-
village	varchar	NULL	-
state	varchar	NULL	-
deleted	bigint	NULL	-
created_on	datetime	NULL	-
created_by	bigint	NULL	-
updated_on	datetime	NULL	-
updated_by	bigint	NULL	-

Table: `dbo.purpose_of_work`
Lookup catalog mapping legacy activities to work codes.

Column Name	Data Type	Nullability	Key Attributes
id	bigint	NULL	FOREIGN KEY
name	varchar	NULL	-
description	varchar	NULL	-
is_published	bigint	NULL	-
deleted	bigint	NULL	-
created_on	varchar	NULL	-
created_by	bigint	NULL	-
updated_on	varchar	NULL	-
updated_by	bigint	NULL	-

Table: **dbo.TBL_ROW_DAILY_WORKPLAN**

Legacy individual work plan rows (deprecated in favor of TASK_FARMER_MAPPING).

Column Name	Data Type	Nullability	Key Attributes
id	bigint	NULL	FOREIGN KEY
plan_id	bigint	NULL	FOREIGN KEY
farmer_id	bigint	NULL	FOREIGN KEY
work_id	bigint	NULL	FOREIGN KEY
work_remark_id	float	NULL	FOREIGN KEY
work_count	float	NULL	-
status	float	NULL	-
work_assigned_emp_code	bigint	NULL	-

Table: **dbo.TBL_TRN_DAILY_WORKPLAN**

Legacy daily work plan headers (deprecated in favor of TASK_MASTER).

Column Name	Data Type	Nullability	Key Attributes
plan_id	bigint	NULL	FOREIGN KEY
emp_code	bigint	NULL	-
Month	bigint	NULL	-
Week	bigint	NULL	-
from_date	datetime	NULL	-
to_date	datetime	NULL	-
created_by	float	NULL	-
created_at	float	NULL	-
modified_by	float	NULL	-
modified_at	float	NULL	-