PART B-1

PHP program to implement student registration form using Labels, Text Boxes, Text Area, Checkbox, Radio Buttons, Select and Submit button. (First Name, Last Name, Address, E-Mail, Mobile, City, State, Gender, Hobbies, Blood Group). Display user inserted value in a new PHP page in a neat format.

PB1.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Student Registration Form</title>
  <style>
    table {
      border-collapse: collapse;
      width: 50%;
    }
    th, td {
      padding: 8px;
      text-align: left;
      border-bottom: 1px solid #ddd;
    }
  </style>
</head>
<body>
  <h2>Student Registration Form</h2>
  <form action="PB1.php" method="post">
    >
        <label for="firstName">First Name:</label>
        <input type="text" id="firstName" name="firstName" required>
```

```
<label for="lastName">Last Name:</label>
 <input type="text" id="lastName" name="lastName" required>
<label for="address">Address:</label>
 <textarea id="address" name="address" required></textarea>
<label for="email">E-Mail:</label>
 <input type="email" id="email" name="email" required>
>
 <label for="mobile">Mobile:</label>
 <input type="text" id="mobile" name="mobile" required>
>
 <label for="city">City:</label>
 <input type="text" id="city" name="city" required>
<label for="state">State:</label>
 <input type="text" id="state" name="state" required>
>
 <label for="gender">Gender:</label>
 <input type="radio" id="male" name="gender" value="Male" required>
   <label for="male">Male</label>
   <input type="radio" id="female" name="gender" value="Female" required>
   <label for="female">Female</label>
 <label for="hobbies">Hobbies:</label>
 <input type="checkbox" id="hobby1" name="hobbies[]" value="Reading">
```

```
<label for="hobby1">Reading</label>
          <input type="checkbox" id="hobby2" name="hobbies[]" value="Sports">
          <label for="hobby2">Sports</label>
          <input type="checkbox" id="hobby3" name="hobbies[]" value="Music">
          <label for="hobby3">Music</label>
        <label for="bloodGroup">Blood Group:</label>
        >
          <select id="bloodGroup" name="bloodGroup" required>
            <option value="">Select</option>
            <option value="A+">A+</option>
            <option value="A-">A-</option>
            <option value="B+">B+</option>
            <option value="B-">B-</option>
            <option value="AB+">AB+</option>
            <option value="AB-">AB-</option>
            <option value="O+">O+</option>
            <option value="O-">O-</option>
          </select>
        <br>>
    <input type="submit" value="Submit">
  </form>
</body>
</html>
PB1.PHP
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Student Information</title>
</head>
<body>
  <h2>Student Information</h2>
  <?php
  if ($ SERVER["REQUEST METHOD"] == "POST") {
    echo "<strong>First Name:</strong> " . $ POST["firstName"] . "";
    echo "<strong>Last Name:</strong> " . $ POST["lastName"] . "";
    echo "<strong>Address:</strong> " . $ POST["address"] . "";
    echo "<strong>E-Mail:</strong> " . $ POST["email"] . "";
    echo "<strong>Mobile:</strong> " . $ POST["mobile"] . "";
    echo "<strong>City:</strong> " . $ POST["city"] . "";
    echo "<strong>State:</strong> " . $ POST["state"] . "";
    echo "<strong>Gender:</strong> " . $_POST["gender"] . "";
    if (!empty($ POST["hobbies"])) {
      echo "<strong>Hobbies:</strong> ".implode(", ", $ POST["hobbies"]). "";
    }
    echo "<strong>Blood Group:</strong> " . $ POST["bloodGroup"] . "";
  }
  ?>
</body>
</html>
```