

COMMUNITY TOOL DOCUMENTATION

H3 Prompt Composer V5.37.1

Illustrated User Guide


- Choose the right mode
- Route references by job
- Build Shots from visible action
- Check the prompt before generation

Visual quick start and feature tour

August 21, 2026

Standalone HTML - local browser app - no installation

The workspace at a glance



Left: project setup and reference library. Center: Generations and Shots. Right: generated prompt, Check, Suggestions, and Phrases.

- Start in the left column.
- Build the active Generation in the center.
- Finish in the right column before copying the prompt.

1. Choose the workflow

If you have...	Choose
Only text	T2VA
A required first frame	I2VA
Required first and last frames	FL2VA
A required final frame	L2VA
Character, Environment, Video, or Audio references	Ref2VA
A single-image edit or composite	Image
Video grammar T2VA/I2VA/FL2VA/L2VA use integrated_multimodal_description, overall_soundscape, and non_diegetic_music. Ref2VA uses six sections. Image mode is separate.	

2. Map the connected inputs

Guided Reference Setup images · video · audio Close

REUSABLE ENVIRONMENTS / LOCATIONS

Environment inputs and locations are separate. Picture 2 + Picture 3 + Picture 4 is the reusable Environment input bank. Choose how many different locations your project contains, then decide which of those Picture inputs each location uses. The same physical input can hold a different location file in a different Generation.

How many different environments / locations will this project use?

2
This is the number of reusable locations in your project—not the number of Picture inputs connected to H3.

Reserved Environment input bank Picture 2 + Picture 3 + Picture 4

▼ **Environment 1: Kitchen Picture 2 + Picture 3**

Location name: Kitchen

Permanent location and layout: Narrow kitchen with a central island and a window over the sink.
Describe what should remain true whenever this location returns.

Current state, lighting, and atmosphere — optional: Nighttime; soft blue moonlight through the windows; furniture
These conditions can be changed later for a particular Generation.

Which reserved Picture inputs will this location use?
Select one or more. For example, one location can use Pictures 4–5 while another uses only Picture 5.

☒ Picture 2 ☒ Picture 3 ☐ Picture 4

▼ **Environment 2: Rooftop Picture 4**

Location name: Rooftop

Permanent location and layout: Flat rooftop bordered by a low concrete parapet.
Describe what should remain true whenever this location returns.

Current state, lighting, and atmosphere — optional: Nighttime; soft blue moonlight through the windows; furniture
These conditions can be changed later for a particular Generation.

Which reserved Picture inputs will this location use?
Select one or more. For example, one location can use Pictures 4–5 while another uses only Picture 5.

☐ Picture 2 ☐ Picture 3 ☒ Picture 4

Cancel Create reference setup

A shared physical Environment input bank feeds two reusable locations, each with its own selected Picture subset.

- Count sockets, not files in your archive.
- Reserve the physical Environment bank once.
- Create named locations separately and select each location's Picture subset.
- Use the Environment tabs to switch or add locations.
- Verify the Current Generation input map against ComfyUI.


3. Build a Generation, then build its Shots

Shot stage	Question to answer
Scene and subjects	What world and visible cast are present?
Opening State	Where is everything at frame zero?
Action	What physically changes over time?
Camera	What is framed, from where, and how does the camera move?
Dialogue	Who speaks, how, and what exact words are heard?
Sound	What synchronized physical sounds occur?

Cuts versus Beats

Use a new Shot for a real cut to new information. Use Timed Action Beats when the camera remains continuous and only action pacing changes.

4. Plan camera motion visually



Two timed camera positions define an arc around the subject; the current camera prompt updates below the planner.

- The green arrow is the subject's front.
- Choose straight or arc geometry.
- Choose whether the grid travels with the subject or remains in scene space.
- Add only meaningful camera positions; two to six are supported.

5. Reconstruct a camera in Targeted Edit

Video Editing Setup
video wizard
Close

Video 1 is the source footage. Answer only the questions that matter for this edit; the Composer will preserve source-owned camera, timing, and unaffected content automatically.

1 What kind of edit are you making?
The available choices are specific to image or video editing.

Edit type

Targeted edit of existing footage

2 Define the requested source-video change
Describe the new viewpoint, framing, or camera movement; the source timing, recorded action, performance, and environment stay authoritative.

What visible element should change? — optional when only changing the camera

the performer's jacket

Requested visible change — optional when only changing the camera

Replace only the jacket with a fitted dark-brown leather jacket.

☒ Yes — reconstruct the camera viewpoint or movement
Video 1 supplies the recorded performance and timing; your Camera instruction replaces the source camera.

How do you want to create the camera instruction?

Start with guided controls, then open the Visual Planner

Only the selected method is used in the prompt. The Composer will not combine a custom path with different dropdown settings.

Subject already in Video 1

the performer walking along the beach

Camera orientation / background — optional

The camera is on the ocean side and points inland toward the dunes and distant buildings.

Use this only when the new angle should face a particular part of the location or show a particular background.

Target framing

Wide / full shot

Camera relationship to the subject


On subject's right — show right profile

Cancel Create editing setup

Targeted Edit can change a visible element, reconstruct the camera, or do both.

- Video 1 keeps the performance and timing.
- Choose Guided controls, Visual Planner, or one custom camera sentence.
- Add one orientation/background cue only when it resolves the new view.
- The Composer keeps the other camera drafts dormant.


6. Capture continuity references locally



The Frame Grabber keeps video local and names the PNG by Picture slot, Generation, purpose, and time.

- Step precisely to the source frame.
- Select continuity, Environment, storyboard, composite, keyframe, or scale purpose.
- Capture at decoded native resolution.
- Crop or edit away stale visual evidence before using the frame as continuity guidance.

7. Use AI Setup for first-pass project structure



Copy new-project, full-project, or next-Generation context; paste or open returned schema-v4 JSON for validation.

- AI Setup is an interchange workflow, not an online service inside the app.
- Use `append_generations` to preserve earlier Generations.
- Review imported Picture routing before generation.
- Names and upload order never imply a physical slot unless you explicitly assign it.

8. Build a one-frame image prompt





Image mode assigns reusable references to one still-image edit or composite.

- Choose a preset.
- Assign one role to each reference.
- State the requested change.
- Protect everything that must remain source-authentic.
- Review the image prompt independently of the video grammar.

9. Read Check before Suggestions



A passing Check can still include informational notes such as frame-grid normalization.

Signal	Response
Error	Fix before generation.
Warning	Review the relationship or timing; keep only when intentional.
Info	Understand normalized or inherited state.
Suggestion	Apply only when the coaching fits your intent.

10. Copy, save, and recover

- Copy prompt sends the active Generation to the clipboard.
- Copy all generations creates a labeled multi-Generation sequence.
- Save .json preserves the editable project; supported Chromium browsers offer Save As.
- Open restores a saved JSON project.
- Restore previous returns to the safety backup created before destructive project changes.
- Auto-save remains local to the browser.

Final preflight

Confirm the active mode, duration, physical input map, Shot cut times, reference jobs, speaker IDs, soundscape, music state, and a clean Prompt Check before generation.

V5.37.1 audit summary

- All governed prompt structures match the supplied guides.
- The new multi-location Environment setup passed creation, mapping, close, tab, and add-location tests.
- All six built-in examples pass Prompt Check with zero errors.
- No runtime, console, network, or responsive-overflow failures were found.

For field-by-field explanations, use the Full User Guide included with this release. H3 Prompt Composer is an independent community tool.