

H3 Prompt Composer

V5.18.5 Illustrated Quick Start

Composer Overview

A standalone, local-first prompt-building workspace for MiniMax H3 and ComfyUI reference workflows.

Independent community tool - not an official MiniMax or ComfyUI product.

1. Choose the workflow

Workflow Picker

Start with the generation or guided edit that matches the task. One Generation is one H3 output; Shots are continuous camera views inside it.

Start with the generation or guided edit that matches the task. One Generation is one H3 output; Shots are continuous camera views inside it.

2. Match physical inputs

Connected Inputs

Set the available Image, Video, and Audio counts to match the sockets connected for this Generation.

Set the available Image, Video, and Audio counts to match the sockets connected for this Generation.

3. Build the library

Subject Reference

Create stable Subjects and Environments. Keep identity separate from temporary physical routing.

Create stable Subjects and Environments. Keep identity separate from temporary physical routing.

AI Setup can organize these nodes from media and project notes. Import one schema-v4 JSON object, then review names, routing, presence, and dialogue before generation.

4. Route Environments per Generation

Composer Overview

With recurring Subjects pinned to Pictures 1-4, route alternative Environments as 5-6, 5, and 5-7. Reuse across Environments is valid.

With recurring Subjects pinned to Pictures 1-4, route alternative Environments as 5-6, 5, and 5-7. Reuse across Environments is valid.

Environment	Logical views	Temporary routing
Jungle Clearing	Wide, shed side	Pictures 5-6
Jungle Road	Wide	Picture 5
Broken Bridge	Wide, approach, ramp detail	Pictures 5-7

Filename rule: P## means a physical slot only when intentionally pinned. ENV## and V## identify logical Environment media.

5. Protect appearance continuity

Appearance Continuity

Select the authoritative starting look and carry intentional changes forward after the correct Shot.

Select the authoritative starting look and carry intentional changes forward after the correct Shot.

6. Add scale guidance only when needed

Scale Placement

Map all visible Subjects from left to right. Choose whether the guide controls scale only or scale plus approximate placement.

Map all visible Subjects from left to right. Choose whether the guide controls scale only or scale plus approximate placement.

7. Build the camera

Camera Builder

Define the start frame, optional end frame, and compatible camera motion in that order.

Define the start frame, optional end frame, and compatible camera motion in that order.

8. Add dialogue and audio

Dialogue Audio

Bind speakers and voice references deliberately. Keep off-screen speech separate from voiceover.

Bind speakers and voice references deliberately. Keep off-screen speech separate from voiceover.

9. Use guided edit workflows

Insert Subject

For source-footage edits, preserve unaffected timing, camera, parallax, Environment, and audio as required.

For source-footage edits, preserve unaffected timing, camera, parallax, Environment, and audio as required.

10. Check before copying

Prompt Check

Fix errors, review warnings, then copy the active Generation or the complete sequence.

Fix errors, review warnings, then copy the active Generation or the complete sequence.

Quick routing checklist

- Are pinned Subject slots stable?
- Are Environment view names independent of slots?
- Are different Environments allowed to reuse legal sockets?
- Does every view inside one active Environment have a unique socket?
- Does the ComfyUI wiring match the active Generation?