


H3 PROMPT COMPOSER

Illustrated User Guide

V5.14.0

A visual quick-start for the current audited build: connected inputs, Subjects and Environments, multi-Subject scale/placement, appearance continuity, Shot Builder, Camera Builder, dialogue/audio, guided video workflows, continuation, and Prompt Check.



The Composer translates filmmaking choices into structured H3 prompt language.

1. Quick Start

1. Choose a mode

Ref2VA for character/environment/audio/video reference work; base modes for T2VA/I2VA/FL2VA/L2VA.

2. Set connected inputs

Match Images / Videos / Audio to the physical ComfyUI reference sockets.

3. Add Subjects and Environments

Attach the Pictures that define each reusable element.

4. Build the Generation


Use Shots only for actual cuts; Timed Action Beats for pacing within one Shot.

5. Camera / dialogue / sound

Use structured controls instead of repeating camera and dialogue syntax manually.

6. Prompt Check and Copy

Fix errors, review warnings, then copy the generated prompt.



Connected ComfyUI input counts remain visible in Basic view. V5.14.0 also aligns the minimum target duration with the current 4-second H3 minimum.

2. Subjects, References, and Environments

A Subject is the reusable thing H3 should keep track of. Attach identity/appearance source Pictures inside the Subject card. Add a standalone Picture only when that image has another specific job.

Subject 1> maya definition

Subject type
Character / person

Name
Maya

Reference contribution
Character sheet – Identity and full appearance
This tells H3 what to take from the references attached to this Subject. Normal generated shots get framing from the Subject/Camera controls; direct video-edit presets use their own source-footage rules.

Subject / appearance source images
Picture 1 Picture 2 Picture 3 Picture 4 Picture 5

Defining visual details
Woman in her early 30s with short black hair, round glasses, an olive utility jacket over a cream shirt, dark jeans, and a small silver pendant.

▼ Appearance for this Generation
This section controls what H3 should see at the START of the current Generation. The fields directly below always belong to the selected Starting look. A fresh Generation inherits the carried-forward look from the Generation you create it from; you can change it here when wardrobe changes off camera between clips.

Starting look for this Generation
Base / character-sh
This Generation is explicitly using the selected saved look. To reuse any older look, simply choose it here; a separate "Recall" control is not needed.

+ New look for this Generation

Starts as: Base / character-sheet appearance
Carries forward unchanged as Base / character-sheet appearance.

Starting look name
Base / character-sheet
Type a new name, then press Enter or click Rename. The Starting look dropdown above updates immediately when the rename is committed.

Rename

How is this Starting look defined?
Base character sheet / original look

Using the base
The original character reference remains authoritative for wardrobe and temporary

For an Environment, select every useful angle that shows the **same place**. Several Pictures can define one Environment; Camera Builder still defines the generated viewpoint.

3. Multi-Subject Scale / Placement

A single rough composite can contain several Subjects. List them in the same order they appear visually.

Four-subject scale / placement guide

Picture

<Picture>

auto definition

What does this image control?

Visual height / scale / placement – attribute guide

This Picture is an attribute guide, not an exact frame. Scale-only mode transfers relative physical size, body/object scale, proportions, and floor-plane information globally. The ordered Subject list identifies the figures without imposing target blocking. Scale + placement additionally transfers approximate left-to-right order, spacing, depth, and blocking for one chosen Shot. The prompt explicitly tells H3 not to reproduce the guide's pose, lighting, rough composite, or exact composition.

Short name

Four-subject scale / placement guide

Use a deliberately utilitarian scale diagram for scale-only work. A rough composite can also be used when you intentionally want approximate placement in one Shot. In either mode this Picture is guidance, never an exact target frame.

Connected Picture used for this scale / placement reference

Picture 5

Choose the actual ComfyUI Picture input containing the scale diagram or rough placement composite.

Subjects shown in this reference – from left to right

1

<Subject 1> – Maya

↑

↓

×

2

<Subject 2> – Eli

↑

↓

×

3

<Subject 4> – T-Rex

↑

↓

×

4

<Subject 5> – Jeep

↑

↓

×

+ Add Subject

List the visible Subjects in the same left-to-right order they appear in the guide. The order identifies which figure is which. In scale-only mode it does not control target blocking. In scale + placement mode it also guides approximate left-to-right placement for the selected Shot.

Use this image for this Generation

Height / scale + approximate placement

Placement applies to

Shot 1

Additional scale / placement notes (optional)

Optional: emphasize a specific depth, spacing, or floor-contact relationship; ignore pose, lighting.

Example: Jane → John → T-Rex → Jeep. The Composer writes an explicit “from left to right” mapping so H3 does not need to guess which figure corresponds to which Subject. Subject label numbers do not need to increase left to right; the ordered list defines the visual mapping.

Scale only: order identifies the figures but does not control blocking. **Scale + placement:** order, spacing, depth, floor contact, and approximate screen placement can guide one chosen Shot.

H3 Prompt Composer V5.14.0

4. Appearance and Wardrobe Continuity

Starting look for this Generation is the authoritative opening look. Use **+ New look for this Generation** when clothing/temporary appearance changes between clips.

▼ Appearance for this Generation

This section controls what H3 should see at the **START** of the current Generation. The fields directly below always belong to the selected Starting look. A fresh Generation inherits the carried-forward look from the Generation you create it from; you can change it here when wardrobe changes off camera between clips.

Starting look for this Generation

Evening Wardrobe ▼

This Generation is explicitly using the selected saved look. To reuse any older look, simply choose it here; a separate "Recall" control is not needed.

+ New look for this Generation

Starts as: Evening Wardrobe

Carries forward unchanged as Evening Wardrobe.

Starting look name

Evening Wardrobe

Type a new name, then press Enter or click Rename. The Starting look dropdown above updates immediately when the rename is committed.

Rename

How is this Starting look defined?

Text description — override wardrobe / temporary ▼

Starting wardrobe / temporary appearance used in this Generation

Black T-shirt and blue jeans, no jacket. Hair, face, and body proportions remain unchanged.

This text belongs to the selected Starting look above. It overrides conflicting wardrobe or temporary-appearance details from the base character sheet while identity, face, hair, and body proportions remain anchored by the Subject reference.

▶ Saved looks library / historical editing

For an on-camera change, describe the visible action in Action/Timed Beats, then record the resulting look with **Appearance after this Shot**. Rename commits with Enter or the Rename button and updates the selector immediately.

5. Camera Builder

Think in endpoints: where the shot starts, where it ends, then how the camera moves between them.

Camera Builder

Start: Medium shot · Maya · Front three-quarter — viewing more of subject's left side · End: Me...

1

START FRAME

Framing / shot size

Medium shot

Subject or Environment being framed

<Subject 1> — Maya

Second subject in frame — optional

— none / single-subject framing

Choose a second character here to make the selected shot size a two-person framing, such as a medium two-shot.

Horizontal viewpoint

Front three-quarter — viewing m

Camera height and vertical angle

Eye level, looking level

Composition — optional

Left third

2

END FRAME

Every blank End control inherits Start if a distinct endpoint is defined. If all End controls remain on "Same as Start," Step 3 can still use a loose movement range without forcing an exact ending frame.

Ending framing / shot size

Medium close-up

Subject or Environment being framed

Same as Start — <Subject 1> — I

Second subject in frame — optional

Same as Start — none / single-s

Keep the same second subject, switch to another, or choose None to resolve from two people to a single subject.

Horizontal viewpoint

Same as Start — Front three-qua

Camera height and vertical angle

Same as Start — Eye level, lookir

Composition — optional

Same as Start — Left third

3

CAMERA MOTION

Endpoint analysis: tighter ending framing. Choose how the camera physically gets from Frame 1 to Frame 2.

Movement

Push In

Recommended: Push In naturally connects the wider Start Frame to the tighter End Frame.

Movement target

<Subject 1> — Maya

Leave this on Automatic for normal subject-focused moves. Choose a different reference only when the camera is intentionally anchored to something other than the Start Frame target.

Speed

Slow

Motion timing

During dialogue

Controls when the movement happens relative to the shot action and dialogue; it changes prompt order instead of adding redundant timing instructions.

Additional movement instruction — optional

reveal <Subject 2> in the doorw.

Describe only something not already established by the End Frame.

► Stability, lens, and focus

CAMERA INSTRUCTION PREVIEW

A medium shot frames <Subject 1> from the waist up, with the camera at a front three-quarter angle favoring <Subject 1>'s left side, positioned on the left third of the frame. The camera is at eye level. During the dialogue, the camera slowly pushes in toward <Subject 1>, tightening to a medium close-up, with smooth stabilized movement.

Let Camera Builder own framing/movement language whenever possible. Action text should focus on what the Subjects physically do.

6. Dialogue and Audio

Dialogue cards keep speaker identity, delivery, exact words, voice reference behavior, and post-line action in timeline order.

(S1) Maya

Speaker

<Subject 1> – Maya

Voice: <Audio 1> – applied automatically from the subject binding.

quietly, with a hesitant pause before the final words

English

Spoken words only

I don't think I'm ready to open it.

▶ Action after this line – optional

▶ Advanced dialogue settings

Bind a voice once to a Subject. Auto mode bypasses that voice in Generations where the Subject does not speak. Music/SFX references use purpose-specific controls rather than voice-only options.

7. Guided Video Workflows

Use the guided starting points when source footage owns important timing, camera, performance, or continuity.

Choose the easiest starting point

Insert a subject into existing footage
Preserve the original source plate and camera frame by frame, then add a character, creature, vehicle, or prop with matching scale, occlusion, shadows, focus, and motion blur.

Replace a background and relight the performer
Use a green screen, blue screen, plain wall, neutral studio background, or existing composite. Replace the background with an image and transfer that environment's lighting onto the performer.

Transfer a filmed performance or camera move
Generate a referenced character while following facial acting, mouth performance, gesture, body motion, optional dialogue/audio, or camera movement from a short reference video.

Continue an existing video
Start immediately after the end of Video 1 while carrying forward subject motion, screen direction, camera momentum, environment, lighting, and spatial continuity.

Or build a general reference prompt

1 Add each reusable character, creature, vehicle, or prop as a **Subject**, and attach its appearance image or source video inside that Subject.

2 Add a location as an **Environment** and attach every useful view. These references define the world and layout, not the final camera framing.

3 Add a **Voice** and choose voice timbre or exact performed dialogue. In Auto mode, only voices used by the active Generation are sent to H3.

4 Add a standalone **Picture** only when the image

Workflow	Main job
Insert Subject	Keep the source plate/camera and physically integrate a new Subject.
Background + Relight	Replace background and rebuild performer lighting.
Performance + Camera	Transfer selected acting/camera attributes; dialogue optional.
Continue Video	Start after the final source moment and preserve the handoff.

H3 Prompt Composer V5.14.0

8. Insert Subject

Video 1 remains the source-plate authority. The Composer preserves timing, camera, parallax, environment, and unaffected content, while the new Subject is grounded, occluded, and matched to the plate.

Video edit preset: Insert subject into footage

Leave preset

Connect the untouched source footage as **Video 1** and the inserted subject's appearance image as **Picture 1**. The generated prompt treats the original frames as the source plate, not merely as a visual reference.

Inserted subject name

Subject type

Inserted subject

Creature / animal

Appearance details from the reference image

Lean red fox with russet fur, black lower legs, white chest and tail tip, natural adult proportions, and alert ears.

Depth in the source scene

Source audio treatment

Midground

Preserve source au

What the inserted subject does

moves naturally through the existing scene

☒ Preserve source footage frame for frame

☒ Use existing objects as occluders

☒ Ground feet/wheels and add contact shadow

☒ Match lighting, focus, grain, and motion blur

Use **What the inserted subject does** for the main path/blocking through the source footage. Use the Shot action below only for additional behavior or timing that is not already stated here. The preset supplies source-plate preservation and VFX-integration language automatically.

A multi-Subject scale/placement Picture can be especially useful when a rough composite communicates the inserted Subject's size and blocking relative to existing Subjects.

9. Background Replacement + Lighting Reference

Choose the source-background type, preserve the filmed performance, replace the background, remove spill/edge contamination as appropriate, then relight the performer to match the Environment.

MODE

T2VA

I2VA

FL2VA

L2VA

Ref2VA

Full reference mode. Define reusable Subjects once, bind voices when needed, and give every standalone Picture or Video one specific job such as framing, wardrobe, scale/placement, lighting integration, performance, editing, or continuation.

TIMING

Target duration (seconds)

10

Requested 10.00s → 243 frames → effective 10.13s @24fps (17n+5)

STYLE

Live-action, cinematic

Stated at the top of Shot 1, e.g. Cinematic, live-action, 2D-animated, 3D CG, claymation, watercolor, vintage film.

Video edit preset: Background replacement + relighting

Leave preset

Connect the performer footage as Video 1 and the replacement environment image as Picture 1. A chroma screen is not required: choose the source-background type below so the prompt can describe what should be removed. If one pass replaces the background but preserves studio lighting, switch to Relight existing composite only and use the first output as Video 1.

Workflow stage

Original background

Replace background: Green screen

Performer name

Lighting change strength

the performer

Strong and clearly v

Performer details to preserve

Preserve facial identity, hairstyle, navy jacket, body proportions, hand gestures, timing, and lip

Replacement environment details

Rainy nighttime city alley with dark brick walls, wet pavement, storefront reflections, light haze, and deep background perspective.

Lighting visible in the environment image

Cool cyan key from frame left, warm amber rim from frame right, soft reflected light from wet pavement, and deep but readable shadows.

Describe direction, color, contrast, rim light, shadow depth, and reflected bounce when they are visually clear.

Picture

<Picture 2>

preferred lighting integration look

auto definition

-

What does this image control?

Lighting integration only – relighting look

This Picture transfers lighting integration only. Use a preferred composite/relight still to show key, fill, rim, reflected color, shadow density, exposure balance, and atmospheric integration. It does not control pose, framing, subject position, or background geometry.

Short name

preferred lighting integration look

Apply lighting look to

<Subject 1> – the performer

Lighting qualities to transfer

Transfer only the key/fill/rim relationship, reflected environment color, shadow density,

The optional Lighting / Integration Reference can show what “good integration” looks like while explicitly excluding its pose, framing, placement, and background geometry.

10. Performance / Camera Transfer

Select only the performance/camera attributes you actually want to transfer. The target Subject’s own Picture references remain authoritative for identity and final appearance.

Reference workflow: Transfer performance or camera

Leave preset

Connect the target character sheet as **Picture 1** and the filmed performance/camera reference as **Video 1**. If Video 1 has useful synchronized speech, its paired soundtrack can optionally provide exact dialogue or voice timbre; audio is not required. The video can transfer facial acting, gesture, body motion, timing, and/or camera movement. This generates the referenced character; it does not composite the source performer or scene.

Target character

Dialogue / audio treatment

Target character

No dialogue / no au

Appearance details to preserve

Oval face, short dark hair, charcoal jacket, slim build, and the small scar above the right eyebrow.

Use Video 1 for

Performance only

Camera only

Performance + camera

☒ Facial expression

☒ Mouth performance

☒ Head movement

☒ Eyeline

☒ Upper-body gesture

☐ Full-body motion

☐ Camera movement

Performance notes

Transfer the hesitant delivery, brief downward glance, hand tremor, shoulder movement, and

Audio inactive disabled for this generation

No dialogue is required. Video 1 can still transfer facial acting, gesture, body motion, timing, and camera movement without creating or reusing a spoken line.

No dialogue / no audio reference is a first-class option. Acting, movement, timing, and camera motion can transfer without creating any Audio reference or spoken line.

11. Video Continuation

Continuation begins immediately after the final source moment. It does not replay or edit the source clip.

Reference workflow: Continue an existing video

Leave preset

Connect the clip you want to continue as **Video 1**. The final moment of that video becomes the handoff into the new generation. This is not a frame-for-frame edit: the source ends, then the target video continues forward from its final state. Add Character / Subject references below only when you want stronger identity control.

<Video 1> continuation handoff

Preserve the ending state, then create new motion after it rather than replaying the source.

Continue subject state, movement, and screen direction

☒

Continue camera direction, speed, height, and framing momentum

☒

Preserve environment, lighting, atmosphere, and spatial continuity

☒

Do not replay, restage, or reset the ending action

☒

Handoff notes — optional


The clip ends with her left foot forward and the camera tracking backward; keep that stride and camera momentum continuous before she slows

Describe only the new action that happens after the source ends in the Shot action box. Camera Builder can be used when the continued camera deliberately evolves after the handoff.

Preserve the ending subject state, ongoing motion/screen direction, camera momentum, Environment, lighting, and spatial relationships when those are important to the handoff.

12. Prompt Check

Use Prompt Check as a preflight panel before copying the prompt.



Error: fix. **Warning:** review. **Info:** usually advisory. Prompt Check catches empty, invalid, duplicated, or mis-targeted multi-Subject scale mappings. V5.14.0 additionally catches speaker IDs in custom retention notes and uses the complete generated detailed_description for its word-count advisory.

13. Save, Organize, and Share

Save .json

Exports a portable editable project. Auto-save stays in the current browser profile only.

Generations vs. projects

Keep a coherent sequence/reference package in one project when it is manageable. Multiple Environments can coexist; each Shot chooses the correct one. Start a new project when the reference package or sequence boundary changes substantially.

Three rules worth remembering

1. Give every reference one clear job.
2. Use Shots for cuts and Timed Beats for pacing.
3. Let structured controls own camera, dialogue, continuity, and reference relationships instead of manually repeating them in prose.

V5.14.0 automatically migrates older two-Subject scale references into the left-to-right ordered list, sanitizes invalid saved camera enum values, and can deduplicate scale mappings with Auto-tidy.