


H3 Prompt Composer V5.19.5


A visual guide to the current Ref2VA workflow, Prompt Check, Prompt Coach, retention controls, camera planning, and AI Setup.



The core workflow: define reusable references on the left, author the current Generation in the middle, and review the generated H3 prompt plus checks on the right.

Shots describe continuous camera views

A **Generation** is one H3 output. A **Shot** is one continuous camera view. Use Timed Action Beats when the camera stays continuous but the action needs explicit timing.



1 Opening State

Describe what is already true at frame zero: position, orientation, occlusion, and who is already moving.


2 Main Action

Describe what changes after the opening state. Use canonical <Subject N> labels in instructional prose.

V5.19.5 convenience: a second + Add Shot button now appears below the Shot stack. The new Shot scrolls into view and focuses Opening State automatically.

Use a new Shot only for a real cut/transition to another view.

Structural problems now lead you to the fix



Prompt Check validates timing, reference mappings, labels, presence, dialogue, audio, camera configuration, continuity, scale guidance, workflow limits, and other deterministic conditions.

Locate appears when the Composer knows which UI control caused the message. Click it to expand the relevant card/stage, scroll there, highlight the control, and focus it.

Error Fix before generating.

Warning Review; may be intentional.

Info Useful context.

Ready No known structural/mapping problem.

A clean Check means the Composer found no known structural conflict; it does not guarantee model compliance.

Advisory guidance without pretending to be an LLM

The screenshot displays the H3 Prompt Composer interface, which is divided into several sections:

- MODE:** Includes tabs for T2VA, I2VA, FL2VA, L2VA, and Ref2VA. The Ref2VA tab is selected.
- TIMING:** Shows target duration (10 seconds) and requested duration (10.00s) with frame counts (243 frames) and effective duration (10.13s @24fps).
- STYLE:** Includes a text input for style (e.g., "Live-action, cinematic, soft morning window light, ni") and a dropdown for style (e.g., "Cinematic, live-action, 2D-animated, 3D CG, claymation, watercolor, vintage film").
- Build a reference prompt:** A section with instructions and buttons for adding subjects, environments, continuity, and voice.
- Scene & continuity:** A section for describing the scene, including environment/location, subjects, and actions.
- Opening state / blocking:** A section for describing the opening state and blocking.
- Action & timing:** A section for describing the main action and timing.
- Camera:** A section for describing the camera setup.
- Dialogue & on-screen text:** A section for describing dialogue and on-screen text.
- Prompt check:** A section for checking the prompt, including a "Prompt coach" button and a "Suggestions 2" tab.
- Open Adherence Guide:** A section for opening the adherence guide, which includes a "PROMPT COACH" button and a "Suggestions 2" tab.
- H3 ADHERENCE:** A section for adherence, including a "detailed_description" button and a "Description is 325 words; the normal Ref2VA target is 350-500" message.

Suggestions run automatically and look for known H3 trouble spots plus field-aware writing patterns. They never block prompt generation and never rewrite your text automatically.

H3 adherence

Evidence-backed patterns such as ambiguous rotation, audio negatives in prose, generic quality boosters, and weak cuts.


Prompt Coach

Advisory patterns such as an Opening State that duplicates Main Action or movement with no path/result.

Controls: Locate jumps to the source field; Why? opens the relevant Adherence Guide section; Dismiss hides advice that does not apply.

Strong prompts may legitimately have zero Suggestions.

Give every input a job - and make retention discoverable




Basic mode now shows the active visual preservation marker directly on each reference card. If the role is editable, **Edit in Advanced** jumps to the retention selector.

Common visual markers: `fully_preserved`, `partially_preserved`, `attribute_transfer`, and `weak_reference`.

Specialized Picture roles can be fixed intentionally: previous-generation continuity uses partial preservation; scale/placement and lighting-integration guides use attribute transfer.

Flexible/loose Picture use: advanced users can let one Picture contribute multiple selected attributes, but explicitly state what it supplies and what the current Shot still controls. Do not accidentally turn a loose reference into an exact frame anchor.

Separate world-space continuity from target framing



Height / scale only

Use the Picture only to establish relative overall physical size or standing-height relationship. Left-to-right order identifies the figures; it does not define target blocking.

Scale + placement

Add approximate spacing, depth, floor contact, and blocking when a particular Shot needs stronger spatial guidance.

Previous-generation blocking: carry forward the environment-relative spatial state, then reconstruct it through the current Shot camera. Leave old framing behind unless you deliberately enable framing continuity.

Prompt Check can flag competing spatial authorities - for example, a placement-enabled scale guide and a continuity image both trying to control the same Subjects.

Subject references remain authoritative for identity, anatomy/body proportions, wardrobe, and appearance.

Plan endpoints first, then choose the move

H3 Prompt Composer VS.19.4 Ref2VA Basic **Advanced** Auto-saved locally Restore previous New Load example **AI Setup** Frame Grabber Save .json Open Copy all generations **Copy prompt**

MODE
T2VA I2VA FL2VA L2VA **Ref2VA**

Full-reference mode. Define reusable Subjects once, bind voices when needed, and give every standalone Picture or Video one specific job such as framing, wardrobe, scale/placement, lighting integration, performance, editing, or continuation.

TIMING
Target duration (seconds)
10
Requested 10.00s → 243 frames → effective 10.13s @24fps (17n+5)

STYLE
Live-action, cinematic, soft morning window light, n...
In T2VA / I2VA / FL2VA / L2VA, style opens Shot 1. In Ref2VA, it is written as a brief preamble before Shot 1, e.g. Cinematic, live-action, 2D-animated, 3D CG, claymation, watercolor, vintage film.

Build a reference prompt
Left = project library. Store reusable assets here. Middle = current Generation. A reference is sent to H3 only when a Shot, dialogue/camera control, continuity selection, or guided workflow uses it.

- 1 Add reusable characters, creatures, vehicles, or props as **Subjects** and attach their appearance sources.
- 2 Add the current **Environment** using clean complementary views that clarify its geography.
- 3 For later Generations in the same scene, add a **Continuity** screenshot containing only the prior state you actually want carried forward.
- 4 Add a **Voice** when a Subject speaks. Then direct the Shot in the middle column from Scene → Opening → Action → Camera → Dialogue → Sound.

+ Subject + Environment
+ Continuity + Voice

► More reference types

4 Camera Start: Medium shot · Maya · Front three-quarter → viewing more of subject's...

1 START FRAME
Framing / shot size
Medium shot
Subject or Environment being framed
<Subject 1> — Maya
Second subject in frame — optional
— none / single-subject frame
Choose a second character here to make the selected shot size a two-person framing, such as a medium two-shot.
Horizontal viewpoint
Front three-quarter — viewing
Camera height and vertical angle
Automatic / unspecified
Composition — optional
Automatic / unspecified
Additional start-frame note — optional
Keep the window visible over the

2 END FRAME
Every blank End control inherits Start if a distinct endpoint is defined. If all End controls remain on "Same as Start" Step 3 can still use a loose movement range without forcing an exact ending frame.
Ending framing / shot size
Medium close-up
Subject or Environment being framed
Same as Start — <Subject 1>
Second subject in frame — optional
Same as Start — none / single
Keep the same second subject, switch to another, or choose None to resolve from two people to a single subject.
Horizontal viewpoint
Same as Start — Front three-q
Camera height and vertical angle
Same as Start — Automatic /
Composition — optional
Same as Start — Automatic /
Additional end-frame note — optional
The doorway fills more of the bac

3 CAMERA MOTION
Endpoint analysis: tighter ending framing. Choose how the camera physically gets from Frame 1 to Frame 2.
Movement
Push In
Recommended: Push In naturally connects the wider Start Frame to the tighter End Frame.
Movement target
<Subject 1> — Maya
Leave this on Automatic for normal subject-focused moves. Choose a different reference only when the camera is intentionally anchored to something other than the Start Frame target.
Speed
Slow
Motion timing
During dialogue
Controls when the movement happens relative to the shot action and dialogue. It changes prompt order instead of adding redundant timing instructions.
Additional movement instruction — optional
reveal <Subject 2> in the door
Describe only something not already established by the End Frame.

► Stability, lens, and focus
► Custom camera instruction override

CAMERA INSTRUCTION PREVIEW
A medium shot frames <Subject 1> from the waist up, with the camera at a front three-quarter angle favoring <Subject 1>'s left side. During the dialogue, the camera pushes in at slow speed toward <Subject 1>, tightening to a medium close-up, with smooth stabilized movement.


Prompt check Ready

Prompt Check Suggestions Phrases

1. **Start Frame:** framing, target Subject(s), viewpoint, angle/height, composition.
2. **End Frame:** keep the opening relationship or define the target endpoint.
3. **Camera Motion:** select a physically compatible move and timing.

Why this helps: the Composer can catch structured contradictions such as close framing with full-body detail, missing two-shot subjects, stale movement targets, incompatible POV settings, and competing camera instructions.

The current prompt-language playbook is built into the app



The Adherence Guide explains why the Composer favors explicit H3 structure and observable physical language.

Core ideas


Exact labels and field structure; declared reference jobs; physical action chains; positive observable end states; clear camera vocabulary.

Common failure cases

Turn-away/orientation stress cases; generic quality tokens; prose negatives for audio; weak cuts; reference bleed.

Evidence badges distinguish official MiniMax guidance, converging community findings, and reproducible tests.

Use an LLM for project planning without giving it ownership of H3 syntax



AI Setup copies a schema and project-building instructions for ChatGPT, Claude, or another LLM. The returned JSON can populate Subjects, Environments, Generations, Shots, actions, dialogue, and structured camera fields.

Important separation: library identity is stable; physical <Picture N> routing is temporary ComfyUI wiring for the active Generation.

V5.19.5 import normalization discards meaningless empty Timed Action Beats while preserving an empty Beat that still carries linked dialogue timing.

Before copying the prompt

1. Inputs

Connected image/video/audio counts match the actual ComfyUI sockets.

2. References

Every active reference has a clear contribution and no accidental competing authority.

3. Shot progression

Opening State describes frame zero; Main Action describes change; Timed Beats are used only when timing needs structure.

4. Camera

Start/End relationships and motion agree with any frame/video reference that owns camera behavior.

5. Check

Resolve errors and review warnings. Use Locate instead of hunting through the interface.

6. Suggestions

Apply the advice that helps; dismiss advice that is intentional or irrelevant.

Local by design

The standalone HTML contains the application source and does not require an account or server connection. Project state is stored locally in the browser; JSON project files can be exported/imported for portability.

Scope: Prompt Composer builds and preflights H3 prompts. It does not run H3, load media into ComfyUI, choose sampler/model settings, or guarantee generative-model adherence.

Ready to generate: Copy Prompt -> paste into the H3 prompt field in ComfyUI.