

The use of simulations to identify operational
improvements on deep level mine compressed air
systems

Brandon Friedenstien

February 20, 2017

Abstract

Increased energy tariff from Eskom has factored into larger operational costs of deep level mines. This increase has made mining profitability more difficult. Compressed air systems utilise a large portion of a mine's total energy usage. It has been shown that many large compressed air networks are inefficient and often can not meet demand requirements. Therefore improving their efficiency could result in a reduction of operational costs and an improvement in service delivered.

Simulation has been used to identify and quantify improvement to system. Literature... A simulation methodology was developed to identify system inefficiencies and quantify interventions. Two case studies were performed. In each case study several scenarios were implemented in simulation. The results showed improvements in compressed air system efficiency and performance delivered service could be achieved. Application of simulated scenarios verified the results of simulation.

Contents

Abstract	ii
List of symbols	v
Acronyms	vi
Glossary	vii
1 Introduction and background	1
1.1 Preamble	1
1.2 Background on deep level mining	1
1.2.1 Mining profitability	1
1.2.2 Mining systems and energy	1
1.2.3 Need to improve service delivery	1
1.3 Mining compressed air systems	1
1.3.1 Characteristic inefficiencies	1
1.3.2 Inefficiency identification methods	1
1.3.3 Instrumentation and measurements	1
1.4 Use of simulation in industry	1
1.5 Problem statement	1
1.6 Dissertation overview	1
2 Literature study	2
2.1 Preamble	2
2.2 Inefficiency identification methods	2
2.3 Review of operational improvements implemented in compressed air systems	2
2.4 Use of simulation to identify improvements in mining systems	2
2.5 Conclusion	2
3 Developing a simulation methodology	3
3.1 Preamble	3
3.2 Investigation	3
3.2.1 Layouts, Data from SCADA Instrumentation, etc.	3
3.2.2 Manual measurements, audits and approximations	3
3.2.3 Mining schedule philosophies - (drilling, blasting shifts, etc.)	3
3.3 Model development and verification	3
3.3.1 Compressed air component models	3
3.3.2 Simulation inputs	3
3.3.3 Verification of model	3

3.4	Implementation of method	3
3.5	Analyses of data	3
3.6	Quantifying operational improvements	3
3.7	Conclusion	3
4	Validation of Results	4
4.1	Preamble	4
4.2	Case study: Mine A (Kusasaletu)	4
4.2.1	Background	4
4.2.2	Scenario 1. Refuge bay simulation	4
4.2.3	Scenario 2. Closing off levels/stopes	4
4.2.4	Scenario 3. Periodic simulation	4
4.3	Case study: Mine B (Tshepong)	4
4.3.1	Background	4
4.3.2	Scenario 1.	4
4.3.3	Scenario 2.	4
4.4	Discussion of results	4
4.5	Conclusion	4
5	Conclusion	5
5.1	Conclusion	5
5.2	Limits of this study	5
5.3	Recommendations for future studies	5
A	Something	6
B	Something else	7

List of symbols

Acronyms

Glossary

Chapter 1

Introduction and background

1.1 Preamble

1.2 Background on deep level mining

1.2.1 Mining profitability

1.2.2 Mining systems and energy

1.2.3 Need to improve service delivery

1.3 Mining compressed air systems

1.3.1 Characteristic inefficiencies

1.3.2 Inefficiency identification methods

1.3.3 Instrumentation and measurements

1.4 Use of simulation in industry

1.5 Problem statement

1.6 Dissertation overview

Chapter 2

Literature study

2.1 Preamble

2.2 Inefficiency identification methods

2.3 Review of operational improvements implemented in compressed air systems

2.4 Use of simulation to identify improvements in mining systems

2.5 Conclusion

Chapter 3

Developing a simulation methodology

3.1 Preamble

3.2 Investigation

3.2.1 Layouts, Data from SCADA Instrumentation, etc.

3.2.2 Manual measurements, audits and approximations

3.2.3 Mining schedule philosophies - (drilling, blasting shifts, etc.)

3.3 Model development and verification

3.3.1 Compressed air component models

3.3.2 Simulation inputs

3.3.3 Verification of model

3.4 Implementation of method

3.5 Analyses of data

3.6 Quantifying operational improvements

3.7 Conclusion

Chapter 4

Results and validation

4.1 Preamble

4.2 Case study: Mine A ([Kusasaletu](#))

4.2.1 Background

4.2.2 Scenario 1. Refuge bay simulation

4.2.3 Scenario 2. Closing off levels/stopes

4.2.4 Scenario 3. Periodic simulation

4.3 Case study: Mine B ([Tshepong](#))

4.3.1 Background

4.3.2 Scenario 1.

4.3.3 Scenario 2.

4.4 Discussion of results

4.5 Conclusion

Chapter 5

Conclusion

5.1 Conclusion

5.2 Limits of this study

5.3 Recommendations for future studies

Appendix A

Something

Appendix B

Something else

Bibliography

- [1] Test. This is a test. *The test journal*, 2017.