
Menu: Finance Cash Reconciliation Batch Summary (**ReconciliationBatchSummary.xsql**)
Finance Cash Reconciliation Batch Summary (SD)
ReconciliationBatchSummary.xsql
Search
Selection Criteria: showCashReconciliationSearchResults(this.form)
Batch Number: showCashReconciliationSearchResults(this.form)
Tables
Batch Totals (NonRepeating)
Batches (Repeating)
Other
GET: bmv.generalFinance.createCashReconciliationReport.we
Lookup: LocationTypeCd,PosBatchStatusCd,SelectPaymentT


Menu: Finance General Ledger Detail (**GeneralLedgerDetail.xsql**)
Finance General Ledger Detail (SD)
GeneralLedgerDetail.xsql
Search
General Ledger Number: GeneralLedgerAccountSearchResults.xsql
Tables
General Ledger Detail (CreateUpdate)
Reports to GL Account (glAccount_EntityAssoc)
EAGeneralLedgerAccountSearchResults.xsql
MFASIS (mfasisAccount_EntityAssoc)
EAMfasisAccountSearchResults.xsql
Other
GET: bmv.generalFinance.createUpdateGeneralLedgerAccoun
SET: bmv.generalFinance.createUpdateGeneralLedgerAccoun
Lookup: FundCd,AppropriationNumCd,ObjectCodeCd,OrgUnit(


Menu: Home (BMVHome.xsql)
Home (SD)
BMVHome.xsql
Tables
Create/Update (CreateUpdate)
CashDrawerDataSupport.xsql
Data Island Only (DataIslandOnly)
Other
GET: bmv.common.bmvLocation.web
SET: bmv.common.bmvLocation.web
Lookup: PresentationActionHomeCd
Cash Drawer Locations (SD)
CashDrawerDataSupport.xsql
Tables
Cash Drawer Codes (NonRepeating)
Data Island Only (DataIslandOnly)
Other
GET: bmv.common.bmvLocation.webapp.C


Menu: Letters Request Summary (LettersToSend.xsql)
Letters Request Summary (SD)
LettersToSend.xsql
Search
Person: CustomerSearchResults.xsql
Lic./History Number: DriverSearchResults.xsql
SSN: CustomerSearchResults.xsql
Company: OrganizationSearchResults.xsql
EIN: HybridCustomerSearchResults.xsql
Search Criteria: ignore.xsql
Tables
Data Island Only (DataIslandOnly)
Letters Requested (Repeating)
LetterParameterDetail.xsql
Other
GET: bmv.lettersAndReports.searchForLetters
Lookup: DocTypeCd,DocumentOrgUnitCd,Doc
Letter Request Detail (SD)
LetterParameterDetail.xsql
Tables
Letter Parameters (customLetterParameterForm)
Doc Request Detail (NonRepeating)
BMV Recipient and Address EA (customer_EntityAssoc)
EACustomerSearchResults.xsql
EAOrganizationSearchResults.xsql
DriverSearchResults.xsql
EAHybridSearchResults.xsql
Non_BMV Recipient and Address (MultiRowCreateUpdate)
Other
GET: bmv.lettersAndReports.letters.webapp.GetLetterParam
Lookup: ParameterCd,ChildParameterCd,RegistrationStateC


Menu: Letters Sent Summary (**LettersSentSummary.xsql**)
Letters Sent Summary (SD)
LettersSentSummary.xsql
Search
Person: CustomerSearchResults.xsql
Lic./History Number: DriverSearchResults.xsql
SSN: CustomerSearchResults.xsql
Company: OrganizationSearchResults.xsql
EIN: HybridCustomerSearchResults.xsql
Search Criteria: ignore.xsql
Tables
Data Island Only (DataIslandOnly)
Letters Sent (Repeating)
DataIslandOnly (DataIslandOnly)
Other
GET: bmv.lettersAndReports.searchForLetter
Lookup: DocumentOrgUnitCd,DocRequestSt


Menu: OOI Image Retrieval (**ImageRetrieval.xsql**)
OOI Image Retrieval (SD)
ImageRetrieval.xsql
Search
Driver: DriverSearchResults.xsql
Lic./History Number: DriverSearchResults.xsql
SSN: CustomerSearchResults.xsql
Tables
Driver Name (SingleRowTable)
Demographics (NonRepeating)
Addresses (NonRepeating)
Issuance Summary (NonRepeating)
Other
GET: bmv.driverLicense.createUpdateDriverI
Lookup: GenderCd,HairColorCd,EyeColorCd


Menu: Organization Detail (CustomerDetail.xsql)
Organization Detail (SD)
CustomerDetail.xsql
Search
Company: OrganizationSearchResults.xsql
EIN: HybridCustomerSearchResults.xsql
DOT: HybridCustomerSearchResults.xsql
DBA: SubsidiarySearchResults.xsql
Tables
Organization (CreateUpdate)
MergeDrivers.xsql
Customer Roles (Repeating)
linkFromCustomerRoleTypeCd(this)
Addresses (linkAddress_EntityAssoc)
AddressDetail.xsql
Customer DBA Names (MultiRowCreateUpdate)
Other
GET: bmv.customer.createUpdateCustomer.weba
SET: bmv.customer.createUpdateCustomer.weba
Lookup: ContactTypeCd,AddressTypeCd,Organiz
Merge Drivers (SD)
MergeDrivers.xsql
Tables
Merge Drivers Form Images (Repeating)
[IMGButton]
[PrintBarcode]
Merge History (MultiRowCreateUpdate)
Source Driver/Organization (Repeating)
Driver/Organization (customerOrg_EntityAssoc)
EACustomerSearchResults.xsql
EAOrganizationSearchResults.xsql
DriverSearchResults.xsql
EAHybridSearchResults.xsql
Merge Notes (CreateUpdate)
Other
GET: bmv.driverLicense.mergeDrivers.webapp
SET: bmv.driverLicense.mergeDrivers.webapp
Lookup: MergeDriverActionCd,GenderCd,Stat
Address Detail (SD)
AddressDetail.xsql
Tables
New Address (CreateUpdate)
Primary Address Summary (MultiRowCreateUpdate)
Other
GET: bmv.customer.createUpdateCustomer.webapp.
SET: bmv.customer.createUpdateCustomer.webapp.
Lookup: AddressTypeCd,CountryCd,MaineCountyCd


Menu: POS End Of Day Summary (PosEndOfDaySummary.xsql)
POS End Of Day Summary (SD)
PosEndOfDaySummary.xsql
Search
Location: PosEndOfDaySummary.xsql
Tables
End Of Day Details (NonRepeating)
Cash Drawer Summary (Repeating)
PosEndOfDayDetail.xsql
Other
GET: bmv.pos.createUpdatePosTran
Lookup: EodStatusCd,CloseoutPres
POS End Of Day Detail (SD)
PosEndOfDayDetail.xsql
Tables
End Of Day Details (NonRepeating)
Cash Drawer Payment Summary (Repeating)
Cash Drawer Totals (NonRepeating)
Other
GET: bmv.pos.createUpdatePosTransaction.w
Lookup: EodStatusCd,CashOutPresentationA


Menu: POS Sale Detail (**MiscellaneousSaleDetail.xsql**)
POS Sale Detail (SD)
MiscellaneousSaleDetail.xsql
Search
Credential: MiscSaleSearchResults.xsql
Tables
Customer (customer_EntityAssoc)
EACustomerSearchResults.xsql
EAOrganizationSearchResults.xsql
DriverSearchResults.xsql
EAHybridSearchResults.xsql
Sale Detail (CreateUpdate)
Sale Items (MultiRowCreateUpdate)
Other
GET: bmv.pos.createUpdateMiscellaneousS
SET: bmv.pos.createUpdateMiscellaneousS
Lookup: PaymentStatusCd,MiscellaneousS


Menu: POS Shopping Cart Order Detail (ShoppingCartOrderDetail.xsql)
POS Shopping Cart Order Detail (SD)
ShoppingCartOrderDetail.xsql
Search
Shopping Cart Number: ShoppingCartOrderSearchResult.xsql
Credential Type: ShoppingCartOrderSearchResult.xsql
Location: ShoppingCartOrderSearchResult.xsql
Tables
Shopping Cart Order Summary (NonRepeating)
Payment Detail (Repeating)
PosTransactionDetail.xsql
Shopping Cart Item Detail (Repeating)
LineItemDetail.xsql
Other
GET: bmv.pos.createUpdateShoppingCartOrder.webapp.
GET: bmv.pos.createUpdateShoppingCartOrder.webapp.
Lookup: CartOrderStatusCd,PaymentTypeCd,Credential(
Menu: POS Transaction Detail (PosTransactionDetail.xsql)
Shopping Cart Item Detail (SD)
LineItemDetail.xsql
Tables
Shopping Cart Item Detail (NonRepeating)
Other
GET: bmv.pos.createUpdateShoppingCartIt


Menu: POS Shopping Cart Order Summary (ShoppingCartOrderSummary.xsql)
POS Shopping Cart Order Summary (SD)
ShoppingCartOrderSummary.xsql
Search
Person: CustomerSearchResults.xsql
Company: OrganizationSearchResults.xsql
SSN: CustomerSearchResults.xsql
EIN: HybridCustomerSearchResults.xsql
DOT: CustomerSearchResults.xsql
Tables
Shopping Cart Order Summary (Repeating)
ShoppingCartOrderDetail.xsql
Other
GET: bmv.pos.searchForShoppingCartOrder.
Lookup: CartOrderStatusCd,GenderCd,State
Menu: POS Shopping Cart Order Detail (ShoppingCartOrderDetail.xsql)


Menu: POS Transaction Detail (PosTransactionDetail.xsql)
POS Transaction Detail (SD)
PosTransactionDetail.xsql
Search
Shopping Cart Number: PosTransactionSearchResult.
Payment Type: PosTransactionSearchResult.xsql
Transaction Number: PosTransactionSearchResult.xsc
User Name: PosTransactionSearchResult.xsql
Location: PosTransactionSearchResult.xsql
Tables
Actions (SingleRowTable)
POS Transaction Summary (NonRepeating)
Local Navigation (LocalNavigation)
ShoppingCartOrderDetail.xsql
PaymentVoucherDetail.xsql
ArAccount.xsql
PosTransactionDetail.xsql
Related EOD Adjustments (Repeating)
PosTransactionDetail.xsql
Payment Detail (Repeating)
Line Item Detail (Repeating)
Other
GET: bmv.pos.createUpdatePosTransaction.weba
Lookup: PaymentTypeCd,TransactionTypeCd,Rec
Menu: POS Shopping Cart Order Detail (ShoppingCartOrderDetail.xsql)


Menu: POS Type Maintenance (CreateUpdatePosType.xsql)
POS Type Maintenance (SD)
CreateUpdatePosType.xsql
Search
POS Type Category: PosTypeSearchResults.xsql
POS Type: PosTypeSearchResults.xsql
Tables
GL Account (glAccount_EntityAssoc)
EAGeneralLedgerAccountSearchResults.xsql
Create Update POS Types (CreateUpdate)
Related Pos Type (relatedPosType_EntityAssoc)
EAPosTypeSearchResults.xsql
Related Pos Type (relatedPosType_EntityAssoc)
PosSplitFeeMaintenance.xsql
Other
GET: bmv.pos.createUpdatePosType.webapp.Get
SET: bmv.pos.createUpdatePosType.webapp.Set
Lookup: FeePaymentCd,PosRelationCd,PosType
Pos Split Fee Maintenance (SD)
PosSplitFeeMaintenance.xsql
Tables
Create Update POS Types (CreateUpdate)
Other
GET: bmv.pos.createUpdatePosTransactior
SET: bmv.pos.createUpdatePosTransactior
Lookup: PresentationActionCd


Menu: Person Detail (PersonDetail.xsql)
Person Detail (SD)
PersonDetail.xsql
Search
Person: CustomerSearchResults.xsql
Lic./History Number: DriverSearchResults.xsql
SSN: CustomerSearchResults.xsql
EIN: HybridCustomerSearchResults.xsql
DOT: HybridCustomerSearchResults.xsql
Tables
Legal Presence or Status (Repeating)
LegalPresenceDetail.xsql
LEP - Limited English Proficiency (Repeating)
PersonLEPDetails.xsql
Personal Information (CreateUpdate)
Customer Roles (Repeating)
CreateUpdateDriverInformation.xsql
Addresses (linkAddress_EntityAssoc)
AddressDetail.xsql
Other
GET: bmv.customer.createUpdateCustomer.we
SET: bmv.customer.createUpdateCustomer.wel
Lookup: AddressTypeCd,StateCd,ContactType
Legal Presence or Status Detail (SD)
LegalPresenceDetail.xsql
Tables
Real ID Forms (Repeating)
[IMGButton]
[FindButton]
[Scan]
Legal Presence Detail (CreateUpdate)
Documents (MultiRowCreateUpdate)
Data Island Only (DataIslandOnly)
Other
GET: bmv.driverLicense.createUpdateI
SET: bmv.driverLicense.createUpdateI
Lookup: LpCitizenshipCd,LpCitizenDo
Person LEP Details (SD)
PersonLEPDetails.xsql
Tables
LEP (CreateUpdate)
Other
GET: bmv.customer.createUpdateCust
SET: bmv.customer.createUpdateCust
Lookup: PresentationActionCd,Langua
Menu: Driver Information (CreateUpdateDriverInformation.xsql)


Menu: Person Veteran Summary (VeteranInformationDetail.xsql)
Person Veteran Detail (SD)
VeteranInformationDetail.xsql
Search
Person: CustomerSearchResults.xsql
SSN: CustomerSearchResults.xsql
License: CustomerSearchResults.xsql
EIN: HybridCustomerSearchResults.xsql
Tables
Veteran Honors (Repeating) VeteranHonorsHeld.xsql
Disabled Veteran Information (Repeating) DisabledVeteransInformation.xsql
Veteran Status (Repeating) VeteranStatusDetail.xsql
Other
GET: bmv.customer.createUpdateCustom
Lookup: AddressTypeCd,ContactTypeCd,
Veteran Honors Held (SD)
VeteranHonorsHeld.xsql
Tables
Veteran Honors (CreateUpdate)
Other
GET: bmv.customer.createUpdateCustomer.we
SET: bmv.customer.createUpdateCustomer.wel
Lookup: VeteranClassCd,ContactTypeCd,Addr
Disabled Veteran Information (SD)
DisabledVeteransInformation.xsql
Tables
Disabled Vets Info (CreateUpdate)
Other
GET: bmv.customer.createUpdateCustomer.wel
SET: bmv.customer.createUpdateCustomer.wel
Lookup: DisabledVeteranCd,ContactTypeCd,Ac
Veteran Status Detail (SD)
VeteranStatusDetail.xsql
Tables
Veteran Status (CreateUpdate)
Other
GET: bmv.customer.createUpdateCustomer.wel
SET: bmv.customer.createUpdateCustomer.wel
Lookup: VeteranStatusCd,ContactTypeCd,Addr


Menu: TAMI Batch Processing (**TAMIBatchProcessing.xsql**)
TAMI Batch Processing (SD)
TAMIBatchProcessing.xsql
Search
Location: showTamiProcessingSearchResults(this.form)
Location Category: showTamiProcessingSearchResults(this.form)
Tables
TAMI Totals (NonRepeating)
TAMI Transmission Number (CreateUpdate)
Batches for the Day (MultiRowCreateUpdate)
Other
GET: bmv.generalFinance.processTamiUpdate.webapp.GetT
SET: bmv.generalFinance.processTamiUpdate.webapp.SetT
Lookup: BR1725PosBatchTypeCd,LocationTypeCd,TamiPos