

THIS IS THE TITLE OF YOUR THESIS OR DISSERTATION  
WHICH MAY SPAN MULTIPLE LINES  
(BUT NO MORE THAN 3 LINES)

by

Chris Jordan Doe

A dissertation submitted in partial fulfillment  
of the requirements for the degree

of

Doctor of Philosophy

in

Engineering

MONTANA STATE UNIVERSITY  
Bozeman, Montana

April 2017

©COPYRIGHT

by

Chris Jordan Doe

2017

All Rights Reserved

## DEDICATION

I dedicate this to all MSU students who use L<sup>A</sup>T<sub>E</sub>X. Dedication is optional and may be no longer than one page, single spaced, and should precede the acknowledgments page.

## ACKNOWLEDGEMENTS

I would like acknowledge. . . Acknowledgments must be double spaced and is limited to one page. Consider that you may need to include a funding acknowledgement.

## VITA

Chris Jordan Doe was born in Bozeman, MT in 1893. Raised by Champ, Chris is a true Bobcat. Chris attended Bozeman High and graduated with honors. After high school, . . .

If you include a vita, it should contain the full name of the author, date and place of birth, parentage, secondary education, and collegiate degrees. The vita should be written in essay form in the third person and may not exceed one single-spaced page.

## TABLE OF CONTENTS

1. INTRODUCTION .....	1
Section.....	1
Subsection .....	1
Subsubsection .....	2
Subsection With a Very Very Very Very	
Very Very Very Very Very Very Long Title.....	2
Subsection With a Very Long Title.....	2
2. THEORY .....	3
Equations.....	3
Symbols.....	3
Figures .....	4
Tables.....	7
Algorithms .....	7
References and Citations.....	7
Referencing other parts of the document.....	7
Citing others work.....	9
3. TITLE OF MANUSCRIPT YOU ARE INCLUDING AS A CHAPTER .....	10
Contribution of Authors and Co-Authors .....	10
Manuscript Information .....	11
4. CONCLUSION .....	12
REFERENCES CITED.....	13
APPENDIX: Example Code .....	14

## LIST OF TABLES

Table	Page
2.1 Area of ice sheet .....	7

## LIST OF FIGURES

Figure	Page
2.1 This is a figure of some data. ....	4
2.2 Montana Hall on Montana State University's campus. ....	5
2.3 Figure created using the tikz package. ....	5
2.4 Figure forced to be on page by itself. ....	6



## LIST OF ALGORITHMS

Algorithm	Page
2.1 Algorithm example.....	8

## NOMENCLATURE

$\mu$	Dynamic viscosity
$\mathbf{n}$	Normal vector
$\mathbf{u}$	Velocity vector

## ABSTRACT

The abstract must be single spaced and no more than 350 words. The abstract must contain the following elements: (1) statement of the problem, (2) procedure or methods, (3) results, and (4) conclusions. Mathematical formulas, abbreviations, diagrams, and other illustrative materials should not be included. It should be written to be understood by a person who does not have expertise in the field.

## INTRODUCTION

Welcome to the Montana State University electronic Thesis/Dissertation (ETD) L<sup>A</sup>T<sub>E</sub>X template. In this chapter various sections, subsections, and subsubsections are created and filled with random text). In Ch. 2 methods to write equations and how to include figures and tables are explored. Conclusions are drawn in Ch. 4.

### Section

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

### Subsection

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut

massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Subsubsection Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Subsection With a Very Very Very Very  
Very Very Very Very Very Very Long Title

For long subsection titles use the command `\longsubsection{#1}{#2}`, where `#1` is the first line of the long title, and `#2` is the second line of the long title. You can also pass an optional argument to this command that puts a shorter title in the table of contents as shown by the subsection below.

Subsection With a Very Long Title  
But Shortened in the Table Of Contents

There are **not** similar commands for sections and subsections as these are not specified in the MSU style guide.

## THEORY

Equations

Here is an example of an equation

$$a^2 + b^2 = c^2, \tag{2.1}$$

which states the square of the hypotenuse  $c$  of a triangle is equal to the sum of the square of the other two sides ( $a$  and  $b$ ).

A collection of similar equations can be written using the `\align` environment, e.g.,

$$\sin(\theta) = \frac{1}{\csc(\theta)} \tag{2.2}$$

$$\cos(\theta) = \frac{1}{\sec(\theta)} \tag{2.3}$$

$$\tan(\theta) = \frac{1}{\cot(\theta)} \tag{2.4}$$

Cases can be added using

$$x = \begin{cases} y, & \text{if } t = 1; \\ z, & \text{otherwise.} \end{cases} \tag{2.5}$$

Symbols

Symbols, like greek letters, can be used in equations, e.g.,  $\theta$ ,  $\gamma$ , and  $\zeta$ . When variables are referenced in the text they should be written in mathmode and enclosed in dollar signs. For example,  $a$  and `a`, which are written in math and text modes, respectively.

## Figures

Figures can easily be added to your latex document. Graphs and figures should be designed to be printed in black and white and clearly display information. Considering using vectorized graphics that will remain sharp even if viewed zoomed (try zooming on Fig 2.1). The text in your figure should be legible and preferably the same size as the text in the rest of your document.




Figure 2.1: This is a figure of some data.

In  $\text{\LaTeX}$  figures may float and move around to a location that is optimized using mathematics. The `htbp` in the definition of the figure environment means here, top, bottom, page and is the order of preference for where the figure goes.

Figure 2.2 shows you can also put pictures into  $\text{\LaTeX}$  documents. The size of the figure is controlled by adjusting width. If you find your figures are often floating to a page of their own consider changing their size and/or adding more text.

Figure 2.3 shows that you can create figures directly within your  $\text{\LaTeX}$  document using, for example, the `tikz` package.



Figure 2.2: Montana Hall on Montana State University's campus.




Figure 2.3: Figure created using the tikz package.





Figure 2.4: Figure forced to be on page by itself.

## Tables

Tables can be created directly in your  $\text{\LaTeX}$  document. Table 2.1 shows how a short caption can be used in the table of contents and a long caption in the figure. In the table of contents “Area of ice sheet” is listed and above the table “Area of ice sheet in millions of square miles with time.” is shown. This is done by adding an optional argument to the `\caption` command, i.e., `\caption[Short Caption]{Long Caption}`.

Table 2.1: Area of ice sheet in millions of square miles with time.

Year	1985	1990	1995	2000	2005	2010	2015
Area	16.2	15.5	15.2	15.5	14.6	15.4	14.5

## Algorithms

Algorithms can be added using the algorithmic environment as shown in Algorithm 2.1.

## References and Citations

### Referencing other parts of the document

Equations, figures, tables, sections, and chapters can be references using the `\ref{label}` command. For example, `\ref{fig:plot}` references Fig. 2.1.

You can also use the `\vref` command to also get the page number. For example, `\vref{fig:plot}` references Fig. 2.1 on page 4.

The `label` used in the `\ref` command can be anything you want to use. It is helpful to use a convention. For example, all figures could have a label that starts

```

1: Input: Function  $f$  to optimize, subpopulations  $\mathcal{S}$ 
2: Output: Full global solution  $\mathbf{G}$ 
3: // Iterate over random permutation of  $\mathbf{X}$ 
4: for each  $X_i \in \mathbf{X}$  do
5:   // Initialize comparison variables
6:    $bestFit \leftarrow \infty$ 
7:    $bestVal \leftarrow \mathbf{S}_0[X_i]$ 
8:   // Iterate over random permutation of  $\mathcal{S}$ 
9:   for each  $\mathbf{S}_j \in \mathcal{S}$  where  $X_i \in \mathbf{S}_j$  do
10:    // Substitute subpopulation component into full global solution
11:     $G_i \leftarrow \mathbf{S}_j[X_i]$ 
12:    // Compare Fitness
13:    if  $f(\mathbf{G})$  is better than  $bestFit$  then
14:       $bestVal \leftarrow \mathbf{S}_j[X_i]$ 
15:       $bestFit \leftarrow f(\mathbf{G})$ 
16:    endif
17:  endfor
18:  // Copy  $bestVal$  into full global solution
19:   $G_i \leftarrow bestVal$ 
20: endfor
21: return

```

Algorithm 2.1: Algorithm example

with `fig:` and all table labels could start with `tab:`.

### Citing others work

Citing others work is an important aspect of all scientific writing. All citations should be placed in the .bib file(s) listed in your main.tex document. Cite others work using the `\cite` command, e.g., [4]. Multiple citations should be done within one cite command, e.g., [1, 2, 3].

TITLE OF MANUSCRIPT YOU ARE  
INCLUDING AS A CHAPTER

Contribution of Authors and Co-Authors

Manuscript in following chapter

Author: [type author name here]

Contributions: [list contributions here, single-spaced]

Author: [type author name here]

Contributions: [list contributions here, single-spaced]

Author: [type author name here]

Contributions: [list contributions here, single-spaced]

Manuscript Information

[Type Author and Co-author(s) Names Here]

[Type name of journal here]

Status of Manuscript:

\_\_\_\_\_ Prepared for submission to a peer-reviewed journal

\_\_\_\_\_ Officially submitted to a peer-reviewed journal

  X   Accepted by a peer-reviewed journal

\_\_\_\_\_ Published in a peer-reviewed journal

[Type name of publisher here]

[Type date of submission here]

[Type date the manuscript will appear here]

[Type issue in which manuscript appears here]

[Type DOI, if available]

## CONCLUSION

L<sup>A</sup>T<sub>E</sub>X produces documents that look great, automatically handles references and citations, and easily incorporates figures and tables. This is not a guide to L<sup>A</sup>T<sub>E</sub>X but rather an introduction to the MSU style. If you want more information about L<sup>A</sup>T<sub>E</sub>X many introductory guides can be found online.

## REFERENCES CITED

- [1] Olivier Desjardins, Jeremy McCaslin, Mark Owkes, and Peter Brady. Direct numerical and large-eddy simulation of primary atomization in complex geometries. *Atomization and Sprays*, 23(11):1001–1048, 2013.
- [2] Mark Owkes and Olivier Desjardins. A discontinuous Galerkin conservative level set scheme for interface capturing in multiphase flows. *Journal of Computational Physics*, 249(15):275–302, September 2013.
- [3] Mark Owkes and Olivier Desjardins. A computational framework for conservative, three-dimensional, unsplit, geometric transport with application to the volume-of-fluid (VOF) method. *Journal of Computational Physics*, 270(1):587–612, August 2014.
- [4] Mark Owkes and Olivier Desjardins. A mesh-decoupled height function method for computing interface curvature. *Journal of Computational Physics*, 281:285–300, January 2015.



## APPENDIX: EXAMPLE CODE

This work used the following MATLAB code to produce basically nothing. But, I'll include it here for the sake of an example.

```
% MATLAB code to say 'hello world'  
disp('Hello world')
```