

MongoDB

Vamos a importar el archivo de barrios populares a mongodb.

Para eso usamos el comando mongoimport que es parte de la suite que se instala junto con mongo.

Paso a paso:

- Para ver donde estamos parados, es decir, en que directorio, ejecutamos el comando **pwd**.

```
utn2026@lenovo:~$ pwd
/home/utn2026
utn2026@lenovo:~$
```

Deberia ser /home/utn2026

- Importamos el archivo barrios.csv a una nueva base de datos con el nombre de cada uno.
El comando es:

```
mongoimport --uri "mongodb://admin:abc123@localhost:27017/?authSource=admin" --db TuNombre -
-collection Barrios --type csv --headerline --file barrios.csv
```

- Ejemplo de mi ejecucion:

```
utn2026@lenovo:~$ mongoimport --uri "mongodb://admin:abc123@localhost:27017/?
authSource=admin" --db Juan --collection Barrios --type csv --headerline --file barrios.csv
2026-05-08T09:04:09.881-0300    connected to: mongodb://[**REDACTED**]@localhost:27017/?
authSource=admin
2026-05-08T09:04:10.293-0300    6467 document(s) imported successfully. 0 document(s) failed
to import.
```

- Una vez importado el archivo, nos conectamos a mongo usando el script mongo.sh

```
utn2026@lenovo:~$ ./mongo.sh
Current Mongosh Log ID: 69fdd23bb98c24d50344ba88
Connecting to:          mongodb://<credentials>@localhost:27017/?
authSource=admin&directConnection=true&serverSelectionTimeoutMS=2000&appName=mongosh+2.8.2
Using MongoDB:          8.2.6
Using Mongosh:           2.8.2
mongosh 2.8.3 is available for download: https://www.mongodb.com/try/download/shell
```

For mongosh info see: <https://www.mongodb.com/docs/mongodb-shell/>

```
The server generated these startup warnings when booting
2026-05-08T11:29:57.473+00:00: Using the XFS filesystem is strongly recommended with the
WiredTiger storage engine. See http://dochub.mongodb.org/core/prodnotes-filesystem
```

```
2026-05-08T11:29:58.065+00:00: For customers running the current memory allocator, we
suggest changing the contents of the following sysfsFile
2026-05-08T11:29:58.065+00:00: We suggest setting the contents of sysfsFile to 0.
2026-05-08T11:29:58.065+00:00: We suggest setting swappiness to 0 or 1, as swapping can
cause performance problems.
```

```
test> show dbs
Juan      772.00 KiB
admin     100.00 KiB
config    96.00 KiB
geodata   580.00 KiB
local     72.00 KiB
test> use Juan
switched to db Juan
Juan> show collections
Barrios
Juan> db.Barrios.findOne()
{
  _id: ObjectId('69fdd1395b5aeb427219cf3d'),
  id_renabap: 1,
  nombre_barrio: 'Monterrey I',
  provincia: 'Buenos Aires',
  departamento: 'Pilar',
  localidad: 'Presidente Derqui',
  cantidad_viviendas_aproximadas: 40,
  cantidad_familias_aproximada: 44,
  decada_de_creacion: 'Década 1990',
  anio_de_creacion: '',
  energia_electrica: 'Conexión regular a la red con medidor prepago',
  efluentes_cloacales: 'Desagüe a cámara séptica y pozo ciego',
  agua_corriente: 'Bomba de agua de pozo domiciliaria',
  cocina: 'Gas en garrafa',
  calefaccion: 'Sin Datos',
  titulo_propiedad: 'NO',
  clasificacion_barrio: 'Asentamiento',
  superficie_m2: 11674
}
Juan>
```

Ya estamos conectados a la base
