ABC DIGITAL SERVICES

Secondary Laptop Allocation and Return

Approved IT Knowledge Article Pack

Document ID	Version	Status	Effective date
ADS-KB-ASSET-001	1.0	Approved for capstone use	06 Nov 2026

Knowledge owner	Review cycle	Classification	Issue category
IT Service Management	Every 6 months	Internal	IT asset allocation

Fictional organization and sample operating procedures

How to use this article

This document is authoritative only for the fictional ABC Digital Services (ADS) capstone environment. The assistant may explain and recommend these steps, but must not execute privileged actions, approve expenditure, change access, or close a case on the user's behalf.

Retrieval metadata	Value
Document ID	ADS-KB-ASSET-001
Category	IT asset allocation
Products / assets	secondary laptop, loaner, extension, return, reassignment, lost, stolen
Platform	Windows 11, Microsoft 365, managed enterprise endpoints
Approval status	Approved
Effective date	06 Nov 2026
Superseded by	None

Safety boundary: Never request passwords, MFA codes, recovery keys, private keys, or full payment-card data. Stop and escalate if there is smoke, swelling, electric shock, suspected compromise, or possible data loss.

1. Request a secondary laptop

Field	Guidance
Common user phrases	"need a second laptop", "project device", "client laptop required"
Default priority	P4 Low; P2/P3 when primary device failed
Objective	Allocate only where a documented business, technical, client, or continuity need exists.
Minimum intake	Business justification; project/client; duration; required build; data classification; manager, cost centre, asset custodian; primary asset.

Procedure

1. Confirm why the primary device cannot meet the requirement. Examples include segregated client environment, incompatible build, controlled testing, or temporary continuity.

2. Check for alternatives such as virtual desktop, test VM, loaner pool, or approved shared lab that reduce asset and security risk.

3. Obtain manager approval, project/budget approval, and information-security or client approval when segregation or sensitive data is involved.

4. Reserve an available compliant device from inventory. Record asset tag, serial, configuration, custodian, purpose, issue date, and return date.

5. Provision with the approved image, encryption, endpoint protection, patching, least-privilege access, and only required applications.

6. Have the user acknowledge acceptable use, physical security, no sharing, reporting obligations, and return date.

7. Validate enrollment and compliance before handover. Schedule reminders before expiry.

Resolution and escalation

Outcome	Criteria
Resolve when	Device is compliant, assigned in the asset register, acknowledged, and linked to an expiry date.
Escalate when	No inventory; unclear justification; client/security approval missing; incompatible data jurisdiction; user already holds multiple unreviewed devices.
Evidence to record	Approvals, alternatives considered, asset/serial, compliance, issue/return dates, acknowledgment.
Forbidden actions	Issuing an unmanaged device; sharing credentials; bypassing encryption; indefinite allocation without review.

2. Extend a secondary-laptop allocation

Field	Guidance
Common user phrases	"extend loaner", "keep second laptop longer", "project extended"
Default priority	P4 Low
Objective	Extend only after revalidating need, compliance, ownership, and return date.
Minimum intake	Asset tag; current expiry; revised project end; justification; manager/project owner; compliance status; physical location.

Procedure

1. Review the original request, current custodian, purpose, expiry, and any overdue notices.

2. Confirm the business need continues and obtain a revised end date. Open-ended dates are not permitted for temporary allocations.

3. Check device compliance, patch age, encryption, endpoint protection, warranty, last check-in, and asset location.

4. Confirm manager and project/budget approval. Obtain security/client reapproval if the original basis or data handling changed.

5. Update the asset register and send the user the new return date and conditions.

6. If compliance cannot be verified, suspend the extension and arrange device check-in, replacement, or return.

Resolution and escalation

Outcome	Criteria
Resolve when	New expiry and approvals are recorded, and the device is compliant.
Escalate when	Device overdue; no check-in; user changed role; project ended; security posture failed; asset location unknown.
Evidence to record	Original and revised expiry, approvals, compliance snapshot, location, notification.
Forbidden actions	Backdating approval; extending indefinitely; remotely weakening compliance controls.

3. Return or reassign a secondary laptop

Field	Guidance
Common user phrases	"return loaner", "transfer project laptop", "give laptop to teammate"
Default priority	P3 Normal
Objective	Protect data and chain of custody before return, wipe, or reassignment.
Minimum intake	Asset tag; current custodian; return/reassignment reason; target office; data backup status; accessories.

Procedure

1. Instruct the current user not to hand the device directly to another employee. All transfers go through IT asset custody.

2. Confirm corporate data is synchronized to the approved storage location and that local-only data requiring retention is identified.

3. Collect device, charger, dock, and tracked accessories. Inspect condition and record custody time and location.

4. Remove user assignment and access through approved processes. Perform the approved secure wipe or rebuild before reassignment.

5. Run hardware diagnostics, apply updates, verify encryption and enrollment, and update the asset register.

6. For reassignment, create a new custody record and user acknowledgment. For retirement, follow disposal documentation.

Resolution and escalation

Outcome	Criteria
Resolve when	Custody, wipe/rebuild, condition, inventory, and new disposition are documented.
Escalate when	Device missing; data cannot be synchronized; legal hold; suspected compromise; damage; wipe failure.
Evidence to record	Custody record, accessories, backup confirmation, wipe/rebuild result, new owner/disposition.
Forbidden actions	Peer-to-peer handoff; deleting data before legal/retention check; reassignment without wipe.

4. Lost or stolen laptop

Field	Guidance
Common user phrases	"laptop missing", "device stolen", "left laptop in taxi"
Default priority	P1/P2 Security incident
Objective	Contain risk rapidly while preserving accurate incident evidence.
Minimum intake	Asset tag if known; user; last known time/place; whether powered on; sensitive data; travel/client context; police report if applicable.

Procedure

1. Tell the user to report immediately to the service desk and security team. Do not delay while searching extensively.

2. Collect minimum facts without asking for passwords or MFA codes. Create a security incident and link the asset record.

3. Security or endpoint administrators may use approved tools to lock, retire, locate, or wipe the device according to policy and legal approval. The assistant must only recommend escalation.

4. Reset or revoke sessions and credentials only through the identity/security incident process based on assessed risk.

5. Ask the user to preserve travel receipts, location details, and police/report references where required. Do not encourage personal confrontation or recovery attempts.

6. Arrange a replacement or loaner after manager/security authorization. Complete lessons learned and inventory disposition.

Resolution and escalation

Outcome	Criteria
Resolve when	Security confirms containment, asset status is recorded, and replacement/access recovery is managed.
Escalate when	Always escalate immediately; higher urgency for regulated/client data, active sessions, or suspected targeted theft.
Evidence to record	Incident ID, asset, timeline, location, data classification, containment actions by authorized teams.
Forbidden actions	User self-tracking or confronting a suspect; disclosing location data broadly; remote actions by unauthorized staff.

General ticket handling rules

Priority	Use when
P1 Critical	Widespread outage, active security threat, severe safety risk, or executive-critical service unavailable. Page the major-incident or security team immediately.
P2 High	User cannot perform time-critical work and no practical workaround exists. Target assignment within 30 minutes.
P3 Normal	Single-user degradation or standard fulfillment request. Target assignment within 4 business hours.
P4 Low	Information request, planned change, or non-urgent accessory request. Target assignment within 1 business day.

Standard ticket record

Record requestor, business justification, device or application, asset tag where applicable, location, symptoms, error text, start time, impact, troubleshooting attempted, approvals, evidence, result, and next owner. Do not paste secrets or unnecessary personal data.

Knowledge quality and review

The knowledge owner reviews this article every six months and after any major process, product, security, or supplier change. Superseded versions must be excluded from retrieval. Conflicts are resolved in favor of the newest approved article; otherwise the assistant must disclose the conflict and recommend escalation.

Reference basis

• Secure AI Troubleshooting Assistant BRD v1.0: approved content, metadata, ordered guidance, citations, verification, safe fallback, and escalation.

• NIST SP 800-61 Rev. 3 (2025): Detect, Respond, Recover, and continuous improvement concepts for security-related incidents.

• Microsoft Intune and Windows Autopilot documentation: managed application deployment, device enrollment, assignment, and lifecycle practices.

• ITIL-aligned service management practices: incident, request, change, asset, and knowledge management concepts.