ABC DIGITAL SERVICES

Endpoint BitLocker Recovery, CrowdStrike Quarantine, and Phishing Triage

Approved IT Knowledge Article Pack

Document ID	Version	Status	Effective date
ADS-KB-SEC-005	1.0	Approved for capstone use	06 Nov 2026

Knowledge owner	Review cycle	Classification	Issue category
Cyber Defense & Endpoint Security	Every 6 months	Internal	Endpoint Security

Fictional organization and sample operating procedures

How to use this article

This document is authoritative only for the fictional ABC Digital Services (ADS) capstone environment. The assistant may explain and recommend these steps, but must not execute privileged actions, approve expenditure, change access, or close a case on the user's behalf.

Retrieval metadata	Value
Document ID	ADS-KB-SEC-005
Category	Endpoint Security
Products / assets	BitLocker Drive Encryption, CrowdStrike Falcon EDR, Phishing Triage, USB Block
Platform	Windows 11 Enterprise, Intune MDM, CrowdStrike Falcon Sensor
Approval status	Approved
Effective date	06 Nov 2026
Superseded by	None

Safety boundary: Never request passwords, MFA codes, recovery keys, private keys, or full payment-card data. Stop and escalate if there is smoke, swelling, electric shock, suspected compromise, or possible data loss.

1. Handle BitLocker recovery screen after BIOS/firmware update

Field	Guidance
Common user phrases	"blue screen asking for 48-digit BitLocker key", "BitLocker recovery after reboot"
Default priority	P2 High
Objective	Guide user to self-service recovery portal or verify TPM PCR binding safely.
Minimum intake	Asset tag; first 8 digits of Key ID shown on screen; reason for prompt (BIOS update, dock change).

Procedure

1. Instruct user to unplug external USB drives or thunderbolt docks and reboot once to see if TPM unseals automatically.

2. If prompt remains, direct user from their mobile device to the corporate self-service portal (`myaccount.microsoft.com`) to view their device's recovery key.

3. Never paste raw 48-digit BitLocker recovery keys into chat logs or unencrypted tickets.

4. Once booted into Windows, run `manage-bde -protectors -enable C:` to re-seal the TPM 2.0 PCR registers.

Resolution and escalation

Outcome	Criteria
Resolve when	Device boots into Windows and TPM protector is re-sealed across reboot.

Outcome	Criteria
Escalate when	Key ID does not match Entra ID/Intune escrow; SSD reports SMART hardware failure.
Evidence to record	8-digit Key ID prefix, trigger cause (firmware/dock), TPM re-seal confirmation.
Forbidden actions	Pasting the 48-digit recovery key in plain-text chat; permanently decrypting the OS drive.

2. Triage CrowdStrike Falcon network containment or quarantine alert

Field	Guidance
Common user phrases	"CrowdStrike blocked my file", "laptop isolated from network by security", "EDR quarantine"
Default priority	P1/P2 Security incident
Objective	Preserve forensic state and route containment review to SOC.
Minimum intake	Asset tag; detection ID; file path or process name; activity immediately prior to alert.

Procedure

1. Instruct the user NOT to power off or reboot the laptop so volatile memory forensics remain intact.

2. Record the file path, hash, or script activity the user was running when the alert triggered.

3. Create a P1/P2 Security Incident ticket and route directly to the SOC Queue.

4. Wait for explicit SOC clearance before lifting network containment or whitelisting a false positive.

Resolution and escalation

Outcome	Criteria
Resolve when	SOC completes triage and either clears the host or initiates incident re-imaging.
Escalate when	Always escalate EDR detections to SOC; never attempt to stop or uninstall the Falcon sensor.
Evidence to record	Detection ID, hostname, user statement, SOC ticket reference.
Forbidden actions	Attempting to disable/uninstall CrowdStrike Falcon; instructing user to wipe evidence.

General ticket handling rules

Priority	Use when
P1 Critical	Widespread outage, active security threat, severe safety risk, or executive-critical service unavailable. Page the major-incident or security team immediately.
P2 High	User cannot perform time-critical work and no practical workaround exists. Target assignment within 30 minutes.
P3 Normal	Single-user degradation or standard fulfillment request. Target assignment within 4 business hours.
P4 Low	Information request, planned change, or non-urgent accessory request. Target assignment within 1 business day.

Standard ticket record

Record requestor, business justification, device or application, asset tag where applicable, location, symptoms, error text, start time, impact, troubleshooting attempted, approvals, evidence, result, and next owner. Do not paste secrets or unnecessary personal data.

Knowledge quality and review

The knowledge owner reviews this article every six months and after any major process, product, security, or supplier change. Superseded versions must be excluded from retrieval. Conflicts are resolved in favor of the newest approved article; otherwise the assistant must disclose the conflict and recommend escalation.

Reference basis

• Secure AI Troubleshooting Assistant BRD v1.0: approved content, metadata, ordered guidance, citations, verification, safe fallback, and escalation.

• NIST SP 800-61 Rev. 3 (2025): Detect, Respond, Recover, and continuous improvement concepts for security-related incidents.

• Microsoft Intune and Windows Autopilot documentation: managed application deployment, device enrollment, assignment, and lifecycle practices.

• ITIL-aligned service management practices: incident, request, change, asset, and knowledge management concepts.