#### **Execution Environment**

Host name Admin - LAPTOP-MA9ME0JB

Local OS Windows 11 64bit

Katalon version 9.6.0.217

Browser Chrome 127.0.0.0

Device name

Summary

ID Test Suites/TS - Add report

Description

Total 9

Passed 5 Failed 4
Error 0 Incomplete 0

Skipped 0

Start 27-08-2024 14:36:30 End 27-08-2024 15:06:58

Elapsed 30m - 27.549s

#	ID	Description	Status
1	Test Cases/Add report/TC - Add report		PASSED
2	Test Cases/Add report/TC - Add report		FAILED
3	Test Cases/Add report/TC - Add report		FAILED
4	Test Cases/Add report/TC - Add report		PASSED
5	Test Cases/Add report/TC - Add report		PASSED
6	Test Cases/Add report/TC - Add report		PASSED
7	Test Cases/Add report/TC - Add report		PASSED
8	Test Cases/Add report/TC - Add report		FAILED
9	Test Cases/Add report/TC - Add report		FAILED

### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:36:31 End 27-08-2024 14:39:02

Elapsed 2m - 31.804s

Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	3.460s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.158s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	2.133s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.821s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	4.390s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 12.593s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))  Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on	39.804s	PASSED
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))  Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on	12.023s	PASSED
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on	0.525s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd"), report, true)  All options with label 'Releases Summary' are selected in object 'Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using regular expression	1.486s	PASSED
11	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/inputtitle"), title)  Text 'Test case 1' is set on object 'Object Repository/Add report/Page_ShareBug - Reports/inputtitle'	0.732s	PASSED
12	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.352s	PASSED
13	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.347s	PASSED

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save and add"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is clicked on	11.936s	PASSED
15	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Add Report_reportKeyword"))	0.484s	PASSED

Object: 'Object Repository/Add report/Page\_ShareBug - Reports/input\_Add Report\_reportKeyword' is clicked on

### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:41:15 End 27-08-2024 14:43:30

Elapsed 2m - 15.028s


Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.217s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.551s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	0.882s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.726s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	4.003s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 12.094s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))	41.587s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on		
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))	12.053s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on		
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))	0.606s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on		

#	Description	Elapsed	Status
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug -	1.273s	FAILED
	Reports/select_Activity Summaryfb27bd"), report, true)		
	Unable to select option by label '.abc .' of object 'Object Repository/Add		
	report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using		
	regular expression (Root cause: com.kms.katalon.core.exception.StepFailedException:		
	Unable to select option by label '.abc .' of object 'Object Repository/Add		
	report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using		
	regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUlKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUIKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword.		
	selectOptionByLabel(SelectOptionByLabelKeyword.groovy:98)		
	at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword.execute(SelectOptionByLabelKeyword.groovy:71)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.		
	selectOptionByLabel(WebUiBuiltInKeywords.groovy:1269)		
	at TC - Add report.run(TC - Add report:38)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	$at\ com. kms. katalon. core. main. Test Case Executor. execute (Test Case Executor.)$		
	java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:150)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	180)		
	at TempTestSuite1724744182231.run(TempTestSuite1724744182231.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: com.kms.katalon.core.exception.StepFailedException: No option matched.		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy:51)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.		
	at committee and a second of the second of t		

Description Elapsed Status groovy:23) at com.kms.katalon.core.webui.keyword.builtin. SelectOptionByLabelKeyword\$\_selectOptionByLabel\_closure1.doCall (SelectOptionByLabelKeyword.groovy:91) at com.kms.katalon.core.webui.keyword.builtin.  $Select Option By Label Keyword \$\_select Option By Label \_closure 1. call$ (SelectOptionByLabelKeyword.groovy)  $at\ com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword$ (WebUIKeywordMain.groovy:20)  $at\ com. kms. katalon. core. webui. keyword. builtin. Select Option By Label Keyword.$ selectOptionByLabel(SelectOptionByLabelKeyword.groovy:98) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByLabelKeyword. execute(SelectOptionByLabelKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByLabel(WebUiBuiltInKeywords.groovy:1269) at Script1724678805751.run(Script1724678805751.groovy:38) ... 16 more X Add Report Reports Activity Summary Note: Summary of Activities performed in the project in a given time span



### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:46:23 End 27-08-2024 14:46:47

Elapsed 24.167s Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.423s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.534s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	0.937s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.666s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	3.979s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	15.521s	PASSED

# Description Elapsed Status

Descr	iption	Elapsed	Status
click(f Alpha	indTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project "))	1.079s	FAILED
list/h4 Unabl	e to click on object 'Object Repository/Add report/Page_ShareBug - Project _Project Alpha' (Root cause: com.kms.katalon.core.exception.StepFailedException: e to click on object 'Object Repository/Add report/Page_ShareBug - Project _Project Alpha'		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed  JIKeywordMain.groovy:64)		
Ì	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword JIKeywordMain.groovy:26)		
groov	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute Keyword.groovy:40)		
execu	at com.kms.katalon.core.keyword.internal.KeywordExecutor. teKeywordForPlatform(KeywordExecutor.groovy:74)		
(Webl	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click JiBuiltInKeywords.groovy:659)		
	at TC - Add report.run(TC - Add report:32) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:1			
java:4			
java:4	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
Ì	CaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	CaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:2	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:3	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	monExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase SuiteExecutor.java:150)		
106)	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
180)	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: the following start Test Suite (Test Case Main. java: the follo$		
	at TempTestSuite1724744182231.run(TempTestSuite1724744182231.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Metho	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	eMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
Cause	gatingMethodAccessorImpl.java:43) ed by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
from u	ly closed Inknown error: web view not found sion info: chrome=127.0.6533.122)		
Build	info: version: '3.141.59', revision: 'unknown', time: 'unknown' m info: host: 'LAPTOP-MA9ME0JB', ip: '192.168.1.171', os.name: 'Windows 11', os.		
-	amd6/1' os version: '10.0' java version: '17.0.7'		

arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.selenium.driver.CChromeDriver

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
127.0.6533.122, chrome: {chromedriverVersion: 126.0.6478.55 (7616ff175414...,
userDataDir: C:\Users\Admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:55538}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: a7a72d9be559c6ec53154b7372c3ccba
*** Element info: {Using=xpath, value=//div[@id='cards-wrapper-cf']/div[5]/a/div/div/h4}
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openqa.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
          at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath
(RemoteWebDriver.java:432)
          at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
          at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
          at jdk.internal.reflect.GeneratedMethodAccessor13.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
          at jdk.proxy2/jdk.proxy2.$Proxy23.findElements(Unknown Source)
          at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1036)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:921)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBvSelectedMethod(WebUiCommonHelper.iava:902)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:897)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:893)
          at com.kms.katalon.core.webui.common.WebUiCommonHelper.
```

findElementsWithSelfHealing(WebUiCommonHelper.java:739)

```
Description
                                                                                           Elapsed
                                                                                                             Status
          at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements
(WebUiCommonHelper.java:723)
          at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement
(WebUiCommonHelper.java:1416)
          at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
groovy:74)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
(ClickKeyword.groovy:40)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
(WebUiBuiltInKeywords.groovy:659)
         at Script1724678805751.run(Script1724678805751.groovy:32)
```

### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:46:47 End 27-08-2024 14:49:14

Elapsed 2m - 27.706s

Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	0.927s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.549s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	0.921s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.651s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	3.890s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 12.845s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))  Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on	40.043s	PASSED
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))  Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on	11.968s	PASSED
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on	0.560s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd"), report, true)  All options with label 'Releases Summary' are selected in object 'Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using regular expression	1.294s	PASSED
11	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/inputtitle"), title)  Text 'Test case   1234567890123456789012345678901234567890123456789012345678901234567890123   4567890123456712345678901234567	0.975s	PASSED
12	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.311s	PASSED

#	Description	Elapsed	Status
13	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c"))	0.299s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on		
14	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save and add"))	11.895s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is clicked on		
15	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Add Report_reportKeyword"))	0.553s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Add Report_reportKeyword' is clicked on		

### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:49:14 End 27-08-2024 14:51:41

Elapsed 2m - 26.937s

Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.295s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.434s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	0.983s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.693s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	3.930s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 12.511s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))  Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on	39.827s	PASSED
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))  Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on	11.867s	PASSED
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on	0.548s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd"), report, true)  All options with label 'Releases Summary' are selected in object 'Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using regular expression	1.242s	PASSED
11	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/inputtitle"), title)  Text 'Test' is set on object 'Object Repository/Add report/Page_ShareBug - Reports/inputtitle'	0.624s	PASSED
12	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.306s	PASSED
13	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.310s	PASSED

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save and add"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is clicked on	11.804s	PASSED
15	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Add Report_reportKeyword"))	0.530s	PASSED

Object: 'Object Repository/Add report/Page\_ShareBug - Reports/input\_Add Report\_reportKeyword' is clicked on

### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:51:41 End 27-08-2024 14:54:22

Elapsed 2m - 40.295s

Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.239s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.058s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	1.373s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.676s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	3.927s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 12.114s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))  Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on	53.661s	PASSED
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))  Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on	11.958s	PASSED
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on	0.456s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd"), report, true)  All options with label 'Issue Summary' are selected in object 'Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using regular expression	1.270s	PASSED
11	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/inputtitle"), title)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Reports/inputtitle'	0.616s	PASSED
12	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.307s	PASSED
13	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.299s	PASSED

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save and add"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is clicked on	11.786s	PASSED
15	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Add Report_reportKeyword"))	0.527s	PASSED

Object: 'Object Repository/Add report/Page\_ShareBug - Reports/input\_Add Report\_reportKeyword' is clicked on

### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:54:22 End 27-08-2024 14:56:49

Elapsed 2m - 27.368s

Status PASSED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.212s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.455s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	0.955s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.704s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	3.879s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 13.050s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))  Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on	39.826s	PASSED
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))  Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on	11.985s	PASSED
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on	0.429s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd"), report, true)  All options with label 'Issue Summary' are selected in object 'Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using regular expression	1.270s	PASSED
11	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/inputtitle"), title)  Text 'Testcase123' is set on object 'Object Repository/Add report/Page_ShareBug - Reports/inputtitle'	0.627s	PASSED
12	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.317s	PASSED
13	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on	0.291s	PASSED

#	Description	Elapsed	Status
14	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save and add"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is clicked on	11.798s	PASSED
15	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Add Report_reportKeyword"))	0.534s	PASSED

Object: 'Object Repository/Add report/Page\_ShareBug - Reports/input\_Add Report\_reportKeyword' is clicked on

### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 14:59:37 End 27-08-2024 15:02:24

Elapsed 2m - 47.647s

Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.183s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.585s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	0.886s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.608s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	3.930s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 12.413s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))	39.740s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on		
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))	11.971s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on		
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))	0.534s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on		
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd"), report, true)	1.256s	PASSED
	All options with label 'Issue Summary' are selected in object 'Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using regular expression		
11	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/inputtitle"), title)	0.630s	PASSED
	Text ' ' is set on object 'Object Repository/Add report/Page_ShareBug - Reports/inputtitle'		
12	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))	0.306s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on		
13	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/input_Accessinga2ec6c"))	0.304s	PASSED
	Object: 'Object Repository/Add report/Page_ShareBug - Reports/input_Accessing _a2ec6c' is clicked on		

Description	Elapsed	Status
click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save and add"))	0.330s	PASSED
Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is clicked on		
(	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save and add"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Save 0.330s and add"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Save and add' is

```
Description
                                                                                                                                                                                                                                     Elapsed
                                                                                                                                                                                                                                                                               Status
           click(findTestObject("Object Repository/Add report/Page ShareBug - Reports/input Add
                                                                                                                                                                                                                                      32.944s
                                                                                                                                                                                                                                                                              FAILED
15
            Report_reportKeyword"))
            Unable to click on object 'Object Repository/Add report/Page_ShareBug -
            Reports/input_Add Report_reportKeyword' (Root cause: com.kms.katalon.core.exception.
            StepFailedException: Unable to click on object 'Object Repository/Add
            report/Page_ShareBug - Reports/input_Add Report_reportKeyword'
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed
            (WebUIKeywordMain.groovy:64)
                                  at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
            (WebUlKeywordMain.groovy:26)
                                  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.
            groovy:74)
                                  at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute
            (ClickKeyword.groovy:40)
                                  at com.kms.katalon.core.keyword.internal.KeywordExecutor.
            executeKeywordForPlatform(KeywordExecutor.groovy:74)
                                  at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click
            (WebUiBuiltInKeywords.groovy:659)
                                  at TC - Add report.run(TC - Add report:49)
                                  at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
                                  at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.
           java:119)
                                  at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.
           java:448)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecute(TestCaseExecutor.doExecutor.doExecute(TestCaseExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.doExecutor.d
           java:439)
                                  at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
            (TestCaseExecutor.java:418)
                                  at\ com.kms.katalon.core.main.Test Case Executor.access Main Phase
            (TestCaseExecutor.java:410)
                                  at\ com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.execute(TestCaseExecutor.executor.executor.execute(TestCaseExecutor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.executor.e
           java:285)
                                  at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.
           java:369)
                                  at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase
            (CommonExecutor.java:65)
                                  at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase
            (TestSuiteExecutor.java:150)
                                  at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:
            106)
                                  at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:
            180)
                                  at TempTestSuite1724744182231.run(TempTestSuite1724744182231.groovy:35)
                                  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
            Method)
                                  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
            (NativeMethodAccessorImpl.java:77)
                                  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
            (DelegatingMethodAccessorImpl.java:43)
            Caused by: org.openga.selenium.ElementClickInterceptedException: element click
            intercepted: Element <input type="text" class="form-control" placeholder="Search by Title"
            aria-label="Recipient's username" aria-describedby="button-addon2" name="
           reportKeyword"> is not clickable at point (320, 393). Other element would receive the click:
            <label id="endTimeLabel" for="endDate" class="form-label col-md-3">...</label>
```

(Session info: chrome=127.0.6533.122)

Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'

System info: host: 'LAPTOP-MA9ME0JB', ip: '192.168.1.171', os.name: 'Windows 11', os.

Elapsed

Status

```
Description
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
127.0.6533.122, chrome: {chromedriverVersion: 126.0.6478.55 (7616ff175414...,
userDataDir: C:\Users\Admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:55957}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: fe3088e656dcf2439d7801099db15c07
          at jdk.internal.reflect.GeneratedConstructorAccessor26.newInstance(Unknown
Source)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.iava:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at\ org. open qa. selenium. remote. Remote Web Element. click (Remote Web Element.
java:84)
          at jdk.internal.reflect.GeneratedMethodAccessor15.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.click(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openqa.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at jdk.internal.reflect.GeneratedMethodAccessor17.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.iava:43)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:67)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$ click closure1.call
(ClickKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
```

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.

# Description Elapsed Status

groovy:74)

at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)


 $at\ com. kms. katalon. core. keyword. internal. Keyword Executor.$ 

executeKeywordForPlatform(KeywordExecutor.groovy:74)

at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:659)

at Script1724678805751.run(Script1724678805751.groovy:49)

... 16 more



### Information

ID Test Cases/Add report/TC - Add report

Description

Tag

Start 27-08-2024 15:04:38 End 27-08-2024 15:06:56

Elapsed 2m - 17.201s

Status FAILED

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.126s	PASSED
2	navigateToUrl("http://localhost:4000/login")  Navigate to 'http://localhost:4000/login' successfully	0.560s	PASSED
3	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputemail"), email)  Text '123@1234' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputemail'	0.896s	PASSED
4	setText(findTestObject("Object Repository/Add report/Page_ShareBug - Login/inputpassword"), password)  Text '123' is set on object 'Object Repository/Add report/Page_ShareBug - Login/inputpassword'	0.644s	PASSED
5	click(findTestObject("Object Repository/Add report/Page_ShareBug - Login/button_Login"))  Object: 'Object Repository/Add report/Page_ShareBug - Login/button_Login' is clicked on	3.972s	PASSED
6	click(findTestObject("Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List"))  Object: 'Object Repository/Add report/Page_ShareBug - Dashboard/a_Project List' is clicked on	1m - 12.093s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha"))  Object: 'Object Repository/Add report/Page_ShareBug - Project list/h4_Project Alpha' is clicked on	43.203s	PASSED
8	click(findTestObject("Object Repository/Add report/Page_ShareBug - Project home/a_Reports"))  Object: 'Object Repository/Add report/Page_ShareBug - Project home/a_Reports' is clicked on	12.060s	PASSED
9	click(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/button_Add Report"))  Object: 'Object Repository/Add report/Page_ShareBug - Reports/button_Add Report' is clicked on	0.466s	PASSED
10	selectOptionByLabel(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd"), report, true)  All options with label 'Issue Summary' are selected in object 'Object Repository/Add report/Page_ShareBug - Reports/select_Activity Summaryfb27bd' using regular expression	1.306s	PASSED

Description	Elapsed	Status
setText(findTestObject("Object Repository/Add report/Page_ShareBug - Reports/inputtitle"), title)	0.755s	FAILED
Unable to set text " of object 'Object Repository/Add report/Page_ShareBug - Reports/inputtitle' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text " of object 'Object Repository/Add report/Page_ShareBug -		
Reports/inputtitle' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)		
at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:85)		
at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:39)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019)		
at TC - Add report.run(TC - Add report:41) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)		
at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)		
at TempTestSuite1724744182231.run(TempTestSuite1724744182231.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.WebDriverException: unknown error: ChromeDriver only		
supports characters in the BMP (Session info: chrome=127.0.6533.122)		
Build info: version: '3.141.59', revision: 'unknown', time: 'unknown'  System info: host: 'LAPTOP-MA9ME0JB', ip: '192.168.1.171', os.name: 'Windows 11', os.		
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'  Driver info: com kms katalon selenium driver CChromeDriver		

 $Driver\ info:\ com.kms.katalon.selenium.driver.CChrome Driver \\$ 

Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:

Status

```
Description
                                                                                           Elapsed
127.0.6533.122, chrome: {chromedriverVersion: 126.0.6478.55 (7616ff175414...,
userDataDir: C:\Users\Admin\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:56091}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: e7220e3348452448d89803496c10821a
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
          at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
          at org.openga.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
         at org.openqa.selenium.remote.RemoteWebElement.sendKeys
(RemoteWebElement.java:106)
          at jdk.internal.reflect.GeneratedMethodAccessor30.invoke(Unknown Source)
          at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.lambda$new$0(EventFiringWebDriver.java:
404)
          at jdk.proxy2/jdk.proxy2.$Proxy24.sendKeys(Unknown Source)
          at org.openga.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.sendKeys(EventFiringWebDriver.java:429)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.doCall(SetTextKeyword.groovy:71)
          at com.kms.katalon.core.webui.keyword.builtin.
SetTextKeyword$_setText_closure1.call(SetTextKeyword.groovy)
          at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword
(WebUIKeywordMain.groovy:20)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText
(SetTextKeyword.groovy:85)
          at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute
(SetTextKevword.groovv:39)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKevwordForPlatform(KevwordExecutor.groovy:74)
          at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText
(WebUiBuiltInKeywords.groovy:1019)
         at Script1724678805751.run(Script1724678805751.groovy:41)
```

... 16 more

# Description Elapsed Status

)

