

AI GENERALIST ACCELERATOR · 14-DAY AI SPRINT

Day Ten

Antigravity: From a Folder to a Live Portfolio, and Your Hackathon Team

A cleaned, detailed record of the live session, the hackathon briefing, and the breakout

Topics covered: VS Code Plus Gemini · IDE Versus 2.0 · The Folder Is the Workspace · Installing Skills · Prompt Injection and Security Audits · A shadcn Dashboard on localhost · Three Secret Sauces · The CI/CD Pipeline Demystified · The LinkedIn Portfolio · Hackathon Step One

About This Session

Day ten put a coding tool in front of a cohort of self-declared non-coders and ended with most of them holding a live portfolio website. Shasti's opening poll found that the majority had no portfolio and every one of them wanted one, and the promise was that by the end of the night they would have it: two and a half to three hours of teaching on Antigravity, Google's coding environment, then a workbook breakout to build and deploy their own, with the hackathon team reveal in between. The mentor was Harshith Vaddiparthi, AI consultant, co-founder and CTO of Kenzai Intelligence, familiar from three office hours, who opened with the disclaimer that shaped the tone: he cannot write a single line of code, everything about to be shown is built for complete non-coders, and the 3D printer whirring behind him was printing a mouse shell he had designed the same way. His one instruction for the day was to forget the tools and remember the approach, the way of thinking and communicating with these models, because that is what transfers to Cursor, Windsurf, Claude Code, or whatever comes next. It was a watch-along, prompts deliberately unpolished, talk to it like a friend, with every question in the chat treated as a prompt in disguise.

HOW TO USE THESE NOTES

The workbook installs Antigravity IDE, uses a printed LinkedIn profile (or a resume) as the source, and builds and deploys a first portfolio to Vercel; it completes on Antigravity's free models if you stick to the workbook's prompts and models, so resist perfectionism on the first pass and iterate later. All links Harshith showed, the skills, the three component libraries, the Cloudflare audit skill, and a promised resource with ready prompts for connecting Supabase, go to the day ten resources on the platform.

Hackathon step one is live: find your team through the group allocator linked in chat and under Hackathon Handbook, Find Your Group, at the bottom of Resources and Recordings. Use your registered email, join the WhatsApp group, and raise a request if your email is not found. Steps two to four are briefed tomorrow.

VS Code Plus Gemini: What Antigravity Is

The whiteboard began with what everyone already knew, a prompt goes in and language comes out, and shifted it one step: the same prompt, but the output is code, a website, a dashboard. Then the history that made the tool unintimidating. VS Code is a free, open-source, Microsoft-owned editor that looks scary, files, terminals, code everywhere, and was built for developers to write code by hand. Cursor took that editor and did one thing, it added a chatbot on the right side, so you chat and it writes the code. Google, which makes the best models, did the same and shipped Antigravity: VS Code plus a chatbot plus all the Gemini models, or, in a learner's phrase Harshith adopted on the spot, VS Code plus Gemini. The two downloads on antigravity.google were both installed to settle the confusion: Antigravity IDE is the integrated development environment, one place with every tool you need, and Antigravity 2.0 is the same engine behind a ChatGPT-like interface aimed at users who would rather not see files; same models, same performance, a pure interface choice, the only practical difference being that the IDE shows every file on the left as it is created while 2.0 hides them. Plugins, offered during onboarding, are the harnesses of yesterday's session, APIs and MCPs, with Google pushing its own Firebase and Maps. And the reason to learn the IDE rather than Lovable or Bolt, promised to become clear, did: those tools live on the web and excel at front ends, while an IDE gives the agent access to your actual computer, the files, connectors, and a production-grade backend, which is how his own site, a client's knowledge-graph dashboard, and his newsletter platform were built.

The Folder Is the Workspace

The most important concept of the night was demonstrated with an empty folder. A folder named 3D Prints was created on the desktop, dragged into Antigravity, trusted as its own author, and appeared as the workspace; Gemini was asked to create a file called hello.md containing a greeting, Accept Changes was clicked, and the file was sitting in the desktop folder. That is all the platform is, an interface for opening a folder and working on the files inside it, and a reflection of what exists on your own computer, the way coders once created and typed those files by hand, remembering to press Command-S because there is no autosave. Opening a folder is Open Folder or drag and drop, and in 2.0 it is the plus icon and New Project; either way the chat now lives inside that folder. The point was repeated until it stuck, because everything that followed, skills, dashboards, the portfolio, was simply things being installed into a folder you can see.

Installing Skills, and the Security Question

Skills, the recipes from day one, became tangible in a folder called Harshith Skills. On skills.sh, Vercel's marketplace where anyone can list a skill, the Front-End Design skill with over a million installs was opened, its command copied, pasted into Antigravity's chat with can you install this, the run allowed, and the skill appeared on the left as a folder holding a SKILL.md file describing itself, editable line by line in a way Lovable never permits. A mobile-app design skill followed the same way, the folder tree deepening to agents, skills, design mobile apps, and the lesson was the approach: a non-coder who wants an iPhone app does not learn iOS, they install an iOS skill. His proof was the mouse shell, designed with a Blender 3D-modelling skill he knew nothing about, whose print finished during the session. Then the question he waited for the room to ask: how do you know a skill from the internet is safe? A folder may say front-end design while its file says open Chrome and send the passwords, prompt injection, illustrated by a friend in crypto who installed a trading skill that quietly transferred his wallet elsewhere. Two defences were shown. The simple one, paste the skill's command and ask Antigravity to clone it, inspect it, and confirm it is safe before installing, which returned a verdict that the 3D skill contained no executable code, meaning no commands that open or send anything sensitive. The serious one, Cloudflare's open-source Security Audit skill, updated within weeks, with folders for web protocols, validation, and supply chain, installed with a standing instruction that every future skill installation must be audited against it and proceed only on approval. The audit exposed two habits worth keeping: a weaker Gemini model refused the request, so the prompt was pasted into a fresh chat on Claude Sonnet 4.6, a model switch Lovable does not allow and a token saving when cheap models handle simple work; and any part of an audit that reads as too technical can be commented on or pasted back with explain this like I am ten. Complex skills, he noted, are more than one file, the 3D skill referencing folders of patterns and validation rules, which is what makes them powerful in marketing, analytics, or sales. On hardware, the models run in the cloud, not on his 18-gigabyte MacBook, which crashed once during the session; 48 gigabytes is comfortable, and only Ollama-sized models need to run locally.

A Dashboard on localhost, and Three Secret Sauces

Building began with shadcn/ui, a component library of accordions, buttons, breadcrumbs, and whole dashboard blocks, chosen because designing such a thing from scratch in Lovable would burn a day and a fortune in tokens. A featured dashboard's command was copied and pasted into Antigravity with install this in my folder, on Gemini 3.1 Pro at low effort since the task was simple, and the agent initialised a Next.js project and installed the codebase, with the copyright question answered along the way: these tools are MIT-licensed free and open-source software, usable, modifiable, and sellable without credit. The result was not visible until the room worked out why: the agent's message ended with visit localhost 3000 slash dashboard, and when the link did nothing, one more prompt, can you run this locally and keep it running, brought the dashboard up in the browser. Localhost means your laptop is the server, so the link works nowhere else. It was good but not great, which introduced the first secret sauce, TweakCN, a gallery of full themes, Bubblegum, Candyland, Claymorphism, with a Code button whose command, pasted with install this exact style, font, and text, restyled the dashboard on Sonnet 4.6 in under a minute, work he described as once a job for five or ten people. Clicking the sidebar links did nothing, and the room's guesses, no data, no backend, were close but wrong, the answer being that the pages did not exist yet; a prompt to route the root to the dashboard and build Lifecycle and Analytics pages created them live, all on mock data until a Supabase connection, for which he promised a resource with ready prompts. The other two sauces were Interior.dev and BeautifulUI.dev, both free codebases built on shadcn, from which any component you like is copied and integrated by one prompt.

The CI/CD Pipeline Demystified

A dashboard on localhost cannot be shared, so the drawing board got the four boxes that a developer friend had once made sound impossible: code exists locally, push it to GitHub, host it on Vercel, connect a domain. GitHub came first, with the connection made by pasting his GitHub URL and asking Antigravity to connect through the GitHub CLI, the command line interface being, in his words, just an easier way for computers to talk, and the whole codebase pushed to a new public repository with one conversational request, no git commit typed by anyone. Vercel came next, free on its hobby plan for two years of his projects: log in with GitHub, Add New Project, import the repository that appeared automatically, Deploy, and the same code that ran on his laptop ran on Vercel's servers twenty-four seven at a live link shared in chat. The domain was last, bought from Namecheap, GoDaddy, or Hostinger, cheaper the longer and stranger the ending, then added under Domains in the Vercel project and connected by copying two records, an A record and a CNAME for www, into the registrar's advanced DNS, identical on every provider because the protocol is a standard, with up to twenty-four hours to propagate. Every change from then on flows automatically, edit in Antigravity, push to GitHub, Vercel redeploys, the domain serves it, which is the entire meaning of continuous integration and continuous delivery, a name, he suspected, invented to intimidate.

The LinkedIn Portfolio

The final fifteen minutes ran the method on the thing everyone wanted. A folder named Harshith Portfolio was dragged into Antigravity, his LinkedIn profile was printed to PDF with Command-P after letting the page fully load, a resume being the alternative, and the file was placed inside the folder so it appeared in the workspace. One prompt did the rest: the Taste skill's command from skills.sh, the PDF dragged into the chat, and install this skill and create my personal portfolio from my LinkedIn. Antigravity asked to extract the PDF text, installed Node modules, the packages a codebase needs to run, presented an implementation plan to review, and built, at one point hallucinating a cinematic executive portrait of someone who was not him, fixed by pasting his own photo with use this image of a very handsome man. The advice for a real portfolio was context: dump every document about yourself, Notion pages, resumes, notes, into the folder and let it build from all of them, then iterate through the pipeline, pushing improvements as you find components you like. The first version was live before the handoff, not great, he admitted, but a website from a LinkedIn page in fifteen minutes, and the closing thought was the reason it mattered: think of these models as a way of expression, because two years ago he could not put himself on a website, and now anyone can.

THE MENTAL MODEL

Antigravity is VS Code plus Gemini, and a folder on your computer is the workspace. Install capabilities by pasting a skill's command, audit every skill before it runs, and switch models to fit the task. Build from component libraries rather than from scratch, run on localhost until it works, then push to GitHub, deploy on Vercel, and point a domain at it. Every question you have is a prompt; give it all your context and iterate.

Hackathon Step One: Finding Your Team

Sumedha's briefing framed the hackathon as four steps, of which only the first was taken tonight: know your teammates and how to reach them; learn the product options, rules, and submission details; build; submit. Teams communicate on WhatsApp, and every group has a pre-made WhatsApp group found through an in-house tool she built and demonstrated, the group allocator: enter your registered email, click Find Group, receive your group number, and open the WhatsApp group by link on desktop or by scanning its QR code in the app. If the email is not found, use the enrolment email, and if it still fails, click Raise a Request with name, registered email, and phone, and the team grants access within an hour or two by email or WhatsApp. The link sits in chat and on the platform under Hackathon Handbook, Find Your Group, with the steps written out, and group 78, holding only the internal team, is the demo, not a real group. Groups were allocated by region and by attendance activity, hold eight to ten people, and the effective team is whoever participates, since the hackathon is optional but never individual. It begins tomorrow at 11.59 pm IST after the session, in which Uthappa presents the product options and submission requirements, step two, and teams go straight into breakout rooms to choose; the deadline is Sunday at 10 am IST, slightly beyond forty-eight hours so nobody skips the weekend sessions. Shasti closed the hackathon questions there, with a dedicated thirty-minute section promised tomorrow.

The Breakout, and What Comes Next

The workbook repeated the demonstration exactly: install Antigravity IDE, print your LinkedIn or use a resume, build the portfolio, deploy it on Vercel, and have it live by the end of the room, on free models if the workbook's prompts are followed, with the standing warning that perfectionism on a first attempt burns credits and that credits are nothing Outskill can fix; wait twenty-four hours for a refill if needed. Rooms ran up to two hours by choice, and the return brought a chat full of portfolio links, redirected to the gratitude and reflection channels where the team can actually look. Unfinished steps go to the Ask channel with a screenshot. Tomorrow is a deep dive on Claude, Claude Code, Claude Design, and cowork, followed by the hackathon step-two briefing.

Key Takeaways

Stripped to its essentials, the session made the following points.

- **Antigravity is VS Code plus Gemini.** An open-source editor with a chatbot beside it, offered as an IDE that shows your files or a 2.0 interface that hides them, same engine either way, and the door to Cursor, Windsurf, and Claude Code.
- **The folder is the workspace.** Drag a desktop folder into Antigravity and everything the agent builds appears as real files you can open, edit, and save; the interface is just a window onto your own computer.
- **Install capability, don't learn it.** A non-coder who needs an iOS app or a 3D model installs a skill from skills.sh by pasting one command, and can read and edit the SKILL.md it creates.
- **Audit before you run.** Skills can carry prompt injections; ask the agent to inspect one before installing, or adopt Cloudflare's Security Audit skill with a standing approve-before-install rule, and use the strongest model for security work.
- **Build from libraries, run on localhost.** shadcn dashboards, TweakCN themes, Interior.dev and BeautifulUI.dev components are all MIT-licensed and install by command; localhost means your laptop is the server, and links that do nothing usually mean pages that do not exist yet.
- **The CI/CD pipeline is four boxes.** Local code to GitHub through the CLI, GitHub to Vercel's free hobby plan by import and deploy, Vercel to your domain with an A record and a CNAME, and every edit flows through automatically.
- **A portfolio is a printed LinkedIn and one prompt.** Drop the PDF in a folder, add a taste skill, ask for a personal portfolio, correct hallucinations with your own assets, and feed it every document about yourself for the next iteration.
- **Find your team tonight.** The group allocator turns your registered email into a WhatsApp group, groups of eight to ten by region, hackathon optional but never solo, opening tomorrow at 11.59 pm IST with a Sunday 10 am deadline.

End of Day Ten notes. Next: the Claude deep dive, and hackathon step two — Day Eleven.